ICS 13.020, 43.040.10 SLOVENSKÁ TECHNICKÁ NORMA Október 2014

STN	**Stanovenie obsahu určených látok v elektrotechnických výrobkoch. Časť 4: Stanovenie ortuti v polyméroch, kovoch a elektronike pomocou CV-AAS, CV-AFS, ICP-OES a ICP-MS.**	**STN EN 62321-4** 34 6705

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/14

Táto norma od 15.11.2016 čiastočne nahrádza STN EN 62321 z decembra 2009.

Obsahuje: EN 62321-4:2014, IEC 62321-4:2013

119451

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 62321-4

April 2014

ICS 13.020; 43.040.10

Supersedes EN 62321:2009 (partially)

English version

Determination of certain substances in electrotechnical products - Part 4: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES and ICP-MS

(IEC 62321-4:2013)

Détermination de certaines substances dans les produits électrotechniques - Partie 4: Mercure dans les polymères, métaux et produits électroniques par CV-AAS, CV-AFS, ICP-OES et ICP-MS
(CEI 62321-4:2013)

Verfahren zur Bestimmung von bestimmten Substanzen in Produkten der Elektrotechnik -
Teil 4: Quecksilber in Polymeren, Metallen und Elektronik mit CV-AAS, CV-AFS, ICP-OES und ICP-MS
(IEC 62321-4:2013)

This European Standard was approved by CENELEC on 2013-11-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Ref. No. EN 62321-4:2014 E

Foreword

The text of document 111/299/FDIS, future edition 1 of IEC 62321-4, prepared by IEC/TC 111 "Environmental standardization for electrical and electronic products and systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62321-4:2014.

The following dates are fixed:

• latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2014-10-25
• latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2016-11-15

EN 62321-4:2014 is a partial replacement of EN 62321:2009, forming a structural revision and replacing Clause 7 and Annex E.

Future parts in the EN 62321 series will gradually replace the corresponding clauses in EN 62321:2009. Until such time as all parts are published, however, EN 62321:2009 remains valid for those clauses not yet re-published as a separate part.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62321-4:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 62321-5	NOTE	Harmonised as EN 62321-5.

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	Title	EN/HD	Year
IEC 62321-1	-	Determination of certain substances in electrotechnical products - Part 1: Introduction and overview	EN 62321-1	-
IEC 62321-2	-	Determination of certain substances in electrotechnical products - Part 2: Disassembly, disjunction and mechanical sample preparation	EN 62321-2	-
IEC 62321-3-1	-	Determination of certain substances in electrotechnical products - Part 3-1: Screening electrotechnical products for lead, mercury, cadmium, total chromium and total bromine using X-ray Fluorescence Spectrometry	EN 62321-3-1	-
IEC 62554	-	Sample preparation for measurement of mercury level in fluorescent lamps	EN 62554	-
ISO 3696	-	Water for analytical laboratory use - Specification and test methods	EN ISO 3696	-

IEC 62321-4

Edition 1.0 2013-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Determination of certain substances in electrotechnical products – Part 4: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES and ICP-MS

Détermination de certaines substances dans les produits électrotechniques – Partie 4: Mercure dans les polymères, métaux et produits électroniques par CV-AAS, CV-AFS, ICP-OES et ICP-MS

IEC 62321-4:2013

IEC 62321-4

Edition 1.0 2013-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Determination of certain substances in electrotechnical products – Part 4: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES and ICP-MS

Détermination de certaines substances dans les produits électrotechniques – Partie 4: Mercure dans les polymères, métaux et produits électroniques par CV-AAS, CV-AFS, ICP-OES et ICP-MS

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX U

ICS 13.020; 43.040.10

ISBN 978-2-83220-841-0

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

DETERMINATION OF CERTAIN SUBSTANCES IN ELECTROTECHNICAL PRODUCTS –

Part 4: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES and ICP-MS

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62321-4 has been prepared by IEC technical committee 111: Environmental standardization for electrical and electronic products and systems.

The first edition of IEC 62321:2008 was a 'stand alone' standard that included an Introduction, an overview of test methods, a mechanical sample preparation as well as various test method clauses.

This first edition of IEC 62321-4 is a partial replacement of IEC 62321, forming a structural revision and replacing Clause 7 and Annex E.

Future parts in the IEC 62321 series will gradually replace the corresponding clauses in IEC 62321:2008. Until such time as all parts are published, however, IEC 62321:2008 remains valid for those clauses not yet re-published as a separate part.

The text of this standard is based on the following documents:

FDIS	Report on voting
111/299/FDIS	111/309/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62321 series can be found on the IEC website under the general title: *Determination of certain substances in electrotechnical products*

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The widespread use of electrotechnical products has drawn increased attention to their impact on the environment. In many countries this has resulted in the adaptation of regulations affecting wastes, substances and energy use of electrotechnical products.

The use of certain substances (e.g. lead (Pb), cadmium (Cd) and polybrominated diphenyl ethers (PBDEs)) in electrotechnical products, is a source of concern in current and proposed regional legislation.

The purpose of the IEC 62321 series is therefore to provide test methods that will allow the electrotechnical industry to determine the levels of certain substances of concern in electrotechnical products on a consistent global basis.

WARNING – Persons using this International Standard should be familiar with normal laboratory practice. This standard does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

DETERMINATION OF CERTAIN SUBSTANCES IN ELECTROTECHNICAL PRODUCTS –

Part 4: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES and ICP-MS

1 Scope

This part of IEC 62321 describes test methods for mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES and ICP-MS.

This standard specifies the determination of the levels of mercury (Hg) contained in electrotechnical products. These materials are polymers, metals and electronics (e.g. printed wiring boards, cold cathode fluorescent lamps, mercury switches). Batteries containing Hg should be handled as described in [1][1]. The interlaboratory study has only evaluated these test methods for plastics, other matrices were not covered.

This standard refers to the sample as the object to be processed and measured. What the sample is or how to get to the sample is defined by the entity carrying out the tests. Further guidance on obtaining representative samples from finished electronic products to be tested for levels of regulated substances may be found in IEC 62321-2. It is noted that the selection and/or determination of the sample may affect the interpretation of the test results.

This standard describes the use of four methods, namely CV-AAS (cold vapour atomic absorption spectrometry), CV-AFS (cold vapour atomic fluorescence spectrometry) ICP-OES (inductively coupled plasma optical emission spectrometry), and ICP-MS (inductively coupled plasma mass spectrometry) as well as several procedures for preparing the sample solution from which the most appropriate method of analysis can be selected by experts.

Analysis by CV-AAS, CV-AFS, ICP-OES and ICP-MS allows the determination of the target element, mercury, with high precision (uncertainty in the low per cent range) and/or high sensitivity (down to the μg/kg level). The test procedures described in this standard are intended to provide the highest level of accuracy and precision for concentrations of mercury in the range from 4 mg/kg to 1 000 mg/kg. The procedures are not limited for higher concentrations.

For direct analysis, using thermal decomposition-gold amalgamation in conjunction with CV-AAS (TD(G)-AAS) can be also applied for mercury analysis without sample digestion, although the detection limits are higher than other methods due to the reduced sample size.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62321-1, *Determination of levels of certain substances in electrotechnical products – Part 1: Introduction and overview*

---

1 Figures in square brackets refer to the bibliography.

IEC 62321-2, *Determination of levels of certain substances in electrotechnical products – Part 2: Disassembly, disjointment and mechanical sample preparation*[2]

IEC 62321-3-1, *Determination of certain substances in electrotechnical products – Part 3-1: Screening – Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry*

IEC 62554, S*ample preparation for measurement of mercury level in fluorescent lamps*

ISO 3696, *Water for analytical laboratory use – Specification and test methods*

2 To be published.