

<b>STN</b>	<b>Vysokonapäťové spínacie a riadiace zariadenia Časť 109: Premosťovacie spínače sériových kondenzátorov na striedavý prúd</b>	<b>STN EN IEC 62271-109</b>  35 4220
------------	--	--

High-voltage switchgear and controlgear - Part 109: Alternating-current series capacitor by-pass switches

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/19

Obsahuje: EN IEC 62271-109:2019, IEC 62271-109:2019

Oznámením tejto normy sa od 13.05.2022 ruší  
STN EN 62271-109 (35 4220) z decembra 2009

**129694**

EUROPEAN STANDARD

**EN IEC 62271-109**

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2019

ICS 29.130.10

Supersedes EN 62271-109:2009

English Version

## High-voltage switchgear and controlgear - Part 109: Alternating-current series capacitor by-pass switches (IEC 62271-109:2019)

Appareillage à haute tension - Partie 109: Interrupteurs de contournement pour condensateurs série à courant alternatif  
(IEC 62271-109:2019)

Hochspannungs-Schaltgeräte und -Schaltanlagen - Teil 109: Wechselstrom-Überbrückungsschalter für Reihenkondensatoren  
(IEC 62271-109:2019)

This European Standard was approved by CENELEC on 2019-05-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 62271-109:2019 (E)****European foreword**

The text of document 17A/1208/FDIS, future edition 3 of IEC 62271-109, prepared by SC 17A "Switching devices" of IEC/TC 17 "High-voltage switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62271-109:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-02-13
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-05-13

This document supersedes EN 62271-109:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 62271-109:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60060-1:2010	NOTE	Harmonized as EN 60060-1:2010 (not modified)
IEC 60071-1	NOTE	Harmonized as EN 60071-1
IEC 60071-2	NOTE	Harmonized as EN IEC 60071-2
IEC 62271-200	NOTE	Harmonized as EN 62271-200
IEC 62271-203	NOTE	Harmonized as EN 62271-203
IEC 60296	NOTE	Harmonized as EN 60296
IEC 60529	NOTE	Harmonized as EN 60529

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-151	2001	International Electrotechnical Vocabulary - Part 151: Electrical and magnetic devices	-	-
IEC 60050-436	1990	International Electrotechnical Vocabulary. Chapter 436: Power capacitors	-	-
IEC 60050-441	1984	International Electrotechnical Vocabulary. Switchgear, controlgear and fuses	-	-
IEC 60050-614	2016	International Electrotechnical Vocabulary - Part 614: Generation, transmission and distribution of electricity - Operation	-	-
IEC 60060	series	High-voltage test techniques	EN 60060	series
IEC 60137	2017	Insulated bushings for alternating voltages above 1000 V	EN 60137	2017
IEC 60143-1	2015	Series capacitors for power systems - Part 1: General	EN 60143-1	2015
IEC 60143-2	2012	Series capacitors for power systems - Part 2: Protective equipment for series capacitor banks	EN 60143-2	2013
IEC 60270	-	High-voltage test techniques - Partial discharge measurements	EN 60270	-
IEC 60376	-	Specification of technical grade sulphur hexafluoride (SF <sub>6</sub> ) and complementary gases to be used in its mixtures for use in electrical equipment	EN IEC 60376	-
IEC 60480	-	Specifications for the re-use of sulphur hexafluoride (SF <sub>6</sub> ) and its mixtures in electrical equipment	-	-
IEC 62271-1	2017	High-voltage switchgear and controlgear - Part 1: Common specifications for alternating current switchgear and controlgear	EN 62271-1	2017
IEC 62271-4	-	High-voltage switchgear and controlgear - Part 4: Handling procedures for sulphur hexafluoride (SF <sub>6</sub> ) and its mixtures	EN 62271-4	-
IEC 62271-100	2008	High-voltage switchgear and controlgear - Part 100: Alternating current circuit-breakers	EN 62271-100	2009

**EN IEC 62271-109:2019 (E)**

+ A1	2012		+ A1	2012
+ A2	2017		+ A2	2017
IEC 62271-101	-	High-voltage switchgear and controlgear - Part 101: Synthetic testing	EN 62271-101	-
IEC 62271-102	2018	High-voltage switchgear and controlgear - Part 102: Alternating current disconnectors and earthing switches	EN IEC 62271-2018	102



IEC 62271-109

Edition 3.0 2019-04

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**High-voltage switchgear and controlgear –  
Part 109: Alternating-current series capacitor by-pass switches**

**Appareillage à haute tension –  
Partie 109: Interrupteurs de contournement pour condensateurs série à courant alternatif**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 62271-109

Edition 3.0 2019-04

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**High-voltage switchgear and controlgear –  
Part 109: Alternating-current series capacitor by-pass switches**

**Appareillage à haute tension –  
Partie 109: Interrupteurs de contournement pour condensateurs série à courant alternatif**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.130.10

ISBN 978-2-8322-6673-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



## CONTENTS

FOREWORD .....	9
1 Scope .....	11
2 Normative references .....	11
3 Terms and definitions .....	12
3.1 General terms and definitions .....	12
3.2 Assemblies .....	15
3.3 Parts of assemblies .....	15
3.4 Switching devices .....	15
3.5 Parts of by-pass switches .....	17
3.6 Operational characteristics of by-pass switches .....	20
3.7 Characteristic quantities .....	22
3.8 Terms and definitions related to series capacitor banks .....	30
3.9 Index of definitions.....	33
4 Normal and special service conditions .....	37
5 Ratings.....	37
5.1 General.....	37
5.2 Rated voltage ( $U_r$ ) .....	38
5.2.1 General .....	38
5.2.2 Range I for rated voltage of 245 kV and below.....	38
5.2.3 Range II for rated voltage above 245 kV .....	38
5.3 Rated insulation level ( $U_p, U_d, U_s$ ) .....	38
5.3.101 Rated insulation level to earth ( $U_{pe}, U_{de}, U_{se}$ ) .....	38
5.3.102 Rated insulation level across the by-pass switch ( $U_{pp}, U_{dp}, U_{sp}$ ) .....	38
5.4 Rated frequency ( $f_r$ ).....	39
5.5 Rated continuous current ( $I_r$ ) .....	39
5.6 Rated short-time withstand current ( $I_k$ ) .....	39
5.7 Rated peak withstand current ( $I_p$ ) .....	39
5.8 Rated duration of short-circuit ( $t_k$ ).....	39
5.9 Rated supply voltage of auxiliary and control circuits ( $U_a$ ) .....	39
5.10 Rated supply frequency of auxiliary and control circuits .....	39
5.11 Rated pressures of compressed gas supply for controlled pressure systems.....	39
5.101 Rated operating sequence .....	39
5.102 Rated by-pass making current ( $I_{BP}$ ) .....	40
5.103 Rated by-pass insertion current ( $I_{INS}$ ) .....	41
5.104 Rated reinsertion voltage ( $U_{INS}$ ) .....	41
5.105 Number of mechanical operations .....	41
6 Design and construction .....	41
6.1 Requirements for liquids in by-pass switches .....	41
6.2 Requirements for gases in by-pass switches.....	42
6.3 Earthing of by-pass switches.....	42
6.4 Auxiliary and control equipment and circuits .....	42
6.4.1 General .....	42
6.4.2 Protection against electrical shock.....	42
6.4.3 Components installed in enclosures.....	42
6.5 Dependent power operation .....	43
6.6 Stored energy operation.....	43

6.7	Independent unlatched operation (independent manual or power operation) .....	43
6.8	Manually operated actuators .....	43
6.9	Operation of releases.....	43
6.9.1	General .....	43
6.9.2	Shunt closing releases.....	43
6.9.3	Shunt opening releases .....	43
6.9.4	Capacitor operation of shunt releases.....	44
6.9.5	Under-voltage release .....	44
6.9.101	Multiple releases .....	44
6.9.102	Operation limits of releases .....	44
6.9.103	Power consumption of releases .....	44
6.10	Pressure/level indication .....	44
6.10.101	Low- and high-pressure interlocking devices.....	44
6.11	Nameplates.....	44
6.12	Locking devices .....	46
6.13	Position indication.....	46
6.14	Degrees of protection provided by enclosures.....	46
6.15	Creepage distances for outdoor insulators .....	46
6.16	Gas and vacuum tightness .....	46
6.17	Tightness for liquid systems.....	46
6.18	Fire hazard (flammability) .....	46
6.19	Electromagnetic compatibility.....	46
6.20	X-ray emission .....	46
6.21	Corrosion .....	46
6.22	Filling levels for insulation, by-passing, insertion and/or operation .....	46
6.101	Requirements for simultaneity within a pole .....	46
6.102	General requirement for operation .....	46
6.103	Pressure limits of fluids for operation .....	47
6.104	Vent outlets .....	47
6.105	Time quantities .....	47
6.106	Static mechanical loads .....	48
7	Type tests .....	48
7.1	General.....	48
7.1.1	Basics .....	48
7.1.2	Information for identification of test objects.....	49
7.1.3	Information to be included in type test reports .....	49
7.1.101	Invalid tests .....	50
7.1.102	Type tests to repeat for by-pass switches with alternative operating mechanisms .....	50
7.2	Dielectric tests .....	50
7.2.1	General .....	50
7.2.2	Ambient air conditions during tests .....	50
7.2.3	Wet test procedure .....	51
7.2.4	Arrangement of the equipment.....	51
7.2.5	Criteria to pass the test .....	51
7.2.6	Application of test voltage and test conditions .....	51
7.2.7	Tests of by-pass switches of $U_{re} \leq 245$ kV or $U_{rp} \leq 245$ kV .....	51
7.2.8	Tests of by-pass switches of $U_{re} > 245$ kV or $U_{rp} > 245$ kV .....	52
7.2.9	Artificial pollution tests for outdoor insulators.....	52

7.2.10	Partial discharge tests .....	52
7.2.11	Dielectric tests on auxiliary and control circuits .....	53
7.2.12	Voltage test as condition check .....	53
7.3	Radio interference voltage (RIV) tests .....	54
7.4	Resistance measurement .....	54
7.5	Continuous current tests .....	55
7.5.1	Conditions of the test object .....	55
7.5.2	Arrangement of the equipment .....	55
7.5.3	Test current and duration .....	55
7.5.4	Temperature measurement during test .....	56
7.5.5	Resistance of the main circuit .....	56
7.5.6	Criteria to pass test .....	56
7.6	Short-time withstand current and peak withstand current tests .....	56
7.6.1	General .....	56
7.6.2	Arrangement of the by-pass switch and of the test circuit .....	56
7.6.3	Test current and duration .....	56
7.6.4	Condition of the by-pass switch after test .....	56
7.7	Verification of the protection .....	56
7.7.1	Verification of the IP coding .....	56
7.7.2	Verification of the IK coding .....	56
7.8	Tightness tests .....	56
7.9	Electromagnetic compatibility tests (EMC) .....	56
7.9.1	Emission tests .....	56
7.9.2	Immunity tests on auxiliary and control circuits .....	57
7.9.3	Additional EMC tests on auxiliary and control circuits .....	57
7.10	Additional tests on auxiliary and control circuits .....	57
7.10.1	General .....	57
7.10.2	Functional tests .....	57
7.10.3	Verification of the operational characteristics of auxiliary contacts .....	57
7.10.4	Environmental tests .....	57
7.10.5	Dielectric test .....	58
7.11	X-Radiation test for vacuum interrupters .....	58
7.101	Mechanical and environmental tests .....	58
7.101.1	Miscellaneous provisions for mechanical and environmental tests .....	58
7.101.2	Mechanical operation test at ambient air temperature .....	60
7.101.3	Low and high temperature tests .....	62
7.101.4	Humidity test .....	68
7.101.5	Test to prove the operation under severe ice conditions .....	68
7.102	Miscellaneous provisions for by-pass making and insertion tests .....	68
7.102.1	General .....	68
7.102.2	Number of test specimens .....	69
7.102.3	Arrangement of by-pass switch for tests .....	69
7.102.4	General considerations concerning testing methods .....	70
7.102.5	Synthetic tests .....	73
7.102.6	No-load operations before tests .....	73
7.102.7	Alternative operating mechanisms .....	73
7.102.8	Behaviour of by-pass switch during tests .....	74
7.102.9	Condition of by-pass switch after tests .....	74

7.103	By-pass making current test-duty and insertion current test-duty, sequence of tests.....	76
7.103.1	General .....	76
7.103.2	By-pass making current test-duty.....	76
7.103.3	Insertion current test-duty.....	79
7.103.4	Criteria to pass the test duties .....	88
8	Routine tests .....	88
8.1	General.....	88
8.2	Dielectric test on the main circuit .....	88
8.3	Tests on auxiliary and control circuits .....	90
8.3.1	Inspection of auxiliary and control circuits, and verification of conformity to circuit diagrams and wiring diagrams .....	90
8.3.2	Functional tests .....	90
8.3.3	Verification of protection against electrical shock.....	90
8.3.4	Dielectric tests.....	90
8.4	Measurement of the resistance of the main circuit.....	90
8.5	Tightness test .....	90
8.5.1	General .....	90
8.5.2	Controlled pressure systems for gas .....	90
8.5.3	Closed pressure systems for gas .....	91
8.5.4	Sealed pressure systems.....	91
8.5.5	Liquid tightness tests .....	91
8.6	Design and visual checks.....	91
8.101	Mechanical operating tests .....	91
9	Guide to the selection of by-pass switches (informative).....	93
10	Information to be given with enquiries, tenders and orders (informative).....	93
10.1	General.....	93
10.2	Information with enquiries and orders .....	93
10.3	Information with tenders.....	94
11	Transport, storage, installation, operating instructions and maintenance.....	96
11.1	General.....	96
11.2	Conditions during transport, storage and installation .....	96
11.3	Installation .....	96
11.4	Operating instruction.....	96
11.5	Maintenance .....	96
11.101	Guide for commissioning tests .....	96
11.101.1	General .....	96
11.101.2	Commissioning checks and test programme .....	97
11.101.3	Resistors and capacitors (if applicable) .....	102
12	Safety.....	102
12.1	General.....	102
12.2	Precautions by manufacturers.....	103
12.3	Precautions by users .....	103
13	Influence of the product on environment .....	103
Annex A (normative)	Tolerances on test quantities during type tests.....	104
Annex B (normative)	Records and reports of type tests.....	108
B.1	Information and results to be recorded .....	108
B.2	Information to be included in type test reports.....	108

B.2.1	General .....	108
B.2.2	Apparatus tested .....	108
B.2.3	Rated characteristics of by-pass switch, including its operating devices and auxiliary equipment.....	108
B.2.4	Test conditions (for each series of tests; if applicable).....	108
B.2.5	Short-time withstand current and peak withstand current test .....	109
B.2.6	No-load operation .....	109
B.2.7	By-pass making current test-duty.....	109
B.2.8	Insertion current test-duty.....	109
B.2.9	Oscillographic and other records .....	110
Annex C (informative) (Void).....		111
Annex D (informative) Examples of by-pass switch ratings.....		112
Annex E (normative) By-pass switches used as the primary by-passing devices .....		119
Annex F (informative) Explanatory note regarding recovery voltage during reinsertion.....		121
Annex G (normative) Use of mechanical characteristics and related requirements .....		131
Bibliography.....		134
Figure 1 – Different layouts for series capacitor banks.....		16
Figure 2 – By-pass switch – Opening and closing operations .....		23
Figure 3 – By-pass switch – Close-open cycle .....		24
Figure 4 – By-pass switch – Open-close cycle .....		25
Figure 5 – Example of wind velocity measurement.....		64
Figure 6 – Test sequences for low and high temperature tests .....		65
Figure 7 – Equivalent testing set-up for unit testing of by-pass switches with more than one separate by-pass units .....		71
Figure 8 – Typical test circuit for the by-pass making current test-duty .....		77
Figure 9 – Oscillogram obtained from the typical test circuit for the by-pass making current test-duty .....		78
Figure 10 – Typical LC test circuit for the insertion current test-duty .....		81
Figure 11 – Oscillogram obtained from the typical LC test circuit for the insertion current test-duty .....		82
Figure 12 – Typical test circuit for the insertion current test-duty (mainly for high rated insertion current) .....		83
Figure 13 – Oscillogram obtained from the typical test circuit shown in Figure 12 for the insertion current test-duty .....		84
Figure 14 – Typical direct test circuit for the insertion current test-duty.....		85
Figure 15 – Oscillogram obtained from the typical direct test circuit for the insertion current test-duty .....		86
Figure 16 – Reference mechanical travel characteristics (idealized curve).....		92
Figure E.1 – Typical component layout for by-pass switches used as the primary by-passing device.....		119
Figure F.1 – Typical example of the reinsertion voltage across a by-switch for a low compensation factor scheme ( $k = 0,2$ ) and for a power swing of 1,8 p.u.....		128
Figure F.2 – Typical example of the reinsertion voltage across a by-switch for a high compensation factor scheme ( $k = 0,5$ ) and for a power swing of 1,8 p.u.....		128
Figure F.3 – Comparison of the calculated reinsertion voltage examples and possible testing envelopes for 50 Hz systems.....		129

Figure F.4 – Comparison of the calculated reinsertion voltage examples and possible testing envelopes for 60 Hz systems .....	129
Figure G.1 – Reference mechanical travel characteristics (idealized curve) .....	132
Figure G.2 – Reference mechanical travel characteristics (idealized curve) with the prescribed envelopes centered over the reference curve ( $\pm 5\%$ ), contact separation in this example at time $t = 20$ ms .....	132
Figure G.3 – Reference mechanical travel characteristics (idealized curve) with the prescribed envelopes fully displaced upward from the reference curve ( $^{+10}_0\%$ ), contact separation in this example at time $t = 20$ ms .....	133
Figure G.4 – Reference mechanical travel characteristics (idealized curve) with the prescribed envelopes fully displaced downward from the reference curve ( $^0_{-10}\%$ ), contact separation in this example at time $t = 20$ ms .....	133
Table 1 – Number of mechanical operations .....	41
Table 2 – Nameplate information .....	45
Table 3 – Examples of static horizontal and vertical forces for static terminal load .....	48
Table 4 – Type tests .....	49
Table 5 – Invalid tests .....	50
Table 6 – Number of operating sequences .....	61
Table 7 – Limits of supply voltage for closing and opening releases .....	69
Table 8 – Test procedures for by-pass making current tests .....	79
Table 9 – Application of voltage for dielectric test on the main circuit .....	88
Table 10 – Test voltage for partial discharge test .....	90
Table A.1 – Tolerances on test quantities for type tests (1 of 3) .....	105
Table D.1 – Typical ratings for a series capacitor bank by-pass switch – Cases 1 to 6 .....	113
Table D.2 – Typical series capacitor bank by-pass switch ratings – Cases 7 to 12 .....	115
Table D.3 – Typical series capacitor bank by-pass switch ratings – Cases 13 to 18 .....	117
Table F.1 – Typical examples of reinsertion voltages for systems not having power swing nor emergency overload, $I_{load} = 1,0$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 50$ Hz .....	122
Table F.2 – Typical examples of reinsertion voltages for systems not having power swing but with an emergency overload, $I_{load} = 1,2$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 50$ Hz .....	122
Table F.3 – Typical examples of reinsertion voltages for systems not having power swing but with an emergency overload, $I_{load} = 1,4$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 50$ Hz .....	123
Table F.4 – Typical examples of reinsertion voltages for systems not having power swing but with an emergency overload, $I_{load} = 1,6$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 50$ Hz .....	123
Table F.5 – Typical examples of reinsertion voltages for systems having power swing, $I_{load} = 1,8$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 50$ Hz .....	123
Table F.6 – Typical examples of reinsertion voltages for systems having power swing, $I_{load} = 2,0$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 50$ Hz .....	124
Table F.7 – Typical examples of reinsertion voltages for systems having power swing, $I_{load} = 2,3$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 50$ Hz .....	124
Table F.8 – Typical examples of reinsertion voltages for systems having power swing, $I_{load} = 2,5$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 50$ Hz .....	124

Table F.9 – Typical examples of reinsertion voltages for systems not having power swing nor emergency overload, $I_{load} = 1,0$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 60$ Hz .....	125
Table F.10 – Typical examples of reinsertion voltages for systems not having power swing but with an emergency overload, $I_{load} = 1,2$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 60$ Hz .....	125
Table F.11 – Typical examples of reinsertion voltages for systems not having power swing but with an emergency overload, $I_{load} = 1,4$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 60$ Hz .....	125
Table F.12 – Typical examples of reinsertion voltages for systems not having power swing but with an emergency overload, $I_{load} = 1,6$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 60$ Hz .....	126
Table F.13 – Typical examples of reinsertion voltages for systems having power swing, $I_{load} = 1,8$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 60$ Hz .....	126
Table F.14 – Typical examples of reinsertion voltages for systems having power swing, $I_{load} = 2,0$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 60$ Hz .....	126
Table F.15 – Typical examples of reinsertion voltages for systems having power swing, $I_{load} = 2,3$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 60$ Hz .....	127
Table F.16 – Typical examples of reinsertion recovery voltages for systems having power swing, $I_{load} = 2,5$ p.u.; $U_{PL} = 2,2$ p.u.; $\beta = 0,85$ and $f = 60$ Hz .....	127

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

#### **Part 109: Alternating-current series capacitor by-pass switches**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62271-109 has been prepared by subcommittee 17A: Switching devices, of IEC technical committee 17: High-voltage switchgear and controlgear.

This third edition cancels and replaces the second edition published in 2008 and Amendment 1:2013. This edition constitutes a technical revision.

This edition contains the following significant technical changes with respect to the previous edition:

- a) the document has been restructured according to edition 2.0 of IEC 62271-1;
- b) the rated voltage assignation across the by-pass switch has been aligned to the rule defined in IEC 60143-1;
- c) clarification has been given regarding rated continuous current of compensated and uncompensated line;
- d) some clarifications have been given following a loss of "suitable precautions";



- e) as per Amendment 2 of IEC 62271-100, the section "Rated time quantities" has been moved to Clause 6 under "Time quantities";
- f) as per Amendment 2 of IEC 62271-100, the section "Test for static mechanical loads" have been moved to Clause 6 under "Static mechanical loads";
- g) additional rules have been introduced for vacuum interrupters during impulse tests;
- h) additional clarifications have been given regarding the number of reduced impulses during impulse tests;
- i) a wider tolerance on the current damping during by-pass making current test-duty has been introduced.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
17A/1208/FDIS	17A/1215/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62271 series can be found, under the general title *High-voltage switchgear and controlgear*, on the IEC website.

This standard is to be read in conjunction with IEC 62271-100:2008 with its Amendment 1:2012 and Amendment 2:2017, and IEC 62271-1:2017, to which it refers and which is applicable, unless otherwise specified in this standard. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1:2017. Amendments to these clauses and subclauses are given under the same references whilst additional subclauses are numbered from 101.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

### Part 109: Alternating-current series capacitor by-pass switches

#### 1 Scope

This part of IEC 62271 is applicable to AC series capacitor by-pass switches designed for outdoor installation and for operation at frequencies of 50 Hz and 60 Hz on systems having voltages above 52 kV.

It is only applicable to by-pass switches for use in three-phase systems.

This document is also applicable to the operating devices of by-pass switches and to their auxiliary equipment.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151:2001, *International Electrotechnical Vocabulary – Part 151: Electrical and magnetic devices*

IEC 60050-436:1990, *International Electrotechnical Vocabulary – Chapter 436: Power capacitors*

IEC 60050-441:1984, *International Electrotechnical Vocabulary – Chapter 441: Switchgear, controlgear and fuses*

IEC 60050-614:2016, *International Electrotechnical Vocabulary – Part 614: Generation, transmission and distribution of electricity – Operation*

IEC 60060 (all parts), *High-voltage test techniques*

IEC 60137:2017, *Insulated bushings for alternating voltages above 1000 V*

IEC 60143-1:2015, *Series capacitors for power systems – Part 1: General*

IEC 60143-2:2012, *Series capacitors for power systems – Part 2: Protective equipment for series capacitor banks*

IEC 60270, *High-voltage test techniques – Partial discharge measurements*

IEC 60376, *Specification of technical grade sulphur hexafluoride (SF<sub>6</sub>) and complementary gases to be used in its mixtures for use in electrical equipment*

IEC 60480, *Guidelines for the checking and treatment of sulphur hexafluoride (SF<sub>6</sub>) taken from electrical equipment and specification for its re-use*

IEC 62271-1:2017, *High-voltage switchgear and controlgear – Part 1: Common specifications for alternating current switchgear and controlgear*

IEC 62271-4, *High-voltage switchgear and controlgear – Part 4: Handling procedures for sulphur hexafluoride (SF<sub>6</sub>) and its mixtures*

IEC 62271-100:2008, *High-voltage switchgear and controlgear – Part 100: Alternating current circuit-breakers*

IEC 62271-100:2008/AMD1:2012

IEC 62271-100:2008/AMD2:2017

IEC 62271-101, *High-voltage switchgear and controlgear – Part 101: Synthetic testing*

IEC 62271-102:2018, *High-voltage switchgear and controlgear – Part 102: Alternating current disconnectors and earthing switches*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**