

<b>STN</b>	<b>Systémy elektrických výkonových pohonov s nastaviteľnou rýchlosťou</b> <b>Časť 2: Všeobecné požiadavky</b> <b>Špecifikácie menovitého výkonu pre systémy napájania striedavým prúdom s nastaviteľnou rýchlosťou</b>	<b>STN</b> <b>EN IEC 61800-2</b>  35 1720
------------	--	--

Adjustable speed electrical power drive systems - Part 2: General requirements - Rating specifications for adjustable speed AC power drive systems

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/21

Obsahuje: EN IEC 61800-2:2021, IEC 61800-2:2021

Oznámením tejto normy sa od 07.04.2024 ruší  
STN EN 61800-2 (35 1720) z mája 2016

**132955**

EUROPEAN STANDARD

**EN IEC 61800-2**

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2021

ICS 29.160.30; 29.200

Supersedes EN 61800-2:2015 and all of its amendments  
and corrigenda (if any)

English Version

**Adjustable speed electrical power drive systems - Part 2:  
General requirements - Rating specifications for adjustable  
speed AC power drive systems  
(IEC 61800-2:2021)**

Entraînements électriques de puissance à vitesse variable -  
Partie 2: Exigences générales - Spécifications de  
dimensionnement pour entraînements électriques de  
puissance à vitesse variable en courant alternatif  
(IEC 61800-2:2021)

Drehzahlveränderbare elektrische Antriebe - Teil 2:  
Allgemeine Anforderungen - Festlegungen für die  
Bemessung von Niederspannungs-Wechselstrom-  
Antriebssystemen mit einstellbarer Frequenz  
(IEC 61800-2:2021)

This European Standard was approved by CENELEC on 2021-04-07. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 61800-2:2021 (E)****European foreword**

The text of document 22G/432/FDIS, future edition 3 of IEC 61800-2, prepared by SC 22G "Adjustable speed electric power drive systems (PDS)" of IEC/TC 22 "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61800-2:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-01-07
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-04-07

This document supersedes EN 61800-2:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 61800-2:2021 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60027-3	NOTE	Harmonized as EN 60027-3
IEC 60034-1	NOTE	Harmonized as EN 60034-1
IEC 60034-14	NOTE	Harmonized as EN IEC 60034-14
IEC 60034-18-31	NOTE	Harmonized as EN 60034-18-31
IEC/TS 60034-25	NOTE	Harmonized as CLC/TS 60034-25
IEC 60034-30 (series)	NOTE	Harmonized as EN 60034-30 (series)
IEC 60068-2-6	NOTE	Harmonized as EN 60068-2-6
IEC 60068-2-52	NOTE	Harmonized as EN IEC 60068-2-52
IEC 60068-2-68	NOTE	Harmonized as EN 60068-2-68
IEC 60068-2-78	NOTE	Harmonized as EN 60068-2-78
IEC 60076-1	NOTE	Harmonized as EN 60076-1

**EN IEC 61800-2:2021 (E)**

IEC 60146 (series)	NOTE	Harmonized as EN 60146 (series)
IEC 60204-1	NOTE	Harmonized as EN 60204-1
IEC 60364 (series)	NOTE	Harmonized as HD 60364 (series)
IEC 60529	NOTE	Harmonized as EN 60529
IEC 60664-1	NOTE	Harmonized as EN IEC 60664-1
IEC 60721 (series)	NOTE	Harmonized as EN 60721 (series)
IEC 60721-2-6	NOTE	Harmonized as HD 478.2.6 S1
IEC 61131-2	NOTE	Harmonized as EN 61131-2
IEC 61158 (series)	NOTE	Harmonized as EN 61158 (series)
IEC 61378 (series)	NOTE	Harmonized as EN 61378 (series)
IEC 61378-1	NOTE	Harmonized as EN 61378-1
IEC 61439-1	NOTE	Harmonized as EN 61439-1
IEC 61800-1	NOTE	Harmonized as EN IEC 61800-1
IEC 61800-4:2002	NOTE	Harmonized as EN 61800-4:2003 (not modified)

**EN IEC 61800-2:2021 (E)****Annex ZA**  
(normative)**Normative references to international publications  
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034	series	Rotating electrical machines	EN IEC 60034	series
IEC 60038	-	IEC standard voltages	EN 60038	-
IEC 60050-112	-	International Electrotechnical Vocabulary - Part 112: Quantities and units	-	-
IEC 60050-113	2011	International Electrotechnical Vocabulary - Part 113: Physics for electrotechnology	-	-
IEC 60050-114	-	International Electrotechnical Vocabulary - Part 114: Electrochemistry	-	-
IEC 60050-151	-	International Electrotechnical Vocabulary - Part 151: Electrical and magnetic devices	-	-
IEC 60050-161	-	International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility	-	-
IEC 60050-192	-	International electrotechnical vocabulary - Part 192: Dependability	-	-
IEC 60050-441	-	International Electrotechnical Vocabulary. Switchgear, controlgear and fuses	-	-
IEC 60050-442	-	International Electrotechnical Vocabulary - Part 442: Electrical accessories	-	-
IEC 60050-551	-	International Electrotechnical Vocabulary - Part 551: Power electronics	-	-

**EN IEC 61800-2:2021 (E)**

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-601	-	International Electrotechnical Vocabulary. Chapter 601: Generation, transmission and distribution of electricity - General	-	-
IEC 60068	series	Environmental testing	EN 60068	series
IEC 60068-2-27	2008	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	2009
IEC 60076	series	Power transformers	EN 60076	series
IEC 60076-11	-	Power transformers - Part 11: Dry-type transformers	EN IEC 60076-11	-
IEC 60079	series	Explosive atmospheres	-	-
IEC 60146-1-1	-	Semiconductor converters - General requirements and line commutated converters - Part 1-1: Specification of basic requirements	EN 60146-1-1	-
IEC/TR 60146-1-2	-	Semiconductor converters - General requirements and line commutated converters - Part 1-2: Application guide	-	-
IEC 60721-3-0	-	Classification of environmental conditions - Part 3-0: Classification of groups of environmental parameters and their severities - Introduction	EN IEC 60721-3-0	-
IEC 60721-3-1	1997	Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 1: Storage	EN 60721-3-1	1997
IEC 60721-3-2	1997	Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 2: Transportation	EN 60721-3-2	1997
IEC 60721-3-3	1994	Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 3: Stationary use at weatherprotected locations	EN 60721-3-3	1995
+ A1	1995		-	-
+ A2	1996		+ A2	1997

**EN IEC 61800-2:2021 (E)**

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60721-3-4	1995	Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 4: Stationary use at non-weatherprotected locations	EN 60721-3-4	1995
+ A1	1996		+ A1	1997
IEC 61800-3	-	Adjustable speed electrical power drive systems - Part 3: EMC requirements and specific test methods	EN IEC 61800-3	-
IEC 61800-5-1	-	Adjustable speed electrical power drive systems - Part 5-1: Safety requirements - Electrical, thermal and energy	EN 61800-5-1	-
IEC 61800-5-2	2016	Adjustable speed electrical power drive systems - Part 5-2: Safety requirements - Functional	EN 61800-5-2	2017
IEC/TR 61800-6	-	Adjustable speed electrical power drive systems - Part 6: Guide for determination of types of load duty and corresponding current ratings	CLC/TR 61800-6	-
IEC 61800-7	series	Adjustable speed electrical power drive systems - Part 7: Generic interface and use of profiles for power drive systems	EN 61800-7	series
IEC 61800-7-1	-	Adjustable speed electrical power drive systems - Part 7-1: Generic interface and use of profiles for power drive systems - Interface definition	EN 61800-7-1	-
IEC/TS 61800-8	-	Adjustable speed electrical power drive systems - Part 8: Specification of voltage on the power interface	-	-
IEC 61800-9-1	-	Adjustable speed electrical power drive systems - Part 9-1: Ecodesign for power drive systems, motor starters, power electronics and their driven applications - General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi analytic model (SAM)	EN 61800-9-1	-
IEC 61800-9-2	-	Adjustable speed electrical power drive systems - Part 9-2: Ecodesign for power drive systems, motor starters, power electronics and their driven applications - Energy efficiency indicators for power drive systems and motor starters	EN 61800-9-2	-

**EN IEC 61800-2:2021 (E)**

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/TS 62578	2015	Power electronics systems and equipment - Operation conditions and characteristics of active infeed converter (AIC) applications including design recommendations for their emission values below 150 kHz	-	-





IEC 61800-2

Edition 3.0 2021-03

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Adjustable speed electrical power drive systems –  
Part 2: General requirements – Rating specifications for adjustable speed  
AC power drive systems**

**Entraînements électriques de puissance à vitesse variable –  
Partie 2: Exigences générales – Spécifications de dimensionnement pour  
entraînements électriques de puissance à vitesse variable en courant alternatif**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC online collection - [oc.iec.ch](http://oc.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC online collection - [oc.iec.ch](http://oc.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 61800-2

Edition 3.0 2021-03

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Adjustable speed electrical power drive systems –  
Part 2: General requirements – Rating specifications for adjustable speed  
AC power drive systems**

**Entraînements électriques de puissance à vitesse variable –  
Partie 2: Exigences générales – Spécifications de dimensionnement pour  
entraînements électriques de puissance à vitesse variable en courant alternatif**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.160.30; 29.200

ISBN 978-2-8322-9450-5

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	9
1 Scope.....	11
2 Normative references .....	12
3 Terms and definitions .....	14
4 Guidance for specification of BDM/CDM/PDS and methodologies for compliance .....	32
4.1 General.....	32
4.2 Methodology for compliance .....	32
4.2.1 Agreement between <i>customer</i> and <i>manufacturer</i> .....	32
4.2.2 Methodology to state compliance without <i>customer</i> input.....	33
4.3 Applicable standards.....	38
5 Performance and functionality criteria.....	38
5.1 General.....	38
5.2 <i>BDM/CDM/PDS</i> characteristics and topology .....	39
5.2.1 General .....	39
5.2.2 <i>BDM/CDM/PDS</i> characteristics .....	39
5.2.3 Basic topology for <i>BDM/CDM/PDSs</i> .....	40
5.2.4 Cooling topology.....	42
5.2.5 Bypass and redundant configurations .....	43
5.3 Ratings .....	44
5.3.1 General .....	44
5.3.2 Input ratings .....	45
5.3.3 Output ratings.....	46
5.3.4 Operating <i>quadrants</i> .....	48
5.3.5 Ratings and functionality of the control equipment .....	49
5.3.6 Special ratings related to <i>BDM/CDM/PDS</i> or <i>motor</i> .....	49
5.4 Performance .....	59
5.4.1 Operational.....	59
5.4.2 Fault supervision .....	68
5.4.3 Minimum status indication required.....	70
5.4.4 I/O devices .....	70
5.5 General safety .....	72
5.6 Functional safety .....	72
5.7 EMC .....	72
5.8 Ecodesign.....	72
5.8.1 General .....	72
5.8.2 Energy <i>efficiency</i> and power losses .....	73
5.8.3 Environmental impact .....	73
5.9 Environmental condition for service, transport and storage .....	73
5.9.1 General .....	73
5.9.2 Operation .....	73
5.9.3 Storage and transport of equipment.....	78
5.9.4 Mechanical conditions .....	78
5.9.5 Specific storage hazards .....	79
5.9.6 Environmental service tests ( <i>type test</i> ) .....	80
5.10 Types of load duty profiles .....	80

5.11	Generic interface and use of profiles for <i>PDS</i> .....	81
5.12	Voltage on <i>power interface</i> .....	82
5.13	Driven equipment interface .....	83
5.13.1	Critical speeds.....	83
5.13.2	Torsion analysis .....	83
5.14	Explosive environment.....	84
5.15	Earthing requirements.....	84
6	Test.....	85
6.1	General.....	85
6.2	Items of individual <i>PDS</i> component tests .....	85
6.3	Overview of standards and tests for <i>PDS</i> components .....	85
6.4	Performance of tests.....	85
6.5	Standard tests for <i>BDM/CDM/PDS</i> .....	86
6.5.1	General .....	86
6.5.2	Current source <i>converter zero power factor test</i> .....	86
6.6	Test specifications .....	86
6.6.1	Visual inspections ( <i>type test, sample test and routine test</i> ).....	86
6.6.2	Supply system earthing conditions .....	86
6.6.3	Static performance and rating test .....	87
6.6.4	Electrical safety .....	94
6.6.5	Functional safety .....	94
6.6.6	EMC .....	94
6.6.7	Ecodesign.....	95
6.6.8	Environmental condition tests .....	95
6.6.9	Communication profiles .....	97
6.6.10	Explosive atmosphere environment .....	97
7	Information and marking requirements.....	97
7.1	General.....	97
7.2	Marking on product .....	97
7.3	Information to be supplied with the <i>PDS</i> or <i>BDM/CDM</i> .....	98
7.4	Information to be supplied or made available .....	98
7.5	Safety and warning .....	98
7.5.1	Safety and warning labels.....	98
7.5.2	Additional safety considerations of a <i>PDS</i> .....	99
Annex A (informative) Classification of <i>PDS</i> into low-voltage system and high-voltage system.....		100
A.1	General.....	100
A.2	Classification of <i>PDS</i> by voltage .....	100
A.3	Examples.....	101
A.3.1	<i>PDS</i> with a supply transformer.....	101
A.3.2	<i>PDS</i> with an <i>active infeed converter</i> .....	101
A.3.3	<i>PDS</i> with an output transformer .....	102
A.3.4	<i>PDS</i> with a common <i>DC link</i> .....	103
A.3.5	<i>PDS</i> with a step-up chopper .....	104
A.3.6	<i>PDS</i> with parallel-connected line-side <i>converters</i> .....	104
A.3.7	<i>PDS</i> with series-connected line-side <i>converters</i> .....	105
A.3.8	<i>PDS</i> with star-connected <i>inverters</i> .....	106
A.3.9	<i>PDS</i> with a multilevel <i>inverter</i> .....	107
A.3.10	Multiple <i>PDSs</i> with a common supply transformer.....	109

Annex B (informative) Determination of the <i>input current</i> of <i>BDM/CDM/PDS</i> .....	111
Bibliography.....	113
Figure 1 – <i>BDM/CDM/PDS manufacturer/customer</i> relationship .....	18
Figure 2 – Operating quadrants .....	20
Figure 3 – Example of a <i>power drive system</i> .....	26
Figure 4 – Typical <i>BDM/CDM/PDS</i> .....	40
Figure 5 – Common <i>DC link</i> <i>BDM/CDM/PDS</i> .....	41
Figure 6 – <i>BDM/CDM/PDS</i> with brake .....	42
Figure 7 – <i>BDM/CDM/PDS</i> with AIC .....	42
Figure 8 – Bypass configuration for system with indirect <i>converter</i> .....	44
Figure 9 – Load commutation <i>inverters</i> LCI-synchronous <i>motor</i> in a partly redundant configuration .....	44
Figure 10 – Example of operating region of a PDS .....	47
Figure 11 – Overload cycle example .....	48
Figure 12 – Insulation stressing types .....	56
Figure 13 – Definition of the transient voltage at the terminals of the <i>motor</i> .....	57
Figure 14 – Admissible pulse voltage (including voltage reflection and damping) at the <i>motor</i> terminals as a function of the peak rise time $t_a$ .....	57
Figure 15 – Deviation band .....	60
Figure 16 – Time response following a step change of reference input – No change in operating variables .....	63
Figure 17 – Time response following a change in an operating variable – No reference change .....	64
Figure 18 – Time response following a reference change at specified rate .....	64
Figure 19 – Frequency response of the control – Reference value as <i>stimulus</i> .....	66
Figure 20 – Example of relationship of IEC 61800-7 (all parts) to control system software and the <i>BDM/CDM/PDS</i> .....	82
Figure 21 – Example of protective earthing and interconnection of main components .....	84
Figure 22 – Measuring circuit of <i>PDS</i> .....	88
Figure A.1 – Basic configuration of <i>PDS</i> .....	100
Figure A.2 – Example of <i>low-voltage PDS</i> with a supply transformer .....	101
Figure A.3 – Example of <i>low-voltage PDS</i> with an <i>active infeed converter</i> .....	102
Figure A.4 – Example of <i>high-voltage PDS</i> with an <i>active infeed converter</i> .....	102
Figure A.5 – Example of <i>high-voltage PDS</i> with an output transformer .....	102
Figure A.6 – Example of <i>low-voltage PDS</i> with a common <i>DC link</i> .....	103
Figure A.7 – Example of <i>high-voltage PDS</i> with a common <i>DC link</i> .....	104
Figure A.8 – Example of <i>high-voltage PDS</i> with a step-up chopper .....	104
Figure A.9 – Example of <i>low-voltage PDS</i> with parallel-connected <i>rectifiers</i> .....	105
Figure A.10 – Example of <i>high-voltage PDS</i> with parallel-connected line-side <i>converters</i> .....	105
Figure A.11 – Example of <i>high-voltage PDS</i> with series-connected <i>rectifiers</i> .....	106
Figure A.12 – Example of <i>high-voltage PDS</i> with series-connected <i>rectifiers</i> .....	106
Figure A.13 – Example of <i>high-voltage PDS</i> with star-connected <i>inverters</i> .....	107
Figure A.14 – Example of <i>high-voltage PDS</i> with a multilevel <i>inverter</i> .....	108

Figure A.15 – Example of a power module .....	108
Figure A.16 – Example of multiple <i>low-voltage/high-voltage PDSs</i> with a common supply transformer .....	110
Figure B.1 – Example of distortion effect of the <i>input current</i> affected by a three-phase <i>converter</i> with capacitive load .....	111
Table 1 – List of general terms.....	14
Table 2 – List of input ratings of <i>BDM/CDM/PDS</i> .....	15
Table 3 – List of output ratings of <i>BDM/CDM/PDS</i> .....	15
Table 4 – List of <i>motor speed</i> and <i>torque</i> ratings .....	16
Table 5 – Basic classification of PDS by voltage .....	21
Table 6 – Selection of equipment rating, performance, functionality by responsible parties with corresponding test specification .....	34
Table 7 – Overview of input and output ratings of the <i>BDM/CDM/PDS</i> .....	45
Table 8 – Example of reduced maximum continuous load as a function of an overload .....	48
Table 9 – Limiting parts and typical voltage stress capability of the <i>motor</i> insulation system.....	58
Table 10 – Maximum deviation bands (percent) .....	61
Table 11 – PDS protection functions .....	69
Table 12 – Environmental service conditions .....	74
Table 13 – Definitions of pollution degree .....	75
Table 14 – Environmental vibration limits for fixed <i>installation</i> .....	75
Table 15 – <i>Installation</i> vibration limits .....	76
Table 16 – Environmental shock limits for fixed <i>installation</i> .....	76
Table 17 – Storage and transport limits.....	78
Table 18 – Transportation vibration limits.....	79
Table 19 – Transportation limits of free fall .....	79
Table 20 – Environmental service tests.....	80
Table 21 – Shock test .....	96
Table A.1 – Basic classification of PDS by voltage.....	101

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –****Part 2: General requirements –  
Rating specifications for adjustable  
speed AC power drive systems**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61800-2 has been prepared by subcommittee 22G: Adjustable speed electric power drive systems (PDS), of IEC technical committee 22: Power electronic systems and equipment.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the requirements from IEC 61800-4 for high-voltage PDS are now merged with requirements from IEC 61800-2:2015, and IEC 61800-4:2002 will be withdrawn upon release of this document;
- b) Clause 1 has been updated to introduce the new concept of Clause 4;



- c) terms and definitions in Table 1 to Table 4 have been classified in logical order; classification in low voltage and high voltage has been considered in Table 5, and Figure 3 clarifies boundaries within *BDM/CDM/PDS*.
- d) Clause 4 is new and creates the methods for evaluating a product to this document;
- e) Clause 5 has been updated with respect to:
- 1) specific content for high-voltage *BDM/CDM/PDS*;
  - 2) description of the basic topology for *BDM/CDM/PDS* (5.2);
  - 3) ratings and performance (5.3 and 5.4);
  - 4) reference to applicable standards within the IEC 61800 series with respect to EMC (IEC 61800-3), electrical safety (IEC 61800-5-1), functional safety (IEC 61800-5-2), load duty aspects (IEC TR 61800-6), communication profiles (IEC 61800-7 series), *power interface* voltage (IEC TS 61800-8), and ecodesign (IEC 61800-9 series) to avoid conflicting requirements (5.5, 5.6, 5.7, 5.10, 5.11, 5.12);
  - 5) update of requirement for ecodesign (5.8);
  - 6) update of requirement for environmental evaluation (5.9);
  - 7) implementation of requirement for explosive atmosphere (5.14);
- f) Clause 6 has been updated with test requirement in order to provide a clear link between design requirement and test requirement;
- g) Clause 7 has been updated to harmonize the marking and documentation requirement within IEC 61800 (all parts);
- h) existing Annex A and Annex B have been updated to include specific detail pertaining to *high voltage BDM/CDM/PDS*.

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/432/FDIS	22G/435/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61800 series, published under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

In this document, the terms in *italics* are defined in Clause 3.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

### 0.1 General

This document is part of the IEC 61800 series specifying requirements for adjustable *speed electrical power drive systems (PDS)*. Since the publication of the second edition of IEC 61800-2, several documents of the IEC 61800 series have been developed and maintained, which has resulted in outdated references and conflicting requirements across the IEC 61800 series.

This document contains general requirements for *PDSs* intended to feed *AC motors* and with rated *converter* input voltages (line-to-line voltage) up to 35 000 V AC.

*PDSs* intended to feed *DC motors* are covered by IEC 61800-1.

### 0.2 Consistency of requirement

This document specifies requirements for *PDSs* under its scope for the identified topics not covered by any other of the standards in the IEC 61800 series.

The following requirements are covered by other standards in the IEC 61800 series:

- DC *PDS* requirements are covered by IEC 61800-1;
- EMC requirements are covered by IEC 61800-3;
- general safety requirements are covered by IEC 61800-5-1;
- functional safety requirements are covered by IEC 61800-5-2;
- type of load duty guidance is covered by IEC TR 61800-6;
- interface and use of profiles requirements are covered by IEC 61800-7 (all parts);
- *power interface* voltage specification is covered by IEC TS 61800-8;
- ecodesign energy *efficiency* requirements of drive system are covered by IEC 61800-9 (all parts).

Generally, this document provides a basic description of topics and refers to the relevant standard for specific requirement. This is done in order to ensure consistency, to avoid conflicting requirement within IEC 61800 (all parts) and to optimize future maintenance of the documents.

As part of the work inside SC 22G MT9, this document defines basic definitions used across the IEC 61800 series. For issues related to *active infeed converters*, IEC TS 62578 has been considered.

As a result of the development of the IEC 61800 series of standards, the need to reference documents outside the series has decreased and especially the need to reference the IEC 60146 (all parts) has decreased dramatically.

### 0.3 Tool for agreement between *customer* and *manufacturer*

This document provides a non-exhaustive list of requirements to aid in the development of a functional specification between responsible parties. Each topic should be individually specified by the *responsible party(ies)* as a compliance requirement where appropriate for the intended application. When the *manufacturer* is the only *responsible party*, for any reason, the *manufacturer* may choose to select the specific sections of this document which are relevant for the intended application.

*BDM/CDM/PDS* may be built into a final installation or imbedded into an extended product as a component. The following are example applications: lift and hoist, machinery, conveyor, switchgears, heating and ventilation, pump, wind, tidal and marine propulsion applications.

In every application, an identification of the environmental conditions under which the product is stored, transported and operated is essential for the proper specification of the *BDM/CDM/PDS*. The environmental conditions considered should include at least those defined in IEC 60721 (all parts) and EMC.

## ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

### Part 2: General requirements – Rating specifications for adjustable speed AC power drive systems

#### 1 Scope

This part of IEC 61800 applies to adjustable *speed electric AC power drive systems*, which include semiconductor power conversion and the means for their control, protection, monitoring, measurement and the AC *motors*.

It applies to adjustable *speed electric power drive systems* intended to feed AC *motors* from a *BDM or CDM* connected to line-to-line voltages up to and including 35 kV AC 50 Hz or 60 Hz and/or voltages up to and including 1,5 kV DC input side.

NOTE Adjustable *speed electric DC power drive systems* intended to feed DC *motors* are covered by IEC 61800-1.

This documents defines and describes a non-exhaustive list of criteria for the selection of *BDM/CDM/PDS* performance and functional attributes. This list is reviewed by the responsible parties to determine considerations for the design of device(s), equipment or system(s) with related testing specification. It also suggests a selection of performance and functional attributes for driven equipment and extended products. The performance and functional attributes focus on the following categories:

- principal parts topology and classification of the *PDS*;
- ratings, performance and functionality;
- specifications for the environment in which the *PDS* is intended to be installed and operated;
- other specifications which might be applicable when specifying a complete *PDS*.

Traction applications and electric vehicles are excluded from the scope of this document.

This document provides a non-exhaustive list from which minimum requirements can be used for the development of a specification between *customer* and *manufacturer* based on the application requirements. This same non-exhaustive list can be used by a *manufacturer* to determine the minimum requirements for a commoditised *BDM/CDM/PDS* without *customer* interaction based on the specified application of that *BDM/CDM/PDS*.

For some aspects which are covered by specific *PDS* product standards in the IEC 61800 series, this document provides a short introduction and reference to detailed requirements in these product standards.

This applies to the following aspects:

- EMC requirements are covered by IEC 61800-3;
- general safety requirements are covered by IEC 61800-5-1;
- functional safety requirements are covered by IEC 61800-5-2;
- type of load duty guidance is covered by IEC TR 61800-6;
- interface and use of profiles requirements are covered by IEC 61800-7 (all parts);
- power interface voltage specification is covered by IEC TS 61800-8;

- ecodesign energy efficiency requirements of drive system are covered by IEC 61800-9 (all parts).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034 (all parts), *Rotating electrical machines*

IEC 60038, *IEC standard voltages*

IEC 60050-112, *International Electrotechnical Vocabulary (IEV) – Part 112: Quantities and units* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-113:2011, *International Electrotechnical Vocabulary (IEV) – Part 113: Physics for electrotechnology* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-114, *International Electrotechnical Vocabulary (IEV) – Part 114: Electrochemistry* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-151, *International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-161, *International Electrotechnical Vocabulary (IEV) – Part 161: Electromagnetic compatibility* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-192, *International Electrotechnical Vocabulary (IEV) – Part 191: Dependability* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-441, *International Electrotechnical Vocabulary (IEV) – Part 441: Switchgear, controlgear and fuses* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-442, *International Electrotechnical Vocabulary (IEV) – Part 442: Electrical accessories* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-551, *International Electrotechnical Vocabulary (IEV) – Part 551: Power electronics* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60050-601, *International Electrotechnical Vocabulary (IEV) – Part 601: Generation, transmission and distribution of electricity – General* (available at [www.electropedia.org](http://www.electropedia.org))

IEC 60068 (all parts), *Environmental testing*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60076 (all parts), *Power transformers*

IEC 60076-11, *Power transformers – Part 11: Dry-type transformers*

IEC 60079 (all parts), *Explosive atmospheres*

IEC 60146-1-1, *Semiconductor convertors – General requirement and line commutated convertors – Part 1-1: Specification of basic requirements*

IEC TR 60146-1-2, *Semiconductor convertors – General requirement and line commutated convertors – Part 1-2: Application guidelines*

IEC 60721-3-0, *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Introduction*

IEC 60721-3-1:1997, *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 1: Storage*

IEC 60721-3-2:1997, *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 2: Transportation*

IEC 60721-3-3:1994, *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 3: Stationary use at weather protected locations*

IEC 60721-3-3:1994/AMD1:1995

IEC 60721-3-3:1994/AMD2:1996

IEC 60721-3-4:1995, *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 4: Stationary use at non-weather protected locations*

IEC 60721-3-4:1995/AMD1:1996

IEC 61800-3, *Adjustable speed electrical power drive systems – Part 3: EMC requirements and specific test methods*

IEC 61800-5-1, *Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy*

IEC 61800-5-2:2016, *Adjustable speed electrical power drive systems – Part 5-2: Safety requirements – Functional*

IEC TR 61800-6, *Adjustable speed electrical power drive systems – Part 6: Guide for determination of types of load duty and corresponding current ratings*

IEC 61800-7 (all parts), *Adjustable speed electrical power drive systems – Part 7: Generic interface and use of profiles for power drive systems*

IEC 61800-7-1, *Adjustable speed electrical power drive systems – Part 7-1: Generic interface and use of profiles for power drive systems – Interface definition*

IEC TS 61800-8, *Adjustable speed electrical power drive systems – Part 8: Specification of voltage on the power interface*

IEC 61800-9-1, *Adjustable speed electrical power drive systems – Part 9-1: Ecodesign for power drive systems, motor starters, power electronics and their driven applications – General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi analytic model (SAM)*

IEC 61800-9-2, *Adjustable speed electrical power drive systems – Part 9-2: Ecodesign for power drive systems, motor starters, power electronics and their driven applications – Energy efficiency indicators for power drive systems and motor starters*

IEC TS 62578:2015, *Power electronics systems and equipment – Operation conditions and characteristics of active infeed converter (AIC) applications including design recommendations for their emission values below 150 kHz*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**

NOTE This document contains the fundamental definitions used across IEC 61800 (all parts) in a way that they can be used in future revisions of all IEC 61800 standards.