STN	Spekané karbidy. Stanovenie koercitivity (magnetizácie) (ISO 3326: 2013).	STN EN ISO 3326
		42 0885

Hardmetals - Determination of (the magnetization) coercivity (ISO 3326:2013)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/13

Obsahuje: EN ISO 3326:2013, ISO 3326:2013

Oznámením tejto normy sa ruší STN EN 23326 (42 0889) z októbra 2001



### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

**EN ISO 3326** 

July 2013

ICS 77.160; 77.040.99

Supersedes EN 23326:1993

#### **English Version**

### Hardmetals - Determination of (the magnetization) coercivity (ISO 3326:2013)

Métaux-durs - Détermination de la coercitivité (d'aimantation) (ISO 3326:2013)

Hartmetalle - Ermittlung der Koerzitivfeldstärke (Magnetisierung) (ISO 3326:2013)

This European Standard was approved by CEN on 22 June 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

### EN ISO 3326:2013 (E)

Contents	Page
Foreword	3

### **Foreword**

This document (EN ISO 3326:2013) has been prepared by Technical Committee ISO/TC 119 "Powder metallurgy".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2014, and conflicting national standards shall be withdrawn at the latest by January 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 23326:1993.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 3326:2013 has been approved by CEN as EN ISO 3326:2013 without any modification.

INTERNATIONAL STANDARD

ISO 3326

Second edition 2013-07-15

# Hardmetals — Determination of (the magnetization) coercivity

*Métaux-durs* — *Détermination de la coercitivité (d'aimantation)* 





### COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Coı	ontents	Page
Fore	eword	iv
1	Scope	1
2	Principle	1
3	Symbols and designations	1
4	Apparatus	2
5	Procedure	2
6	Expression of results	2
7	Test renort	2

### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3326 was prepared by Technical Committee ISO/TC 119, *Powder metallurgy*, Subcommittee SC 4, *Sampling and testing methods for hardmetals*.

This second edition cancels and replaces the first edition (ISO 3326:1975), of which it constitutes a minor revision.

## Hardmetals — Determination of (the magnetization) coercivity

### 1 Scope

This International Standard specifies a method of determining (the magnetization) coercivity of hardmetals containing not less than 3 % of a ferromagnetic binder by mass.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN