

STN	Elektromagnetická kompatibilita a záležitosti rádiového spektra (ERM). Rádiatelefonne zariadenia VHF na všeobecné komunikácie a pridružené zariadenia triedy D digitálneho selektívneho volania (DSC). Časť 3: Harmonizovaná EN vzťahujúca sa na základné požiadavky podľa článku 3.3 (e) smernice R&TTE.	STN EN 301 025-3 V1.5.1 87 1025
------------	--	---

Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Part 3: Harmonized EN covering the essential requirements of article 3.3(e) of the R&TTE Directive

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/14

Obsahuje: EN 301 025-3 V1.5.1:2013

ETSI EN 301 025-3 V1.5.1 (2013-09)



**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
VHF radiotelephone equipment for general communications
and associated equipment for Class "D"
Digital Selective Calling (DSC);
Part 3: Harmonized EN covering the essential requirements
of article 3.3(e) of the R&TTE Directive**

Reference

REN/ERM-TG26-101-3

Keywords

DSC, maritime, radio, traffic, VHF

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references	8
3 Definitions and abbreviations.....	9
3.1 Definitions	9
3.2 Abbreviations	9
4 Technical requirements specifications	9
4.1 Environmental profile.....	9
4.2 General, operational and technical requirements.....	10
4.2.1 General and operational requirements	10
4.2.1.1 Requirements	10
4.2.1.2 Conformance	10
4.2.2 Technical requirements	10
4.2.2.1 Requirements	10
4.2.2.2 Conformance	10
4.3 Environmental requirements	10
4.3.1 Vibration test	10
4.3.1.1 Definition	10
4.3.1.2 Requirement	10
4.3.1.3 Conformance	10
4.3.2 Temperature tests	10
4.3.2.1 Definition	10
4.3.2.2 Dry heat.....	11
4.3.2.2.1 Definition.....	11
4.3.2.2.2 Requirement	11
4.3.2.2.3 Conformance	11
4.3.2.3 Damp heat	11
4.3.2.3.1 Definition.....	11
4.3.2.3.2 Requirement	11
4.3.2.3.3 Conformance	11
4.3.2.4 Low temperature	11
4.3.2.4.1 Definition.....	11
4.3.2.4.2 Requirement	11
4.3.2.4.3 Conformance	11
4.4 Conformance requirements	11
4.4.1 Sensitivity of the modulator, including microphone.....	11
4.4.1.1 Definition	11
4.4.1.2 Limit.....	11
4.4.1.3 Conformance	12
4.4.2 Audio frequency response	12
4.4.2.1 Definition	12
4.4.2.2 Limit.....	12
4.4.2.3 Conformance	12
4.4.3 Audio frequency harmonic distortion of the emission	12
4.4.3.1 Definition	12
4.4.3.2 Limit.....	12
4.4.3.3 Conformance	12
4.4.4 Residual modulation of the transmitter	12
4.4.4.1 Definition	12

4.4.4.2	Limit.....	12
4.4.4.3	Conformance.....	12
4.4.5	Frequency error (demodulated DSC signal)	12
4.4.5.1	Definition	12
4.4.5.2	Limit.....	12
4.4.5.3	Conformance.....	13
4.4.6	Modulation index for DSC	13
4.4.6.1	Definition	13
4.4.6.2	Limit.....	13
4.4.6.3	Conformance.....	13
4.4.7	Modulation rate for DSC	13
4.4.7.1	Definition	13
4.4.7.2	Limit.....	13
4.4.7.3	Conformance.....	13
4.4.8	Void	13
4.4.9	Harmonic distortion and rated audio-frequency output power	13
4.4.9.1	Definition	13
4.4.9.2	Limit.....	13
4.4.9.3	Conformance.....	13
4.4.10	Receiver audio frequency response	13
4.4.10.1	Definition	13
4.4.10.2	Limit.....	14
4.4.10.3	Conformance.....	14
4.4.11	Receiver residual noise level	14
4.4.11.1	Definition	14
4.4.11.2	Limit.....	14
4.4.11.3	Conformance.....	14
4.4.12	Squelch operation	14
4.4.12.1	Definition	14
4.4.12.2	Limit.....	14
4.4.12.3	Conformance.....	14
4.4.13	Squelch hysteresis.....	14
4.4.13.1	Definition	14
4.4.13.2	Limit.....	14
4.4.13.3	Conformance.....	14
4.4.14	Dynamic range.....	14
4.4.14.1	Definition	14
4.4.14.2	Limit.....	15
4.4.14.3	Conformance.....	15
4.5	DSC Signalling.....	15
4.5.1	Display	15
4.5.2	Watchkeeping receiver	15
4.5.3	Individual DSC calls.....	15
4.5.4	All ships calls.....	15
4.5.5	DSC call functionality	15
4.5.6	DSC message composition	15
4.5.7	Prioritized wait.....	15
4.5.8	Alarms	15
4.5.9	Standby	15
4.5.10	Sending distress automated requirements	15
4.5.11	Display	15
4.5.12	Distress button sub procedure	16
4.5.13	Transmission of the alert attempt.....	16
4.5.14	Updating position.....	16
4.5.15	Handling received DSC messages	16
4.5.16	Alarms	16
4.5.17	Determining subsequent communications	16
4.5.18	Automated tuning	16
4.5.19	Cancelling the distress alert	16
4.5.20	Acknowledgements.....	16
4.5.21	Termination.....	16
4.5.22	Warnings.....	16

4.5.23	Tasks – receiving distress	16
4.5.24	Display – receiving distress	17
4.5.25	Handling received DSC messages – receiving distress.....	17
4.5.26	Alarms – receiving distress.....	17
4.5.27	Determining subsequent communications – receiving distress.....	17
4.5.28	Automated tuning – receiving distress.....	17
4.5.29	Acknowledgements – receiving distress	17
4.5.30	Termination – receiving distress	17
4.5.31	Warnings – receiving distress	17
4.5.32	Tasks – sending non distress.....	17
4.5.33	Display – sending non distress.....	17
4.5.34	Handling received DSC messages – sending non distress	17
4.5.35	Alarms – sending non distress	17
4.5.36	Automated tuning – sending non distress	17
4.5.37	Delayed acknowledgements – sending non distress	18
4.5.38	Termination – sending non distress	18
4.5.39	Warnings – sending non distress.....	18
4.5.40	Tasks – receiving non distress	18
4.5.41	Display – receiving non distress	18
4.5.42	Handling received DSC messages – receiving non distress.....	18
4.5.43	Alarms – receiving non distress.....	18
4.5.44	Automated tuning – receiving non distress.....	18
4.5.45	Acknowledgements – receiving non distress	18
4.5.46	Termination – receiving non distress	18
4.5.47	Warnings – receiving non distress	18
4.5.48	Communication automated procedure	18
4.5.49	Tasks – communication	18
4.5.50	Display – communication	19
4.5.51	Handling received DSC messages – communication.....	19
4.5.52	Tuning of the receiver and transmitter – communication	19
4.5.53	Termination – communication.....	19
4.5.54	Tasks of handling incoming calls while engaged	19
4.5.55	Termination of automated procedures	19
4.5.56	Actions after termination of an automated procedure.....	19
4.5.57	Putting automated procedures on hold.....	19
4.5.58	Controlling non-terminated automated procedures on hold.....	19
5	Testing for compliance with technical requirements.....	19
5.1	Test conditions, power supply and ambient temperatures	19
5.2	Interpretation of the measurement results	19
5.3	Essential radio test suites.....	20
5.3.1	Environmental tests.....	20
5.3.1.1	Introduction.....	20
5.3.1.2	Procedure	20
5.3.1.3	Performance check.....	20
5.3.1.4	Vibration test.....	20
5.3.1.4.1	Definition.....	20
5.3.1.4.2	Limit	20
5.3.1.4.3	Conformance	20
5.3.1.5	Temperature tests	21
5.3.1.5.1	Dry heat	21
5.3.1.5.2	Damp heat.....	21
5.3.1.5.3	Low temperature.....	21
5.3.2	Conformance tests	21
5.3.2.1	Sensitivity of the modulator, including microphone	21
5.3.2.2	Audio frequency response.....	21
5.3.2.3	Audio frequency harmonic distortion of the emission	22
5.3.2.4	Residual modulation of the transmitter	22
5.3.2.5	Frequency error (demodulated DSC signal).....	22
5.3.2.6	Modulation index for DSC.....	22
5.3.2.7	Modulation rate for DSC.....	22
5.4	Other test suites - Radio	22

5.4.1	General.....	22
5.4.2	Harmonic distortion and rated audio-frequency output power	22
5.4.3	Receiver audio frequency response	22
5.4.4	Receiver residual noise level	22
5.4.5	Squelch operation	22
5.4.6	Squelch hysteresis.....	22
5.4.7	Dynamic range.....	23
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	24
History		28

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to mandate M/357 from the European Commission issued under Directive 98/34/EC [i.4] as amended by Directive 98/48/EC [i.7].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.1].

See article 5.1 of Directive 1999/5/EC [i.1] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.1] are summarised in annex A.

The present document is part 3 of a multi-part deliverable covering the VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC), as identified below:

- Part 1: "Technical characteristics and methods of measurement";
- Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 3: "Harmonized EN covering the essential requirements of article 3.3(e) of the R&TTE Directive".**

National transposition dates	
Date of adoption of this EN:	23 September 2013
Date of latest announcement of this EN (doa):	31 December 2013
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2014
Date of withdrawal of any conflicting National Standard (dow):	30 June 2015

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.1]. The modular structure is shown in EG 201 399 [i.6].

1 Scope

The present document covers the minimum requirements for general communication for shipborne fixed installations using a VHF radiotelephone operating in certain frequency bands allocated to the maritime mobile service using 25 kHz or 25 kHz and 12,5 kHz channels with associated equipment for DSC - class D.

The present document is intended to cover the provisions of Directive 1999/5/EC [i.1] (R&TTE Directive) article 3.3(e), which states that: "... *radio equipment within the scope of the present document shall be so constructed that it supports certain features ensuring access to emergency services*".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [i.1] will apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org/>.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 301 025-1 (V1.5.2) (05-2013): "Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Part 1: Technical characteristics and methods of measurement".
- [2] ETSI TR 100 028 (all parts) (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [3] ETSI EN 300 338-3 (V1.1.1) (02-2010): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Technical characteristics and methods of measurement for equipment for generation, transmission and reception of Digital Selective Calling (DSC) in the maritime MF, MF/HF and/or VHF mobile service; Part 3: Class D DSC".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.2] Void.

- [i.3] EC Decision 2004/71/EC of 4 September 2003 on essential requirements relating to marine radio communication equipment which is intended to be used on non-SOLAS vessels and to participate in the Global Maritime Distress and Safety System (GMDSS).
 - [i.4] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
 - [i.5] Void.
 - [i.6] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the R&TTE Directive".
 - [i.7] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.
-

koniec náhľadu – text ďalej pokračuje v platenej verzii STN