

STN	Meranie parametrov kremenných kryštálových jednotiek. Časť 6: Meranie závislosti na úrovni budenia (DLD).	STN EN 60444-6 35 8490
------------	--	--

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/14

Obsahuje: EN 60444-6:2013, IEC 60444-6:2013

Oznámením tejto normy sa od 24.7.2016 ruší
STN EN 60444-6 (35 8490) z decembra 2000

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60444-6

October 2013

ICS 31.140

Supersedes EN 60444-6:1997

English version

**Measurement of quartz crystal unit parameters -
Part 6: Measurement of drive level dependence (DLD)
(IEC 60444-6:2013)**

Mesure des paramètres des résonateurs
à quartz -
Partie 6: Mesure de la dépendance du
niveau d'excitation (DNE)
(CEI 60444-6:2013)

Messung von Schwingquarz-Parametern -
Teil 6: Messung der
Belastungsabhängigkeit (DLD)
(IEC 60444-6:2013)

This European Standard was approved by CENELEC on 2013-07-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 49/1004/CDV, future edition 2 of IEC 60444-6, prepared by IEC/TC 49, "Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60444-6:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-04-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-07-24

This document supersedes EN 60444-6:1997.

EN 60444-6:2013 includes the following significant technical changes with respect to EN 60444-6:1997:

- a) DLD measurement with oscillation circuit had the traditional method to detect the DLD abnormal modes at present time. Therefore, this method made the transition to the Annex B.
- b) High reliability crystal unit is needed to use for various applications at the present day, in order to upgrade the inspection capabilities for DLD abnormal modes, the multi-level reference measurement method was introduced into this specification.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60444-6:2013 was approved by CENELEC as a European Standard without any modification.

Annex ZA

(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60444-1	-	Measurement of quartz crystal unit parameters by zero phase technique in a pi-network - Part 1: Basic method for the measurement of resonance frequency and resonance resistance of quartz crystal units by zero phase technique in a pi-network	EN 60444-1	-
IEC 60444-5	-	Measurement of quartz crystal unit parameters - Part 5: Methods for the determination of equivalent electrical parameters using automatic network analyzer techniques and error correction	EN 60444-5	-
IEC 60444-8	-	Measurement of quartz crystal unit parameters - Part 8: Test fixture for surface mounted quartz crystal units	EN 60444-8	-



IEC 60444-6

Edition 2.0 2013-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Measurement of quartz crystal unit parameters –
Part 6: Measurement of drive level dependence (DLD)**

**Mesure des paramètres des résonateurs à quartz –
Partie 6: Mesure de la dépendance du niveau d'excitation (DNE)**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
 3, rue de Varembe
 CH-1211 Geneva 20
 Switzerland

Tel.: +41 22 919 02 11
 Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60444-6

Edition 2.0 2013-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Measurement of quartz crystal unit parameters –
Part 6: Measurement of drive level dependence (DLD)**

**Mesure des paramètres des résonateurs à quartz –
Partie 6: Mesure de la dépendance du niveau d'excitation (DNE)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

R

ICS 31.140

ISBN 978-2-83220-876-2

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.
--

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 DLD effects	6
3.1 Reversible changes in frequency and resistance	6
3.2 Irreversible changes in frequency and resistance	6
3.3 Causes of DLD effects.....	7
4 Drive levels for DLD measurement	7
5 Test methods.....	8
5.1 Method A (Fast standard measurement method)	8
5.1.1 Testing at two drive levels	8
5.1.2 Testing according to specification.....	8
5.2 Method B (Multi-level reference measurement method)	9
Annex A (normative) Relationship between electrical drive level and mechanical displacement of quartz crystal units	11
Annex B (normative) Method C: DLD measurement with oscillation circuit	14
Bibliography.....	19
Figure 1 – Maximum tolerable resistance ratio γ for the drive level dependence as a function of the resistances R_{r2} or R_{r3}	9
Figure B.1 – Insertion of a quartz crystal unit in an oscillator	14
Figure B.2 – Crystal unit loss resistance as a function of dissipated power	15
Figure B.3 – Behaviour of the R_r of a quartz crystal units	16
Figure B.4 – Block diagram of circuit system.....	16
Figure B.5 – Installed $-R_{osc}$ in scanned drive level range	17
Figure B.6 – Drive level behavior of a quartz crystal unit if $-R_{osc} = 70 \Omega$ is used as test limit in the “Annex B” test	17
Figure B.7 – Principal schematic diagram of the go/no-go test circuit.....	18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MEASUREMENT OF QUARTZ CRYSTAL UNIT PARAMETERS –**Part 6: Measurement of drive level dependence (DLD)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60444-6 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

This second edition cancels and replaces the first edition published in 1995. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) DLD measurement with oscillation circuit had the traditional method to detect the DLD abnormal modes at present time. Therefore, this method made the transition to the Annex B.
- b) High reliability crystal unit is needed to use for various applications at the present day, in order to upgrade the inspection capabilities for DLD abnormal modes, the multi-level reference measurement method was introduced into this specification.

The text of this standard is based on the following documents:

CDV	Report on voting
49/1004/CDV	49/1038/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60444 series, published under the general title *Measurement of quartz crystal unit parameters*, can be found on the IEC website.

INTRODUCTION

The drive level (expressed as power/voltage across or current through the crystal unit) forces the resonator to produce mechanical oscillations by way of piezoelectric effect. In this process, the acceleration work is converted to kinetic and elastic energy and the power loss to heat. The latter conversion is due to the inner and outer friction of the quartz resonator.

The frictional losses depend on the velocity of the vibrating masses and increase when the oscillation is no longer linear or when critical velocities, elongations or strains, excursions or accelerations are attained in the quartz resonator or at its surfaces and mounting points (see Annex A). This causes changes in resistance and frequency, as well as further changes due to the temperature dependence of these parameters.

At “high” drive levels (e.g. above 1 mW or 1 mA for AT-cut crystal units) changes are observed by all crystal units and these also can result in irreversible amplitude and frequency changes. Any further increase of the drive level may destroy the resonator.

Apart from this effect, changes in frequency and resistance are observed at “low” drive levels in some crystal units, e.g. below 1 mW or 50 μ A for AT-cut crystal units). In this case, if the loop gain is not sufficient, the start-up of the oscillation is difficult. In crystal filters, the transducer attenuation and ripple will change.

Furthermore, the coupling between a specified mode of vibration and other modes (e.g. of the resonator itself, the mounting and the back-fill gas) also depends on the level of drive.

Due to the differing temperature response of these modes, these couplings give rise to changes of frequency and resistance of the specified mode within narrow temperature ranges. These changes increase with increasing drive level. However, this effect will not be considered further in this part of IEC 60444.

The first edition of IEC 60444-6 was published in 1995. However, it has not been revised until today. In the meantime the demand for tighter specification and measurement of DLD has increased.

In this new edition, the concept of DLD in IEC 60444-6:1995 is maintained. However, the more suitable definition for the user's severe requirements was introduced. Also, the specifications based on the matters arranged in the Stanford meeting in June, 2011 are taken into consideration.

MEASUREMENT OF QUARTZ CRYSTAL UNIT PARAMETERS –

Part 6: Measurement of drive level dependence (DLD)

1 Scope

This part of IEC 60444 applies to the measurements of drive level dependence (DLD) of quartz crystal units. Two test methods (A and C) and one referential method (B) are described. “Method A”, based on the π -network according to IEC 60444-1, can be used in the complete frequency range covered by this part of IEC 60444. “Reference Method B”, based on the π -network or reflection method according to IEC 60444-1, IEC 60444-5 or IEC 60444-8 can be used in the complete frequency range covered by this part of IEC 60444. “Method C”, an oscillator method, is suitable for measurements of fundamental mode crystal units in larger quantities with fixed conditions.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60444-1, *Measurement of quartz crystal unit parameters by zero phase technique in a π -network – Part 1: Basic method for the measurement of resonance frequency and resonance resistance of quartz crystal units by zero phase technique in a π -network*

IEC 60444-5, *Measurement of quartz crystal units parameters – Part 5: Methods for the determination of equivalent electrical parameters using automatic network analyzer techniques and error correction*

IEC 60444-8, *Measurement of quartz crystal unit parameters – Part 8: Test fixture for surface mounted quartz crystal units*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN