

<b>STN</b>	<b>Bunkové siete IMT. Harmonizovaná EN vzťahujúca sa na základné požiadavky podľa článku 3.2 smernice R&amp;TTE. Časť 2: Používateľské zariadenia (UE) CDMA s priamym rozprestrením (UTRA FDD).</b>	<b>STN EN 301 908-2 V6.2.1</b>  87 1908
------------	---	---

IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Obsahuje: EN 301 908-2 V6.2.1:2013

**118752**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2014  
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

# ETSI EN 301 908-2 V6.2.1 (2013-10)



Harmonized European Standard

**IMT cellular networks;  
Harmonized EN covering the essential requirements  
of article 3.2 of the R&TTE Directive;  
Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)**

---

**Reference**

REN/MSG-TFES-010-02

---

**Keywords**3G, 3GPP, cellular, digital, IMT, mobile, radio,  
regulation, UMTS, UTRA, WCDMA**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	6
Foreword.....	6
Introduction .....	6
1 Scope .....	7
2 References .....	8
2.1 Normative references .....	8
2.2 Informative references .....	8
3 Definitions, symbols and abbreviations .....	9
3.1 Definitions .....	9
3.2 Symbols .....	10
3.3 Abbreviations .....	10
4 Technical requirements specifications .....	12
4.1 Environmental profile.....	12
4.2 Conformance requirements .....	12
4.2.1 Introduction.....	12
4.2.2 Transmitter maximum output power.....	12
4.2.2.1 Transmitter maximum output power .....	12
4.2.2.1.1 Definition.....	12
4.2.2.1.2 Limits .....	13
4.2.2.1.3 Conformance .....	13
4.2.2.2 Transmitter maximum output power for DC-HSUPA .....	13
4.2.2.2.1 Definition for DC-HSUPA .....	13
4.2.2.2.2 Limits for DC-HSUPA .....	13
4.2.2.2.3 Conformance .....	14
4.2.3 Transmitter spectrum emission mask.....	14
4.2.3.1 Transmitter spectrum emission mask .....	14
4.2.3.1.1 Definition.....	14
4.2.3.1.2 Limits .....	14
4.2.3.1.3 Conformance .....	14
4.2.3.2 Transmitter spectrum emission mask for DC-HSUPA .....	15
4.2.3.2.1 Definition for DC-HSUPA .....	15
4.2.3.2.2 Limits for DC-HSUPA .....	15
4.2.3.2.3 Conformance .....	15
4.2.4 Transmitter spurious emissions.....	15
4.2.4.1 Transmitter spurious emissions .....	15
4.2.4.1.1 Definition.....	15
4.2.4.1.2 Limits .....	15
4.2.4.1.3 Conformance .....	17
4.2.4.2 Transmitter spurious emissions for DC-HSUPA .....	17
4.2.4.2.1 Definition for DC-HSUPA .....	17
4.2.4.2.2 Limits for DC-HSUPA .....	17
4.2.4.2.3 Conformance .....	19
4.2.5 Transmitter minimum output power .....	20
4.2.5.1 Transmitter minimum output power.....	20
4.2.5.1.1 Definition.....	20
4.2.5.1.2 Limits .....	20
4.2.5.1.3 Conformance .....	20
4.2.5.2 Transmitter minimum output power for DC-HSUPA .....	20
4.2.5.2.1 Definition for DC-HSUPA .....	20
4.2.5.2.2 Limits for DC-HSUPA .....	20
4.2.5.2.3 Conformance .....	20
4.2.6 Receiver Adjacent Channel Selectivity (ACS) .....	20
4.2.6.1 Definition .....	20

4.2.6.2	Limits .....	21
4.2.6.3	Conformance .....	21
4.2.7	Receiver blocking characteristics .....	21
4.2.7.1	Definition .....	21
4.2.7.2	Limits .....	21
4.2.7.3	Conformance .....	23
4.2.8	Receiver spurious response .....	23
4.2.8.1	Definition .....	23
4.2.8.2	Limits .....	23
4.2.8.3	Conformance .....	24
4.2.9	Receiver intermodulation characteristics .....	24
4.2.9.1	Definition .....	24
4.2.9.2	Limits .....	24
4.2.9.3	Conformance .....	25
4.2.10	Receiver spurious emissions .....	25
4.2.10.1	Definition .....	25
4.2.10.2	Limits .....	25
4.2.10.3	Conformance .....	27
4.2.11	Out-of-synchronization handling of output power .....	27
4.2.11.1	Definition .....	27
4.2.11.2	Limits .....	27
4.2.11.3	Conformance .....	28
4.2.12	Transmitter Adjacent Channel Leakage power Ratio (ACLR) .....	28
4.2.12.1	Transmitter adjacent channel leakage power ratio (ACLR) .....	28
4.2.12.1.1	Definition .....	28
4.2.12.1.2	Limits .....	28
4.2.12.1.3	Conformance .....	29
4.2.12.2	Adjacent channel leakage power ratio for DC-HSUPA .....	29
4.2.12.2.1	Definition for DC-HSUPA .....	29
4.2.12.2.2	Limits for DC-HSUPA .....	29
4.2.12.2.3	Conformance .....	29
5	Testing for compliance with technical requirements .....	29
5.1	Environmental conditions for testing .....	29
5.2	Interpretation of the measurement results .....	30
5.3	Essential radio test suites .....	31
5.3.1	Transmitter maximum output power .....	31
5.3.1.1	Method of test .....	31
5.3.1.1.1	Initial conditions .....	31
5.3.1.1.1A	Initial conditions for DC-HSUPA .....	31
5.3.1.1.2	Procedure .....	32
5.3.1.1.2A	Procedure for DC-HSUPA .....	32
5.3.1.2	Test requirements .....	32
5.3.2	Transmitter spectrum emission mask .....	32
5.3.2.1	Method of test .....	32
5.3.2.1.1	Initial conditions for UEs not supporting HSDPA and/or E-DCH .....	32
5.3.2.1.1A	Initial conditions for UEs supporting HSDPA and/or E-DCH .....	32
5.3.2.1.1B	Initial conditions for DC-HSUPA .....	33
5.3.2.1.2	Procedure for UEs not supporting HSDPA and/or E-DCH .....	33
5.3.2.1.2A	Procedure for UEs supporting HSDPA and/or E-DCH .....	33
5.3.2.1.2B	Procedure for DC-HSUPA .....	33
5.3.2.2	Test requirements .....	33
5.3.3	Transmitter spurious emissions .....	34
5.3.3.1	Method of test .....	34
5.3.3.1.1	Initial conditions .....	34
5.3.3.1.1A	Initial conditions for DC-HSUPA .....	34
5.3.3.1.2	Procedure .....	34
5.3.3.1.2A	Procedure for DC-HSUPA .....	34
5.3.3.2	Test requirements .....	34
5.3.4	Transmitter minimum output power .....	35
5.3.4.1	Method of test .....	35
5.3.4.1.1	Initial conditions .....	35

5.3.4.1.1A	Initial conditions for DC-HSUPA .....	35
5.3.4.1.2	Procedure.....	35
5.3.4.1.2A	Procedure for DC-HSUPA .....	35
5.3.4.2	Test requirements.....	35
5.3.5	Receiver Adjacent Channel Selectivity (ACS) .....	36
5.3.5.1	Method of test .....	36
5.3.5.1.1	Initial conditions.....	36
5.3.5.1.2	Procedure.....	36
5.3.5.2	Test requirements.....	36
5.3.6	Receiver blocking characteristics .....	36
5.3.6.1	Method of test .....	36
5.3.6.1.1	Initial requirements.....	36
5.3.6.1.2	Procedure.....	37
5.3.6.2	Test requirements.....	37
5.3.7	Receiver spurious response.....	37
5.3.7.1	Method of test .....	37
5.3.7.1.1	Initial conditions.....	37
5.3.7.1.2	Procedure.....	37
5.3.7.2	Test requirements.....	37
5.3.8	Receiver Intermodulation characteristics.....	37
5.3.8.1	Method of test .....	37
5.3.8.1.1	Initial conditions.....	37
5.3.8.1.2	Procedure.....	38
5.3.8.2	Test requirements.....	38
5.3.9	Receiver spurious emissions .....	38
5.3.9.1	Method of test .....	38
5.3.9.1.1	Initial conditions.....	38
5.3.9.1.2	Procedure.....	38
5.3.9.2	Test requirements.....	38
5.3.10	Out-of-synchronization handling of output power.....	38
5.3.10.1	Method of test .....	38
5.3.10.1.1	Initial conditions.....	38
5.3.10.1.2	Procedure.....	39
5.3.10.2	Test requirements.....	39
5.3.11	Transmitter adjacent channel leakage power ratio.....	39
5.3.11.1	Method of test .....	39
5.3.11.1.1	Initial conditions for UEs not supporting HSDPA and/or E-DCH .....	39
5.3.11.1.1A	Initial conditions for UEs supporting HSDPA and/or E-DCH .....	40
5.3.11.1.1B	Initial conditions for DC-HSUPA .....	40
5.3.11.1.2	Procedure for UEs not supporting HSDPA and/or E-DCH.....	40
5.3.11.1.2A	Procedure for UEs supporting HSDPA and/or E-DCH .....	40
5.3.11.1.2B	Procedure for DC-HSUPA .....	40
5.3.11.2	Test requirements.....	40
<b>Annex A (normative):</b>	<b>HS Requirements and conformance Test specifications Table (HS-RTT).....</b>	<b>41</b>
<b>Annex B (normative):</b>	<b>Environmental profile .....</b>	<b>43</b>
B.1	General .....	43
B.1.1	Introduction .....	43
B.1.2	Temperature .....	43
B.1.3	Voltage .....	43
B.1.4	Test environment.....	43
<b>Annex C:</b>	<b>Void .....</b>	<b>45</b>
<b>Annex D (informative):</b>	<b>Bibliography.....</b>	<b>46</b>
History .....		47

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG).

The present document has been produced by ETSI in response to mandates M/284 and M/406 issued from the European Commission under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.10].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC [i.2] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.2] are summarized in annex A.

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [10].

<b>National transposition dates</b>	
Date of adoption of this EN:	7 October 2013
Date of latest announcement of this EN (doa):	31 January 2014
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 2014
Date of withdrawal of any conflicting National Standard (dow):	31 July 2015

---

## Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in EG 201 399 [i.3].

# 1 Scope

The present document applies to the following radio equipment type:

- User Equipment for IMT-2000 CDMA Direct Spread (UTRA FDD).

These radio equipment types are capable of operating in all or any part of the frequency bands given in table 1-1.

**Table 1-1: UTRA FDD operating bands**

UTRA FDD Band	Direction of transmission	UTRA FDD operating bands
I	Transmit	1 920 MHz to 1 980 MHz
	Receive	2 110 MHz to 2 170 MHz
III	Transmit	1 710 MHz to 1 785 MHz
	Receive	1 805 MHz to 1 880 MHz
VII	Transmit	2 500 MHz to 2 570 MHz
	Receive	2 620 MHz to 2 690 MHz
VIII	Transmit	880 MHz to 915 MHz
	Receive	925 MHz to 960 MHz
XV	Transmit	1 900 MHz to 1 920 MHz
	Receive	2 600 MHz to 2 620 MHz
XVI	Transmit	2 010 MHz to 2 025 MHz
	Receive	2 585 MHz to 2 600 MHz
XX	Transmit	832 MHz to 862 MHz
	Receive	791 MHz to 821 MHz
XXII	Transmit	3 410 MHz to 3 490 MHz
	Receive	3 510 MHz to 3 590 MHz

The present document covers requirements for UTRA FDD User Equipment from 3GPP Releases 99, 4, 5, 6, 7, 8, 9, and 10. In addition, the present document covers requirements for UTRA FDD User Equipment in the operating bands specified in TS 102 735 [i.4].

NOTE 1: For Band XX:

- for user equipment designed to be mobile or nomadic, the requirements in the present document measured at the antenna port also show conformity to the corresponding requirement defined as TRP (total radiated power), as described in Commission Decision 2010/267/EU [i.7], ECC Decision (09)03 [i.8] and CEPT Report 30 [i.9];
- for user equipment designed to be fixed or installed, the present document does not address the requirements described in Commission Decision 2010/267/EU [i.7], ECC Decision (09)03 [i.8] and CEPT Report 30 [i.9].

The present document is intended to cover the provisions of Directive 1999/5/EC [i.2] (R&TTE Directive) article 3.2, which states that "radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [i.2] may apply to equipment within the scope of the present document.

NOTE 2: A list of such ENs is included on the web site <http://www.newapproach.org/>.



---

## 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

### 2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] ETSI TS 134 121-1 (V10.7.0) (07-2013): "Universal Mobile Telecommunications System (UMTS); User Equipment (UE) conformance specification; Radio transmission and reception (FDD); Part 1: Conformance specification (3GPP TS 34.121-1 version 10.7.0 Release 10)".
- [3] ETSI TS 134 108 (V11.6.0) (07-2013): "Universal Mobile Telecommunications System (UMTS); LTE; Common test environments for User Equipment (UE); Conformance testing (3GPP TS 34.108 version 11.6.0 Release 11)".
- [4] ETSI TS 134 109 (V10.1.0) (01-2012): "Universal Mobile Telecommunications System (UMTS); Terminal logical test interface; Special conformance testing functions (3GPP TS 34.109 version 10.1.0 Release 10)".
- [5] ETSI TS 125 101 (V10.9.0) (07-2013): "Universal Mobile Telecommunications System (UMTS); User Equipment (UE) radio transmission and reception (FDD) (3GPP TS 25.101 version 10.9.0 Release 10)".
- [6] IEC 60068-2-1 (03-2007): "Environmental testing - Part 2-1: Tests. Test A: Cold".
- [7] IEC 60068-2-2 (07-2007): "Environmental testing - Part 2-2: Tests. Test B: Dry heat".
- [8] ETSI TS 125 214 (V10.6.0) (03-2012): "Universal Mobile Telecommunications System (UMTS); Physical layer procedures (FDD) (3GPP TS 25.214 version 10.6.0 Release 10)".
- [9] ETSI TS 145 004 (V10.0.0) (04-2011): "Digital cellular telecommunications system (Phase 2+); Modulation (3GPP TS 45.004 version 10.0.0 Release 10)".
- [10] ETSI EN 301 908-1 (V6.2.1) (04-2013): "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements".

### 2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.3] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the R&TTE Directive".

- [i.4] ETSI TS 102 735 (V7.1.0): "Universal Mobile Telecommunications System (UMTS); Band-specific requirements for UMTS Frequency Division Duplex (FDD) operation in the bands 1 900 MHz to 1 920 MHz paired with 2 600 MHz to 2 620 MHz and 2 010 MHz to 2 025 MHz paired with 2 585 MHz to 2 600 MHz".
  - [i.5] Void.
  - [i.6] ETSI TR 100 028 (all parts) (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
  - [i.7] Commission Decision 2010/267/EU of 6 May 2010 on harmonised technical conditions of use in the 790-862 MHz frequency band for terrestrial systems capable of providing electronic communications services in the European Union.
  - [i.8] ECC Decision (09)03 of 30 October 2009 on harmonised conditions for mobile/fixed communications networks (MFCN) operating in the band 790 - 862 MHz.
  - [i.9] CEPT Report 30 of 30 October 2009 to the European Commission in response to the Mandate on "The identification of common and minimal (least restrictive) technical conditions for 790 - 862 MHz for the digital dividend in the European Union".
  - [i.10] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.
- 

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**