STN	Buničina, papier a lepenka. Stanovenie ftalátov v extrakte z papiera a lepenky. Doplnkový prvok.	STN EN 16453
		50 7007

Pulp, paper and paperboard - Determination of phthalates in extracts from paper and paperboard

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Obsahuje: EN 16453:2014

STN EN 16453: 2014

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 16453

January 2014

ICS 67.250; 85.060

#### **English Version**

# Pulp, paper and paperboard - Determination of phthalates in extracts from paper and paperboard

Pâtes, papier et carton - Dosage des phtalates dans des extraits de papier et carton

Zellstoff, Papier und Karton - Bestimmung von Phthalaten in Papier- und Kartonextrakten

This European Standard was approved by CEN on 9 November 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Scope	Cont	<b>ents</b> P	age
Normative references	Forewo	ord	3
3.1   Principle	1	Scope	4
Seperal	2	Normative references	4
Seperal	3	Principle	5
Materials			
### 4.1   General	3.2	Interferences	5
A.2   Pasteur pipettes	4	Materials	5
Double mark glass pipette of 0,05 ml, 0,2 ml, 0,5 ml, 1 ml, 5 ml and 10 ml  6			
Volumetric flasks of 5 ml, 10 ml, 50 ml and 100 ml   6			
Screw-cap glass bottle PYREX of 250 ml with a Polytetrafluorethylene-septa cap			
4.6 Graduated cylinder of 200 ml			
Glass funnel Polytetrafluorethylene-screw-cap glass vial single use (capacity adapted to the volume of concentrate)	4.6	Graduated cylinder of 200 ml	6
Polytetrafluorethylene-screw-cap glass vial single use (capacity adapted to the volume of concentrate)  Apparatus  Apparatus  Balance: capable of accurately weighing 0,000 1 g  Round flask heater  Gas chromatograph coupled to a mass spectrometer (GC-MS)  Reagents  Caperal  Caperal  Caperal  Caperal  Caperal  Caperal  Caperal  Caperating gases for gas chromatography/mass spectrometry, of high purity and in accordance with manufacturer's specifications  Caperal  Capera			
concentrate)	_		6
5 Apparatus	+.3		6
Balance: capable of accurately weighing 0,000 1 g	5	,	
5.2       Round flask heater			
5.4       Gas chromatograph coupled to a mass spectrometer (GC-MS)       6         6       Reagents       6         6.1       General       6         6.2       Operating gases for gas chromatography/mass spectrometry, of high purity and in accordance with manufacturer's specifications       6         6.3       Ethyl acetate, C4H8O2, CAS N° 141-78-6       6         6.4       Isooctane, C8H18, CAS N° 540-84-1       6         6.5       Internal standard stock solution: For example d4-ring-deuterated-dibutyl phthalate (D4-ring-DBP) at 10 g/l       6         6.6       Stock solutions of individual phthalate at 1 000 mg/l in ethyl acetate       7         7       Sampling       7         8       Preparation of the test sample of water extract       8         9       Preparation of the test sample of the organic solvent extract       8         10       Preparation of the test sample of the MPPO Extract       8         11.1       GC conditions       8         11.2       Calibration       9         11.3       Analysis of test samples       9         11.2       Expression of results       10         12.1       For organic solvent extract: Expression of results       10         12.2       For MPPO extract: Expression of results       10			
6       Reagents       6.6         6.1       General       6.6         6.2       Operating gases for gas chromatography/mass spectrometry, of high purity and in accordance with manufacturer's specifications       6.6         6.3       Ethyl acetate, C4H8O2, CAS N° 141-78-6       6.6         6.4       Isooctane, C8H18, CAS N° 540-84-1       6.6         6.5       Internal standard stock solution: For example d4-ring-deuterated-dibutyl phthalate (D4-ring-DBP) at 10 g/l       6.6         6.6       Stock solutions of individual phthalate at 1 000 mg/l in ethyl acetate       7         7       Sampling       7         8       Preparation of the test sample of water extract       8         9       Preparation of the test sample of the organic solvent extract       8         10       Preparation of the test sample of the MPPO Extract       8         11.1       GC conditions       8         11.2       Calibration       9         11.3       Analysis of test samples       9         11.2       Expression of results       10         12.1       For organic solvent extract: Expression of results       10         12.2       For MPPO extract: Expression of results       10         13       Test report       10         14<			
General	5.4	Gas chromatograph coupled to a mass spectrometer (GC-MS)	6
6.2       Operating gases for gas chromatography/mass spectrometry, of high purity and in accordance with manufacturer's specifications	-		
accordance with manufacturer's specifications	-		6
Ethyl acetate, C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> , CAS N° 141-78-6	0.2		6
6.5       Internal standard stock solution: For example d4-ring-deuterated-dibutyl phthalate (D4-ring-DBP) at 10 g/l	6.3		
6.5       Internal standard stock solution: For example d4-ring-deuterated-dibutyl phthalate (D4-ring-DBP) at 10 g/l	6.4	Isooctane, C <sub>8</sub> H <sub>18.</sub> CAS N° 540-84-1	6
5.6       Stock solutions of individual phthalate at 1 000 mg/l in ethyl acetate       7         7       Sampling       7         8       Preparation of the test sample of water extract       8         9       Preparation of the test sample of the organic solvent extract       8         10       Preparation of the test sample of the MPPO Extract       8         11       Procedure       8         11.1       GC conditions       8         11.2       Calibration       9         11.3       Analysis of test samples       9         12       Expression of results       10         12.1       For organic solvent extract: Expression of results       10         12.2       For MPPO extract: Expression of results       10         13       Test report       10         14       Precision data       11         Annex A (informative)       GC-MS total ion chromatogram of a standard calibration solution of 2 mg/l	6.5	Internal standard stock solution: For example d4-ring-deuterated-dibutyl phthalate (D4-	
Preparation of the test sample of water extract	6.6		
Preparation of the test sample of water extract	7	Sampling	7
Preparation of the test sample of the MPPO Extract	В	Preparation of the test sample of water extract	8
11.1 GC conditions	9	Preparation of the test sample of the organic solvent extract	8
11.1 GC conditions	10	Preparation of the test sample of the MPPO Extract	8
11.2 Calibration			
11.3 Analysis of test samples			_
12.1 For organic solvent extract: Expression of results			
12.2 For MPPO extract: Expression of results	12	Expression of results	10
13 Test report			
14 Precision data	12.2	•	
Annex A (informative) GC-MS total ion chromatogram of a standard calibration solution of 2 mg/l	13	Test report	10
· · · · · · · · · · · · · · · · · · ·	14	Precision data	11
	Annex	A (informative) GC-MS total ion chromatogram of a standard calibration solution of 2 mg/l of phthalates	12

#### **Foreword**

This document (EN 16453:2014) has been prepared by Technical Committee CEN/TC 172 "Pulp, paper and board", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2014, and conflicting national standards shall be withdrawn at the latest by July 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### 1 Scope

This European Standard specifies an analytical test method for the determination of phthalates in water, solvent and modified polyphenylene oxide (MPPO) extracts of paper and board materials and articles intended for food contact using gas chromatography coupled to mass spectrometry (GC-MS).

This method is applicable to the determination of phthalates in concentration ranging from 0,025 mg/l to 0,5 mg/l for water and solvent extracts and 0,002 mg/dm² to 0,040 mg/dm² for MPPO migration depending on the individual substance, the specified volume used for analysis and the value of the blank.

Name	Abbrevi ation	Formula	CAS N°	Structure
Diisobutyl-phthalate	DIBP	C <sub>16</sub> H <sub>22</sub> O <sub>4</sub>	84–69–5	
Dibutyl-phthalate	DBP	C <sub>16</sub> H <sub>22</sub> O <sub>4</sub>	84–74–2	
Di-(-ethylhexyl)- phthalate	DEHP	C <sub>24</sub> H <sub>38</sub> O <sub>4</sub>	117–81–7	

Table 1 — Phthlates determined by this method

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 645, Paper and board intended to come into contact with foodstuffs - Preparation of a cold water extract

EN 647, Paper and board intended to come into contact with foodstuffs - Preparation of a hot water extract

EN 14338, Paper and board intended to come into contact with foodstuffs - Conditions for determination of migration from paper and board using modified polyphenylene oxide (MPPO) as a simulant

EN 15519, Paper and board intended to come into contact with foodstuffs - Preparation of an organic solvent extract

EN 27213, Pulps - Sampling for testing (ISO 7213)

EN ISO 186, Paper and board - Sampling to determine average quality (ISO 186)

EN ISO 536, Paper and board - Determination of grammage (ISO 536)

EN ISO 638, Paper, board and pulps - Determination of dry matter content - Oven-drying method (ISO 638)

EN ISO 18856, Water quality - Determination of selected phthalates using gas chromatography/mass spectrometry (ISO 18856)

koniec náhľadu – text ďalej pokračuje v platenej verzii STN