STN	Kompozity vyrobené z materiálov na báze celulózy a termoplastov (drevoplastové kompozity (WPC) alebo kompozity s prírodnými vláknami (NFC)). Časť 1: Skúšobné metódy na charakterizáciu zmesí a výrobkov.	STN EN 15534-1
		64 5001

Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) - Part 1: Test methods for characterisation of compounds and products

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Obsahuje: EN 15534-1:2014

Oznámením tejto normy sa ruší STN P CEN/TS 15534-1 (64 5001) z novembra 2007

119087

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2014 Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

EN 15534-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2014

ICS 79.080; 83.080.01; 83.140.99

Supersedes CEN/TS 15534-1:2007

English Version

Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) - Part 1: Test methods for characterisation of compounds and products

Composites à base de matières cellulosiques et de thermoplastiques (communément appelés composites boispolymères (WPC) ou composites fibres d'origine naturelle (NFC)) - Partie 1: Méthodes d'essai pour la caractérisation des compositions et des produits Verbundwerkstoffe aus cellulosehaltigen Materialien und Thermoplasten (üblicherweise Holz-Polymer-Werkstoffe (WPC) oder Naturfaserverbundwerkstoffe (NFC) genannt) -Teil 1: Prüfverfahren zur Beschreibung von Compounds und Erzeugnissen

This European Standard was approved by CEN on 9 November 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Forewo	Foreword4			
Introdu	Introduction			
1	Scope	6		
2	Normative references	6		
3	Terms and definitions	8		
4	Test specimens	9		
5 5.1 5.2 5.3 5.4	Conditioning of test specimens General Reference conditioning Conditioning for factory production control and testing under other conditions Conditioning for tests performed by third-parties	9 9 10		
6 6.1 6.2 6.3 6.4	Physical properties Appearance (applicable to products) Density Moisture content Slipperiness	10 10 10		
6.4.1 6.4.2 6.4.3 6.4.4	General Pendulum test Inclination plan test Dynamic coefficient of friction	11 11 11 12		
6.5 6.5.1 6.5.2 6.5.3	Linear mass (applicable to profiles) Apparatus Test specimens Procedure	12 12 13		
6.5.4 6.6 6.6.1 6.6.2 6.6.3 6.6.4	Calculation and expression of results Dimensional characteristics Conditioning Thickness, width and length (applicable to profiles, only) Deviation from straightness (applicable to profiles, only) Cupping	13 13 13 13		
7 7.1 7.1.1 7.1.2 7.1.3	Mechanical properties Impact resistance Impact resistance (applicable to compounds) Falling mass impact resistance (applicable to products) Extreme temperatures	14 14 14 15		
7.2 7.3 7.3.1 7.3.2	Tensile properties (applicable to compounds) Flexural properties Flexural properties (applicable to compounds) Flexural properties (applicable to non-load bearing products)	18 18 18 18		
7.4 7.4.1 7.4.2 7.5	Creep behaviour (applicable to finished products for non-load bearing applications) Known span in use Unknown span in use Resistance to indentation	19 20 21		
7.5.1 7.5.2 7.5.3	Principle Apparatus Test specimens	21		

7.5.4	Test method		
7.6	Nail and screw withdrawal		
7.7	Pull through resistance	.22	
8	Durability	23	
8.1	Resistance to artificial weathering		
8.1.1	Test methods for artificial weathering		
8.1.2	Methods for assessing of the resistance to artificial weathering		
8.2	Resistance to natural ageing (external use)		
8.2.1	Test methods for natural ageing		
8.2.2	Methods for assessing the resistance to natural ageing		
o.z.z 8.3	Moisture resistance		
8.3.1	Swelling and water absorption		
8.3.2	Moisture resistance under cyclic conditions		
8.3.3	Moisture resistance – Boiling test		
8.4	Resistance against termites		
8.5	Resistance against biological agents		
8.5.1	Pre-treatment		
8.5.2	Resistance against basidiomycetes		
8.5.3	Resistance against soft rotting micro-fungi		
8.5.4	Resistance against discolouring micro-fungi according to ASTM D 3273		
8.5.5	Resistance against discolouring micro-fungi according to ISO 16869		
8.5.6	Resistance against discolouring algae		
8.6	Resistance to salt spray	.35	
•	The second	~~	
9	Thermal properties		
9.1	Heat deflection temperature (HDT)		
9.2	Linear thermal expansion		
9.3	Heat reversion		
9.4	Heat build-up (applicable to products)		
9.4.1	Principle		
9.4.2	Apparatus		
9.4.3	Test specimens		
9.4.4	Procedure		
9.4.5	Expression of results		
9.4.6	Test report		
9.5	Oxygen index (OI)		
9.6	Reaction to fire	.39	
9.6.1	Single flame source test	.39	
9.6.2	Single burning item (SBI) test (applicable to cladding only)	.39	
9.6.3	Radiant heat source test (floorings)		
10	Other properties		
10.1	Degree of chalking (applicable to coated products, only)		
10.2	Change of gloss		
10.3	Peel strength (applicable to profiles with laminated foil)		
10.3.1	Principle		
	Apparatus		
10.3.3	Preparation of test pieces	.47	
10.3.4	Conditioning		
10.3.5	Procedure	.48	
10.3.6	Test report	.48	
Annov	A (normative) Determination of the modulus of elasticity in bending and bending strength		
Annex		E0	
	of profiles	. 50	
Bibliog	Bibliography		
-			

Foreword

This document (EN 15534-1:2014) has been prepared by Technical Committee CEN/TC 249 "Plastics", the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2014, and conflicting national standards shall be withdrawn at the latest by July 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 15534-1:2007.

The significant changes that have been made since the previous edition are the following:

- change of the status from Technical Specification to European Standard;
- complete technical review of the test methods.

EN 15534 consists of the following parts:

- EN 15534-1, Composites made from cellulose-based materials and thermoplastics (usually called woodpolymer composites (WPC) or natural fibre composites (NFC)) — Part 1: Test methods for characterization of compounds and products
- prEN 15534-2, Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 2: Characterization of compounds¹)
- EN 15534-4, Composites made from cellulose-based materials and thermoplastics (usually called woodpolymer composites (WPC) or natural fibre composites (NFC)) — Part 4: Specifications for decking profiles and tiles
- EN 15534-5, Composites made from cellulose-based materials and thermoplastics (usually called woodpolymer composites (WPC) or natural fibre composites (NFC)) — Part 5: Specifications for cladding profiles and tiles
- prEN 15534-6, Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 6: Specifications for fencing profiles and systems¹)
- prEN 15534-7, Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 7: Specifications for general purpose profiles in external applications¹)

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

¹⁾ In preparation.

Introduction

The denomination "wood-polymer composites", WPC, is usually used to designate materials or products consisting of one or more natural fibres or flours and one or a mixture of polymer(s). Natural fibres and flours come from different plant sources (e.g. wood, hemp, flax, sisal, coconut, cotton, kenaf, jute, abaca, banana leaf fibres, bamboo, rice, wheat straw or other fibrous material) and different polymers, virgin or recycled, are used. Currently, the most commonly used polymers are poly(vinyl chloride) (PVC), polypropylene (PP) and polyethylene (PE).

WPC materials can be processed by different techniques, as extrusion for profiles, calendering for films and sheets, injection moulding or compression moulding. The contents of natural fibres and polymers depend on the application and the processing techniques.

WPC materials may be considered neither as filled plastics nor as a special kind of wood. They should be considered as different materials having their own characteristics.

For the moment, the main applications of WPC products are decking, cladding, panelling and fencing and furniture.

1 Scope

This European Standard specifies test methods for the determination of properties of composites made from cellulose-based materials and thermoplastics, usually called wood-polymer composites (WPC) or natural fibre composites (NFC).

NOTE For editorial reasons, in EN 15534 the abbreviation "WPC" is used for "composites made from cellulose-based materials and thermoplastics".

This part of EN 15534 is applicable to cellular or non-cellular compounds and products, made from cellulosebased materials and thermoplastics, intended to be or being processed through plastics processing techniques, without threshold for the cellulose-based material content.

All the properties listed in this part of EN 15534 are not necessarily assessed for a given application. Test parameters and requirements of the test methods for a given application are specified in the relevant part of EN 15534.

Profiles for the management of electrical power cables, communication cables and power track systems used for the distribution of electrical power, profiles for windows or doors and profiles for guttering are not covered by EN 15534²).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 84:1997, Wood preservatives - Accelerated ageing of treated wood prior to biological testing - Leaching procedure

EN 117:2012, Wood preservatives - Determination of toxic values against Reticulitermes species (European termites) (Laboratory method)

EN 152:2011, Wood preservatives - Determination of the protective effectiveness of a preservative treatment against blue stain in wood in service - Laboratory method

EN 317, Particleboards and fibreboards - Determination of swelling in thickness after immersion in water

EN 321:2001, Wood-based panels - Determination of moisture resistance under cyclic test conditions

EN 322:1993, Wood-based panels - Determination of moisture content

EN 477:1995, Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of the resistance to impact of main profiles by falling mass

EN 479, Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of heat reversion

EN 927-3, Paints and varnishes - Coating materials and coating systems for exterior wood - Part 3: Natural weathering test

²⁾ Profiles that are excluded are in the scopes of standards prepared by CEN/TC 33, CENELEC/TC 213 or CEN/TC 128.

EN 927-6, Paints and varnishes - Coating materials and coating systems for exterior wood - Part 6: Exposure of wood coatings to artificial weathering using fluorescent UV lamps and water

EN 1383, Timber structures - Test methods - Pull through resistance of timber fasteners

ENV 12038:2002, Durability of wood and wood-based products - Wood-based panels - Method of test for determining the resistance against wood-destroying basidiomycetes

EN 13446, Wood-based panels - Determination of withdrawal capacity of fasteners

EN 13823, Reaction to fire tests for building products - Building products excluding floorings exposed to the thermal attack by a single burning item

EN 13893, Resilient, laminate and textile floor coverings - Measurement of dynamic coefficient of friction on dry floor surfaces

CEN/TS 15083-2:2005, Durability of wood and wood-based products - Determination of the natural durability of solid wood against wood-destroying fungi, test methods - Part 2: Soft rotting micro-fungi

EN 16472, Plastics - Method for accelerated photoageing using medium pressure mercury vapour lamps

EN 20105-A02, Textiles - Tests for colour fastness - Part A02: Grey scale for assessing change in colour (ISO 105-A02)

CEN/TS 15676, Wood flooring - Slip resistance - Pendulum test

EN ISO 75-1, Plastics - Determination of temperature of deflection under load - Part 1: General test method (ISO 75-1)

EN ISO 75-2, Plastics - Determination of temperature of deflection under load - Part 2: Plastics and ebonite (ISO 75-2)

EN ISO 178:2010, Plastics - Determination of flexural properties (ISO 178:2010)

EN ISO 179-1, Plastics - Determination of Charpy impact properties - Part 1: Non-instrumented impact test (ISO 179-1)

EN ISO 291, Plastics - Standard atmospheres for conditioning and testing (ISO 291)

EN ISO 472:2013, Plastics - Vocabulary (ISO 472:2013)

EN ISO 527-2, Plastics - Determination of tensile properties - Part 2: Test conditions for moulding and extrusion plastics (ISO 527-2)

EN ISO 877-2, Plastics - Methods of exposure to solar radiation - Part 2: Direct weathering and exposure behind window glass (ISO 877-2)

EN ISO 1183-1, Plastics - Methods for determining the density of non-cellular plastics - Part 1: Immersion method, liquid pyknometer method and titration method (ISO 1183-1)

EN ISO 1183-3, Plastics - Methods for determining the density of non-cellular plastics - Part 3: Gas pyknometer method (ISO 1183-3)

EN ISO 2813, Paints and varnishes - Determination of specular gloss of non-metallic paint films at 20°, 60° and 85° (ISO 2813)

EN ISO 4589-2, Plastics - Determination of burning behaviour by oxygen index - Part 2: Ambient-temperature test (ISO 4589-2)

EN ISO 4628-6, Paints and varnishes - Evaluation of degradation of coatings - Designation of quantity and size of defects, and of intensity of uniform changes in appearance - Part 6: Assessment of degree of chalking by tape method (ISO 4628-6)

EN ISO 4892-2:2013, Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps (ISO 4892-2:2013)

EN ISO 9227, Corrosion tests in artificial atmospheres - Salt spray tests (ISO 9227)

EN ISO 9239-1, Reaction to fire tests for floorings - Part 1: Determination of the burning behaviour using a radiant heat source (ISO 9239-1)

EN ISO 11507:2007, Paints and varnishes - Exposure of coatings to artificial weathering - Exposure to fluorescent UV lamps and water (ISO 11507:2007)

EN ISO 11925-2, Reaction to fire tests - Ignitability of products subjected to direct impingement of flame - Part 2: Single-flame source test (ISO 11925-2)

ISO 7724-1, Paints and varnishes - Colorimetry - Part 1: Principles

ISO 7724-2, Paints and varnishes - Colorimetry - Part 2: Colour measurement

ISO 7724-3, Paints and varnishes - Colorimetry - Part 3: Calculation of colour differences

ISO 11359-2, Plastics - Thermomechanical analysis (TMA) - Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature

ISO 16869, Plastics - Assessment of the effectiveness of fungistatic compounds in plastics formulations

ASTM D3273–00(2005), Standard Test Method for resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber

CIE³⁾ Publication 51, A method for assessing the quality of daylight simulators for colorimetry

koniec náhľadu – text ďalej pokračuje v platenej verzii STN

³⁾ Commission internationale de l'éclairage, Central Bureau, Kegelgasse 27, A-1030, Vienna, Austria.