

STN	Dočasné zariadenie staveniska. Časť 4: Ochranné prvky podperných lešení. Funkčné požiadavky a navrhovanie.	STN EN 12811-4 73 8110
------------	---	--

Temporary works equipment - Part 4: Protection fans for scaffolds - Performance requirements and product design

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Obsahuje: EN 12811-4:2013

119235

ICS 91.220

English Version

Temporary works equipment - Part 4: Protection fans for scaffolds - Performance requirements and product design

Équipements temporaires de chantiers - Partie 4: Pare-
gravats pour échafaudages - Exigences de performance et
conception du produit

Temporäre Konstruktionen für Bauwerke - Teil 4:
Schutzdächer für Arbeitsgerüste - Leistungsanforderungen,
Entwurf, Konstruktion und Bemessung des Produkts

This European Standard was approved by CEN on 28 September 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Classification.....	8
4.1 Rules for classification	8
4.2 Snow loading classification.....	8
4.3 Shape classification	8
4.4 Width classification	9
5 Designation	9
6 Materials	9
6.1 General.....	9
6.2 Specific material requirements	9
6.2.1 Steel	9
6.2.2 Timber	10
7 General requirements.....	10
7.1 General.....	10
7.2 Dimensions.....	10
7.2.1 Width	10
7.2.2 Minimum inclination of protection fan.....	11
7.3 Components and elements	11
7.3.1 Couplers	11
7.3.2 Steel scaffold tubes (circular)	11
7.3.3 Aluminium scaffold tubes (circular)	12
8 Requirements for design	12
8.1 Basic requirements	12
8.1.1 General.....	12
8.1.2 Arresting surface	12
8.1.3 External support	12
8.1.4 Fixings for protection fans	12
8.2 Structural design	12
8.2.1 Method of design	12
8.2.2 Special requirements for timber.....	12
8.2.3 Partial safety factor	13
8.3 Actions	13
8.3.1 General.....	13
8.3.2 Permanent and variable imposed loads	14
8.3.3 Variable Imposed loads: Class V1	14
8.4 Load combinations	15
8.5 Falling object impact loads.....	15
9 Testing to verify performance	15
9.1 Purpose of testing	15
9.2 General.....	16
9.3 General description of test components.....	16
9.3.1 Test sample	16

9.3.2	Test impactor	16
9.4	Test	16
9.4.1	Principle of the test	16
9.4.2	Test set up.....	16
9.4.3	Test procedure.....	17
9.4.4	Results to be recorded.....	18
9.4.5	Compliance with the testing requirements.....	18
9.4.6	Test report.....	18
10	Assessment of compliance	18
11	Manuals	19
11.1	General	19
11.2	Content of a product manual	19
12	Marking.....	19
	Bibliography.....	21

Foreword

This document (EN 12811-4:2013) has been prepared by Technical Committee CEN/TC 53 “Temporary works equipment”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2014, and conflicting national standards shall be withdrawn at the latest by May 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This European Standard is part of a series of standards EN 12811, *Temporary works equipment*, which consists of the following parts:

- *Part 1: Scaffolds — Performance requirements and general design;*
- *Part 2: Information on materials;*
- *Part 3: Load testing;*
- *Part 4: Protection fans for scaffolds — Performance requirements and product design.*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Each year, many objects fall from a height and strike people. Often, this leads to serious injury, because the impact is on the head. This statistic does not take into account the many near misses.

The dangers associated with falling objects has been recognized by the European Commission, which dealt with the matter by writing an amendment to the Work Equipment Directive (89/655/EEC) that deals exclusively with work at height (2001/45/EEC) and requires the prevention of objects falling off scaffolds.

Usually the provision for preventing such dangerous occurrences takes the form of a “toe-board” attached to the edge of the platform. However, toe-boards according to EN 12811-1 should be at least 150 mm high and statistics indicate that they are not always effective. Therefore, additional protection is often specified, by local by-laws, especially for scaffolds erected above areas where members of the public cannot be prevented from entering, for example in city and town centres.

One way of satisfying these local regulations is to provide a protection fan attached to the main scaffold at some distance below the working platform.

Because these protection fans are required to arrest the fall of substantial objects such as bricks, blocks, scaffold boards and the like, they could be considered as a necessary safety-critical accessory for scaffolds. This, coupled with the fact that they have to arrest the fall of significant objects, i.e. subjected to significant dynamic loads, puts them in the category of complex structures. Yet, in many European countries, there are no rules to govern the design and installation of protection fans.

Across much of Europe, protection fans are:

- erected in configurations that are not verified; and
- attached arbitrarily to scaffolds.

That is to say, the information related to protection fans, such as it is, is very basic. Under the suite of standards drawn up by CEN TC 53, Temporary works equipment has had its design formalized across Europe. The current situation is that un-designed and unverified components are being attached to scaffolds. Therefore, it is necessary to formalize the design and erection of protection fans.

1 Scope

This European Standard specifies product requirements, methods of structural and general design and tests for protection fans for scaffolds to protect workers as well as members of public from objects that may fall off the outside edge of scaffolds being used close to where they are working or passing by.

This European Standard only applies to protection fans while the scaffold is being used as a working place.

Protection fans attached to structures other than scaffolds as defined in EN 12811-1 are outside the scope of this European Standard.

This European Standard applies only to protection fan systems on to which construction debris may fall from 24 m or less.

This European Standard ensures resistance of protection fans for most blunt falling objects representing an impacting energy not exceeding 720 J.

NOTE This energy corresponds to a 3 kg object falling from 24 m.

This European Standard does not cover the requirements for the total area to be protected against falling items.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 74 (all parts), *Couplers, spigots and baseplates for use in falsework and scaffolds*

EN 338, *Structural timber — Strength classes*

EN 1990, *Eurocode — Basis of structural design*

EN 1993-1-1, *Eurocode 3: Design of steel structures — Part 1-1: General rules and rules for buildings*

EN 1995-1-1, *Eurocode 5: Design of timber structures — Part 1-1: General rules and rules for buildings*

EN 1999-1-1, *Eurocode 9: Design of aluminium structures — Part 1-1: General structural rules*

EN 12810-1:2003, *Façade scaffolds made of prefabricated components — Part 1: Products specifications*

EN 12811-1:2003, *Temporary works equipment — Part 1: Scaffolds — Performance requirements and general design*

EN 12811-2, *Temporary works equipment — Part 2: Information on materials*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN