

STN	Plasty. Metóda zrýchleného fotostarnutia s použitím strednotlakových ortuťových výbojok.	STN EN 16472 64 0160
------------	---	--

Plastics - Method for artificial accelerated photoageing using medium pressure mercury vapour lamps

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 08/14

Obsahuje: EN 16472:2014

119379

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2014
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 16472

April 2014

ICS 83.080.01

English Version

**Plastics - Method for artificial accelerated photoageing using
medium pressure mercury vapour lamps**

Plastiques - Méthode de photovieillissement artificiel
accélééré utilisant des lampes à vapeur de mercure à
moyenne pression

Kunststoffe - Verfahren zur künstlich beschleunigten
Alterung bei Verwendung von Quecksilberdampflampen

This European Standard was approved by CEN on 8 February 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 General	5
5 Apparatus	6
5.1 Laboratory light source.....	6
5.2 Test chamber.....	8
5.3 Specimen holders	9
5.4 Radiometer	9
5.5 Temperature sensor	9
5.6 Temperature controller	9
5.7 Optional facilities	10
6 Test specimens	10
7 Exposure conditions	10
7.1 Radiation.....	10
7.2 Temperature	10
7.3 Optional facilities	10
8 Procedure	10
8.1 Verification of the apparatus	10
8.2 Mounting the test specimens	11
8.3 Exposure.....	11
8.4 Measurement of radiant exposure	11
8.5 Determination of changes in properties after exposure.....	11
9 Test report	11
Annex A (informative) Additional filtering of lamp UV radiations	13
A.1 Additional filtering of UVB radiations for chromophoric polymers exposed to outdoor conditions.....	13
A.2 Additional filtering of UV radiations for polymers exposed to indoor conditions.....	14
Annex B (informative) Temperature control during photoageing	15
Bibliography	16

Foreword

This document (EN 16472:2014) has been prepared by Technical Committee CEN/TC 249 “Plastics”, the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2014 and conflicting national standards shall be withdrawn at the latest by October 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

When a polymeric material is exposed to natural UV radiation and other moderate environmental stresses, the change in most physical properties is attributable to chemical ageing, and the extent of the chemical changes can be related to the duration of the exposure under natural outdoor weathering conditions.

This method attempts to maximize the acceleration of photoageing using elevated UV irradiance and temperature that still keep the fundamental photoageing mechanism equivalent to that found in natural ageing. Temperature increase above the natural level should be limited so that the photothermal transformation exceeds any pure thermal conversion. A medium pressure mercury lamp, with radiations of wavelength lower than 290 nm properly filtered out, gives a relevant source with high UV emission intensity and low IR emission.

One of the main interests in use of artificial accelerated photoageing tests is to be able to provide a relevant lifetime estimate of polymeric materials exposed in natural outdoor conditions.

The relevance of artificial ageing can be determined by comparing the chemical changes that occur in the accelerated test to those that occur in natural weathering (see ISO 10640). Kinetic analysis is recommended to determine the rate of degradation under different conditions of ageing in order to rank different formulations or to determine the range of acceleration possible for an artificial ageing test compared to a given natural outdoor weathering exposure (without distortion of the photodegradation mechanism of the polymer).

Chemical changes control the degradation of mechanical properties and contribute to changes in the visual appearance of polymer materials during photoageing. These chemical changes may be analysed primarily by IR spectroscopy, with additional analyses using UV/visible spectroscopy during the photoageing of polymers.

1 Scope

This European Standard specifies a method for carrying out artificial accelerated photoageing of test specimens by exposing them to medium pressure filtered mercury vapour lamp as light source, under controlled temperature conditions.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 4892-1:2000, *Plastics — Methods of exposure to laboratory light sources — Part 1: General guidance (ISO 4892-1:1999)*

ISO 4582, *Plastics — Determination of changes in colour and variations in properties after exposure to daylight under glass, natural weathering or laboratory light sources*

ISO 9370, *Plastics — Instrumental determination of radiant exposure in weathering tests — General guidance and basic test method*

ISO 10640, *Plastics — Methodology for assessing polymer photoageing by FTIR and UV/visible spectroscopy*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN