

STN	Integrácia aplikácií v energetických spoločnostiach. Systém rozhrania na riadenie dodávky elektrickej energie. Časť 9: Rozhranie odčítania a ovládania elektromerov.	STN EN 61968-9 33 4620
------------	---	--

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 08/14

Obsahuje: EN 61968-9:2014, IEC 61968-9:2013

Oznámením tejto normy sa od 20.11.2016 ruší
STN EN 61968-9 (33 4620) z júna 2010

119385

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2014
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61968-9

April 2014

ICS 33.200

Supersedes EN 61968-9:2009

English version

**Application integration at electric utilities -
System interfaces for distribution management -
Part 9: Interfaces for meter reading and control
(IEC 61968-9:2013)**

Intégration d'applications pour les services
électriques -
Interfaces système pour la gestion de
distribution -
Partie 9: Interfaces pour le relevé et la
commande des compteurs
(CEI 61968-9:2013)

Integration von Anwendungen in Anlagen
der Elektrizitätsversorgung -
Systemschnittstellen für Netzführung -
Teil 9: Zählerfernauslesung und -
steuerung
(IEC 61968-9:2013)

This European Standard was approved by CENELEC on 2013-11-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 57/1377/FDIS, future edition 1 of IEC 61968-9, prepared by IEC/TC 57, "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61968-9:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-10-11
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-11-20

This document supersedes EN 61968-9:2009.

EN 61968-9:2014 includes the following significant technical changes with respect to EN 61968-9:2009:

- a) changes to and addition of new profiles to support PAN and Usage Points;
- b) extensions to support PAN devices generically as EndDevices;
- c) extensions to the MeterReading model and profiles to support richer descriptions of metered quantities and to accommodate coincident readings;
- d) addition of CIM Name class and corresponding revisions to profiles to allow reference by name instead of by mRID. Where the document may identify the use of mRID values as references, Name.name values may be alternatively used. This is described in more detail in Annex G;
- e) reference of ReadingTypes, EndDeviceEventTypes and EndDeviceControlTypes using name references;
- f) definition of normative enumerations for ReadingTypes, EndDeviceEventTypes and EndDeviceControlTypes in annexes;
- g) various corrections to example sequence diagrams;
- h) Removal of MeterAssetReading profile, where functionality is supported using the MeterReading profile;
- i) MeterAsset class is now named Meter;
- j) MeterAssetConfig profile now named MeterConfig;
- k) EndDeviceAssets profile now named EndDeviceConfig;
- l) removal of EndDeviceFirmware profile, where functionality is supported using the EndDeviceConfig profile;
- m) use of new namespaces to reflect the new edition, where the namespaces is reflective of the year in which a profile is defined;
- n) adoption of UsagePoint as a replacement for and a generalization of

ServiceDeliveryPoint;

- o) SDPLocationConfig has been deprecated in favor of UsagePointLocationConfig;
- p) some profiles previously defined have been moved into the new subclause 5.10 which is focused on data linkages;
- q) elimination of the MeterSystemEvents profile, as it provided no functionality that could not be achieved with the EndDeviceEvents profile;
- r) there were several profiles originally defined in support of prepayment use cases that were identified to be more general in nature, and were consequentially moved to 5.10. Subclause 5.8 now consists of only those profiles that are specific to prepayment. In all cases there has been some refactoring of these profiles to reflect other necessary changes that have been described;
- s) supplierConfig has been renamed ServiceSupplierConfig;
- t) messages using the SUBSCRIBE verb have been removed as these are related to the underlying communication transport and do not reflect actual EN 61968 messages.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61968-9:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61970-552	NOTE	Harmonised as EN 61970-552 (not modified).
IEC 62056 (Series)	NOTE	Harmonised as EN 62056 (Series) (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-300	-	International Electrotechnical Vocabulary - Electrical and electronic measurements and measuring instruments - Part 311: General terms relating to measurements - Part 312: General terms relating to electrical measurements - Part 313: Types of electrical measuring instruments - Part 314: Specific terms according to the type of instrument	-	-
IEC 61968-1	-	Application integration at electric utilities - System interfaces for distribution management - Part 1: Interface architecture and general requirements	EN 61968-1	-
IEC/TS 61968-2	-	Application integration at electric utilities - System interfaces for distribution management - Part 2: Glossary	-	-
IEC 61968-11	-	Application integration at electric utilities - System interfaces for distribution management - Part 11: Common information model (CIM) extensions for distribution	EN 61968-11	-
IEC 61968-100	2013	Application integration at electric utilities - System interfaces for distribution management - Part 100: Implementation profiles	EN 61968-100	2013
IEC 61970-301	-	Energy management system application program interface (EMS-API) - Part 301: Common information model (CIM) base	EN 61970-301	-
IEC/TR 62051-1 + corr. June	-	Electricity metering - Data exchange for meter reading, tariff and load control - Glossary of terms - Part 1: Terms related to data exchange with metering equipment using DLMS/COSEM	-	-
ISO 8601	2004	Data elements and interchange formats - Information interchange - Representation of dates and times	-	-



IEC 61968-9

Edition 2.0 2013-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Application integration at electric utilities – System interfaces for distribution management –

Part 9: Interfaces for meter reading and control

Intégration d'applications pour les services électriques – Interfaces système pour la gestion de distribution –

Partie 9: Interfaces pour le relevé et la commande des compteurs



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.
 If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
 3, rue de Varembe
 CH-1211 Geneva 20
 Switzerland

Tel.: +41 22 919 02 11
 Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61968-9

Edition 2.0 2013-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Application integration at electric utilities – System interfaces for distribution management –

Part 9: Interfaces for meter reading and control

Intégration d'applications pour les services électriques – Interfaces système pour la gestion de distribution –

Partie 9: Interfaces pour le relevé et la commande des compteurs

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XH

ICS 33.200

ISBN 978-2-8322-1165-6

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	9
INTRODUCTION.....	12
1 Scope.....	14
2 Normative references	15
3 Terms, definitions and abbreviations	16
3.1 Terms and definitions.....	16
3.2 Abbreviations	17
4 Reference and information models	18
4.1 General approach to metering systems	18
4.2 Reference Model.....	19
4.2.1 General	19
4.2.2 Metering system (MS) – Data collection	22
4.2.3 Metering system (MS) – Control and reconfiguration	23
4.2.4 Load control	23
4.2.5 Load management system (LMS).....	23
4.2.6 Meter asset management (MAM) system	24
4.2.7 Meter data management (MDM) system.....	24
4.2.8 Customer information system (CIS)	24
4.2.9 Outage management system (OMS)	24
4.2.10 Network operations (NO)	25
4.2.11 Meter maintenance (MM)	25
4.2.12 Planning	25
4.2.13 Work management (WM)	25
4.2.14 Point of sale (POS).....	25
4.2.15 Meter.....	25
4.2.16 Load control devices.....	25
4.2.17 PAN devices	26
4.2.18 Demand response management system (DRMS)	26
4.3 Interface reference model	26
4.4 Meter reading and control functions and components.....	26
4.5 Static information model	27
4.5.1 General	27
4.5.2 Classes for meter reading and control	28
4.5.3 Classes related to meter reading and control	32
5 Meter reading and control message types.....	33
5.1 General.....	33
5.2 End device event messages.....	33
5.2.1 General	33
5.2.2 Applications	34
5.2.3 Message format.....	40
5.3 Meter reading messages	42
5.3.1 General	42
5.3.2 Applications	42
5.3.3 Message formats	47
5.4 End device control messages.....	58
5.4.1 General	58

5.4.2	Applications	58
5.4.3	Message format	65
5.5	Meter service requests	68
5.5.1	General	68
5.5.2	Applications	69
5.5.3	Message format	72
5.6	Metering system events	73
5.6.1	General	73
5.6.2	Applications – Firmware upgrade	74
5.6.3	Message formats	74
5.7	Customer switching	74
5.7.1	General	74
5.7.2	Message formats	75
5.8	Payment metering service messages	75
5.8.1	General	75
5.8.2	Auxiliary agreements	75
5.8.3	Applications	76
5.8.4	Message formats	77
5.9	Premise area networks	80
5.9.1	General	80
5.9.2	Applications	81
5.9.3	Message formats	83
5.10	Master data management messages	83
5.10.1	General	83
5.10.2	Applications	84
5.10.3	Message formats	91
6	Document conventions	104
6.1	UML diagrams	104
6.2	Message definitions	105
6.2.1	General	105
6.2.2	Mandatory vs. optional	105
6.2.3	Verb tense	105
6.3	Synchronous versus asynchronous messages	105
6.4	Depiction of simple acknowledgment messages	105
Annex A (normative)	Description of message type verbs	106
Annex B (informative)	Reply error codes	108
Annex C (normative)	Procedure for the generation of a ReadingType name	115
Annex D (normative)	Quality code enumerations	170
Annex E (normative)	EndDeviceEventType enumerations	183
Annex F (normative)	EndDeviceControlType enumerations	221
Annex G (normative)	Conventions for naming and identifying objects	224
Annex H (normative)	XML schemas for message payloads	227
Annex I (informative)	XML schemas for message payloads	314
Annex J (normative)	Request parameters	389
Annex K (normative)	Master data management transaction processing	395
Annex L (informative)	Master data management use cases and sample XML	402
Annex M (informative)	Notes on extended use of IEC 61968-100	438

Bibliography.....	440
Figure 1 – IEC 61968-9 scope	15
Figure 2 – Example of an end device with functions	20
Figure 3 – IEC 61968-9 reference model.....	21
Figure 4 – IEC 61968-9 Reference model with customer information and billing system.....	22
Figure 5 – Outage Detection, request/reply message exchange, example 1	35
Figure 6 – Outage Detection, request / reply message exchange, Example 2.....	36
Figure 7 – Outage Detection, publish/subscribe exchange, Example 1	37
Figure 8 – Outage Detection, publish/subscribe exchange, Example 2.....	37
Figure 9 – Meter Health Event exchange, Example 1	38
Figure 10 – Meter Health Event exchange, Example 2	39
Figure 11 – Power quality event exchange, Example 1	39
Figure 12 – Power quality event exchange, Example 2	40
Figure 13 – End device event message format.....	41
Figure 14 – Example use of meter read schedule to create subscription	43
Figure 15 – Example manual meter reading exchange	44
Figure 16 – Example On-Request meter read	45
Figure 17 – Historical MeterData exchange.....	46
Figure 18 – Example billing inquiry message exchange	46
Figure 19 – Meter readings message format	47
Figure 20 – Reading structure.....	48
Figure 21 – Timestamps assigned between systems.....	49
Figure 22 – Conventions for timeStamp and timePeriod	49
Figure 23 – IntervalBlock structure	50
Figure 24 – Interval data timestamp generation	51
Figure 25 – Time interval conventions.....	51
Figure 26 – ReadingType structure	52
Figure 27 – Meter read schedule message format.....	57
Figure 28 – Example load control message exchange	59
Figure 29 – Example message exchange for LC unit installation	60
Figure 30 – Example message exchange for change of customer program	61
Figure 31 – Example message exchange for change of customer program w/o MDM	61
Figure 32 – Example for change of customer program with meter change out	62
Figure 33 – Example message exchange for meter connect/disconnect	63
Figure 34 – Example of remote connect/disconnect directly between CIS and MS	64
Figure 35 – Example message exchange for real-time price signal	65
Figure 36 – End device controls message format.....	66
Figure 37 – Example meter installation and removal message exchange	69
Figure 38 – Example end device event message exchange due to meter changeout.....	70
Figure 39 – Example message exchange due to CIS alarms	71
Figure 40 – Example message exchange when meter is changed out for recalibration	72
Figure 41 – Meter service requests message format	73

Figure 42 – Example firmware upgrade message exchange	74
Figure 43 – Example customer switching message exchange	75
Figure 44 – Message exchange for transferring auxiliary agreement information	76
Figure 45 – Message exchange for transferring receipt information	77
Figure 46 – Message exchange for transferring transaction information	77
Figure 47 – Auxiliary agreement configuration message format	78
Figure 48 – ReceiptRecord message format	79
Figure 49 – TransactionRecord message format	80
Figure 50 – Pairing of a PAN device	81
Figure 51 – PAN device events	82
Figure 52 – PAN device controls	83
Figure 53 – Master data linkages	85
Figure 54 – Message exchange for transferring supplier information	86
Figure 55 – Message exchange for transferring customer information	87
Figure 56 – Message exchange for transferring customer agreement information	87
Figure 57 – Message exchange for transferring customer account information	88
Figure 58 – Message exchange for transferring service category information	88
Figure 59 – Message exchange for transferring usage point information	89
Figure 60 – Message exchange for transferring meter information	89
Figure 61 – Message exchange for transferring end device information	90
Figure 62 – Message exchange for transferring service location information	91
Figure 63 – Message exchange for transferring pricing structures	91
Figure 64 – MasterDataLinkageConfig message format	92
Figure 65 – Service supplier configuration message format	93
Figure 66 – Customer configuration message	94
Figure 67 – Customer agreement configuration message	95
Figure 68 – Customer account configuration message	96
Figure 69 – ServiceCategoryConfig message format	96
Figure 70 – UsagePointConfig message format	97
Figure 71 – UsagePointLocationConfig message format	99
Figure 72 – End device config message format	100
Figure 73 – Meter configuration message	101
Figure 74 – ComModuleConfig message format	102
Figure 75 – ServiceLocationConfig message format	103
Figure 76 – PricingStructureConfig message format	104
Figure B.1 – Reply Message States	114
Figure C.1 – Typical enumerations for accumulation behaviour	123
Figure C.2 – Typical enumerations for direction of flow	130
Figure C.3 – Voltage measurements	137
Figure E.1 – Event data	184
Figure G.1 – CIM naming	224
Figure G.2 – Example XML structure for names	225
Figure G.3 – Use of names for references	226

Figure J.1 – Message request structure	389
Figure J.2 – GetMeterReadings	390
Figure J.3 – GetEndDeviceConfig	391
Figure J.4 – GetCustomerMeterDataSet.....	392
Figure J.5 – GetMeterServiceRequests	393
Figure K.1 – Message Envelope Extension	396
Figure K.2 – OperationSet	397
Figure K.3 – Pattern 1: Request/response (non-OperationSet).....	398
Figure K.4 – Pattern 2: published event (non-OperationSet)	399
Figure K.5 – Pattern 3: Request/response (OperationSet).....	400
Figure K.6 – Pattern 4: published event (OperationSet)	401
Figure M.1 – Get/cancel pattern which is not recommended.....	438
Figure M.2 – Get/cancel pattern which is recommended	439
Table 1 – Document overview for IEC 61968-9	13
Table 2 – Business functions and abstract components	27
Table 3 – Classes for meter reading and control	28
Table 4 – Classes related to meter reading and control.....	32
Table 5 – IEC 61968-9 configuration profiles	84
Table A.1 – Commonly used verbs.....	106
Table B.1 – ReplyCode Categories	108
Table B.2 – Error-free Enumerations.....	109
Table B.3 – Missing-element Enumerations	109
Table B.4 – Bad-value Enumerations	109
Table B.5 – Too-many-values enumerations	110
Table B.6 – Request-timed-out enumerations	110
Table B.7 – Application-error enumerations	111
Table B.8 – Business-rule-violation enumerations.....	111
Table B.9 – Security issue enumerations	111
Table B.10 – Common enumerations	112
Table C.1 – Time-period of interest enumerations.....	116
Table C.2 – Data qualifier enumerations	116
Table C.3 – measuringPeriod enumerations.....	117
Table C.4 – Demand normalization scalars	119
Table C.5 – Accumulation behaviour enumerations.....	121
Table C.6 – Customary accumulation behaviour enumerations	123
Table C.7 – Direction of flow enumeration.....	124
Table C.8 – DirectionOfFlow enumeration equivalencies.....	130
Table C.9 – Commodity	131
Table C.10 – measurementKind Index	132
Table C.11 – Harmonic and Interharmonic enumerations	138
Table C.12 – Argument enumerations	138
Table C.13 – Time Of Use Enumerations	139

Table C.14 – Critical Peak Period Enumerations	140
Table C.15 – Consumption Tier Enumerations	141
Table C.16 – Example Combinations of TOU and Consumption Tier Enumerations	141
Table C.17 – Phase enumerations	142
Table C.18 – Power of ten enumerations	146
Table C.19 – Historical concentration multiplier enumerations	147
Table C.20 – Base SI units of measure	149
Table C.21 – Derived SI units of measure with special names	149
Table C.22 – Derived SI Units of Measure without Special Names	151
Table C.23 – Non-SI Units of Measure accepted for use with the International System of Units	154
Table C.24 – Dimensionless and Concentration Units of Measure.....	155
Table C.25 – Non-SI units whose values in SI units shall be obtained experimentally	157
Table C.26 – Other Non-SI Units of Measure	158
Table C.27 – Non-SI Units Associated with the CGS and the CGS-Gaussian System of Units.....	162
Table C.28 – Currency units of measure (from ISO 4217)	163
Table C.29 – ReadingType Examples	165
Table D.1 – System identifier	171
Table D.2 – Example quality code categories.....	171
Table D.3 – Validity related codes	172
Table D.4 – Diagnostics related codes	173
Table D.5 – Power quality related codes	173
Table D.6 – Tamper / revenue protection related codes	174
Table D.7 – Data collection related codes	174
Table D.8 – Failed reasonability testing related codes	176
Table D.9 – Failed validation testing related codes	176
Table D.10 – Edit related codes	177
Table D.11 – Estimation related codes.....	178
Table D.12 – Questionable related codes.....	179
Table D.13 – Derived related codes	180
Table D.14 – Projected related codes	181
Table D.15 – Example Quality Codes.....	182
Table E.1 – EndDeviceType codes	185
Table E.2 – EndDeviceDomain Codes.....	187
Table E.3 – EndDeviceSubdomain codes.....	188
Table E.4 – EndDeviceEventOrAction codes.....	193
Table E.5 – Battery events.....	200
Table E.6 – Billing events	200
Table E.7 – Cartridge events	201
Table E.8 – Clock events	201
Table E.9 – Communication events	202
Table E.10 – Configuration events	203
Table E.11 – Demand events	204

Table E.12 – Firmware events	204
Table E.13 – GasSupply events	206
Table E.14 – Installation events	206
Table E.15 – LoadControl events	207
Table E.16 – LoadProfile events	207
Table E.17 – Logs events	208
Table E.18 – Memory events	208
Table E.19 – Metrology events.....	209
Table E.20 – MobileSecurity events	210
Table E.21 – Modem events.....	211
Table E.22 – ModuleFirmware events	211
Table E.23 – Network events	211
Table E.24 – PAN / HAN events.....	212
Table E.25 – Power events	213
Table E.26 – Pressure events	216
Table E.27 – RCDSwitch events	217
Table E.28 – Security events	217
Table E.29 – Temperature events	219
Table E.30 – VideoDisplay events.....	219
Table E.31 – WaterSupply events	220
Table F.1 – Demand Controls	221
Table F.2 – LoadControl Controls	222
Table F.3 – PAN / HAN Controls	222
Table F.4 – RCDSwitch Controls.....	222
Table L.1 – Exemplary master data management / data synchronization use cases	403

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**APPLICATION INTEGRATION AT ELECTRIC UTILITIES –
SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –****Part 9: Interfaces for meter reading and control**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61968-9 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This second edition cancels and replaces the first edition published in 2009. This edition constitutes a technical revision and includes the following significant technical changes with respect to the previous edition:

- a) changes to and addition of new profiles to support PAN and UsagePoints;
- b) extensions to support PAN devices generically as EndDevices;
- c) extensions to the MeterReading model and profiles to support richer descriptions of metered quantities and to accommodate coincident readings;
- d) addition of CIM Name class and corresponding revisions to profiles to allow reference by name instead of by mRID. Where the document may identify the use of mRID values as references, Name.name values may be alternatively used. This is described in more detail in Annex G;

- e) reference of ReadingTypes, EndDeviceEventTypes and EndDeviceControlTypes using name references;
- f) definition of normative enumerations for ReadingTypes, EndDeviceEventTypes and EndDeviceControlTypes in annexes;
- g) various corrections to example sequence diagrams;
- h) Removal of MeterAssetReading profile, where functionality is supported using the MeterReading profile;
- i) MeterAsset class is now named Meter;
- j) MeterAssetConfig profile now named MeterConfig;
- k) EndDeviceAssets profile now named EndDeviceConfig;
- l) removal of EndDeviceFirmware profile, where functionality is supported using the EndDeviceConfig profile;
- m) use of new namespaces to reflect the new edition, where the namespaces is reflective of the year in which a profile is defined;
- n) adoption of UsagePoint as a replacement for and a generalization of ServiceDeliveryPoint;
- o) SDPLocationConfig has been deprecated in favor of UsagePointLocationConfig;
- p) some profiles previously defined have been moved into the new subclause 5.10 which is focused on data linkages;
- q) elimination of the MeterSystemEvents profile, as it provided no functionality that could not be achieved with the EndDeviceEvents profile;
- r) there were several profiles originally defined in support of prepayment use cases that were identified to be more general in nature, and were consequentially moved to 5.10. Subclause 5.8 now consists of only those profiles that are specific to prepayment. In all cases there has been some refactoring of these profiles to reflect other necessary changes that have been described;
- s) supplierConfig has been renamed ServiceSupplierConfig;
- t) messages using the SUBSCRIBE verb have been removed as these are related to the underlying communication transport and do not reflect actual IEC 61968 messages.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/1377/FDIS	57/1394/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 61968 series, published under the general title *Application integration at electric utilities – System interfaces for distribution management*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The purpose of this document is to define a standard for the integration of Metering Systems (MS), which would include traditional (one or two-way) Automated Meter Reading (AMR) Systems, with other systems and business functions within the scope of IEC 61968. The scope of this standard is the exchange of meter reading, transactions, event and control information between systems within the utility enterprise and between enterprises. The specific details of communication protocols those systems employ are outside the scope of this standard. Instead, this standard will recognize and model the general capabilities that can be potentially provided by advanced and/or legacy meter infrastructures, including two-way communication capabilities such as load control, dynamic pricing, outage detection, distributed energy resource (DER) control signals and on-request read. In this way, this standard will not be impacted by the specification, development and/or deployment of next generation meter infrastructures, either through the use of standards or proprietary means.

The IEC 61968 series of standards is intended to facilitate inter-application integration as opposed to intra-application integration. Intra-application integration is aimed at programs in the same application system, usually communicating with each other using middleware that is embedded in their underlying runtime environment, and tends to be optimised for close, real-time, synchronous connections and interactive request/reply or conversation communication models. IEC 61968, by contrast, is intended to support the inter-application integration of a utility enterprise that needs to connect disparate applications that are already built or new (legacy or purchased applications), each supported by dissimilar runtime environments. Therefore, these interface standards are relevant to loosely coupled applications with more heterogeneity in languages, operating systems, protocols and management tools. This series of standards is intended to support applications that need to exchange data every few seconds, minutes, or hours rather than waiting for a nightly batch run. This series of standards, which are intended to be implemented with middleware services that exchange messages among applications, will complement, not replace utility data warehouses, database gateways, and operational stores.

As used in IEC 61968, a Distribution Management System (DMS) consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management. Standard interfaces are defined for each class of applications identified in the Interface Reference Model (IRM), which is described in IEC 61968-1, *Interface architecture and general requirements*.

This part of IEC 61968 contains the clauses listed in Table 1 below.

Table 1 – Document overview for IEC 61968-9

Clause	Title	Purpose
1	Scope	The scope and purpose of the document are described.
2	Normative References	Documents that contain provisions which, through reference in this text, constitute provisions of this International Standard.
3	Terms, Definitions and Abbreviations	
4	Reference and Information Models	Description of general approach to metering system, reference model, use cases, interface reference model, meter reading and control functions and components, message type terms and static information model.
5	Meter Reading and Control Message Types	Message types related to the exchange of information for documents related to meter reading and control.
6	Document Conventions	
Annex A	Message Type Verbs	Description of the Verbs that are used for the message types
Annex B	CIM Extensions	CIM extensions to support the recommended message structure for meter reading and control
Annex C	Procedure for the generation of a ReadingTypeIcd	Technique for constructing, and offers recommended enumerations for the ReadingTypeIcd textual name and mRID.
Annex D	QualityCode enumerations	Technique for constructing, and offers recommended enumerations for reading quality codes
Annex E	EndDeviceEvent Code enumerations	Defines EndDevice alarm and event codes
Annex F	EndDeviceControl code enumerations	Defines EndDevice control codes.
Annex G	Maintaining Relationships Between Objects	Describes the use of the master resource identifier (mRID) and Names.
Annex H	XML Schemas for message payloads	To provide xsd information for use by developers to create IEC 61968-9 messages.
Annex I	Mappings	To provide mappings between IEC 61968-9 MeterReadings and other standards.
Annex J	Request Parameters	Describes the qualification of GET requests using Request parameters.
Annex K	Master Data Management Transaction Processing	Describes how complex Master data Management / Data Synchronization transactions are conveyed and the associated processing rules.
Annex L	Master Data Management Use Cases and Sample XML	Describes many of the common Master Data Management use cases and provides sample XML to illustrate intended usage of the various Master Data Management related profiles.

Future editions of IEC 61968-9 will strive to have changes be 'non-breaking', where the namespace of the previous version may be preserved, but the Revision attribute in the XSD is incremented.

APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

Part 9: Interfaces for meter reading and control

1 Scope

This part of IEC 61968 specifies the information content of a set of message types that can be used to support many of the business functions related to meter reading and control. Typical uses of the message types include meter reading, controls, events, customer data synchronization and customer switching. Although intended primarily for electrical distribution networks, IEC 61968-9 can be used for other metering applications, including non-electrical metered quantities necessary to support gas and water networks.

The purpose of this part of IEC 61968 is to define a standard for the integration of metering systems (MS), which includes traditional manual systems, and (one or two-way) automated meter reading (AMR) systems, and meter data management (MDM) systems with other enterprise systems and business functions within the scope of IEC 61968. The scope of this part of IEC 61968 is the exchange of information between metering systems, MDM systems and other systems within the utility enterprise. The specific details of communication protocols those systems employ are outside the scope of this International Standard. Instead, this International Standard will recognize and model the general capabilities that can be potentially provided by advanced and/or legacy meter infrastructures, including two-way communication capabilities such as load control, dynamic pricing, outage detection, distributed energy resource (DER) control signals and on-request read. In this way, this standard will not be impacted by the specification, development and/or deployment of next generation meter infrastructures either through the use of standards or proprietary means.

The diagram in Figure 1 describes the scope of this part of IEC 61968 from the perspective of direct and causal or indirect impacts of IEC 61968-9 messages. Where the focus of IEC 61968-9 is to define standard messages for the integration of enterprise applications, these messages may be directly or indirectly related to information flows within a broader scope. Examples would include messaging between head end systems and meters or PAN devices. The various components described later in this document will typically fall into either the category of a metering system (MS) head end, an MDM or other enterprise application (e.g. OMS, DRMS, CIS).




Figure 1 – IEC 61968-9 scope

The capabilities and information provided by a meter reading and meter data management systems are important for a variety of purposes, including (but not limited to) interval data, time-based demand data, time-based energy data (usage and production), outage management, service interruption, service restoration, quality of service monitoring, distribution network analysis, distribution planning, demand response, customer billing and work management. This standard also extends the CIM (Common Information Model) to support the exchange of meter data.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-300, *International Electrotechnical Vocabulary (IEV) – Electrical and electronic measurements and measuring instruments – Part 311: General terms relating to measurements – Part 312: General terms relating to electrical measurements – Part 313: Types of electrical measuring instruments – Part 314: Specific terms according to the type of instrument*

IEC 61968-1, *Application integration at electric utilities – System interfaces for distribution management – Part 1: Interface architecture and general recommendations*

IEC/TS 61968-2, *Application integration at electric utilities – System interfaces for distribution management – Part 2: Glossary*

IEC 61968-11, *Application integration at electric utilities – System interfaces for distribution management – Part 11: Common information model (CIM) extensions for distribution*

IEC 61968-100:2013, *Application integration at electric utilities – System interfaces for distribution management – Part 100: Implementation profiles*

IEC 61970-301, *Energy management system application program interface (EMS-API) – Part 301: Common information model (CIM) base*

IEC/TR 62051-1, *Electricity metering – Data exchange for meter reading, tariff and load control – Glossary of terms – Part 1: Terms related to data exchange with metering equipment using DLMS/COSEM*

ISO 8601:2004, *Data Elements and Interchange Formats – Information Interchange – Representation of Dates and Times*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN