STN	Monitorovacie a poplachové prijímacie centrá. Časť 3: Postupy a požiadavky na prevádzku.	STN EN 50518-3
		33 4580

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/14

Obsahuje: EN 50518-3:2013

Oznámením tejto normy sa od 07.10.2016 ruší STN EN 50518-3 (33 4580) z januára 2012

119688

EUROPEAN STANDARD

EN 50518-3

NORME EUROPÉENNE EUROPÄISCHE NORM

November 2013

ICS 13.320

Supersedes EN 50518-3:2011

English version

Monitoring and alarm receiving centre - Part 3: Procedures and requirements for operation

Centre de contrôle et de réception d'alarme -Partie 3: Procédures et exigences de fonctionnement Alarmempfangsstelle (AES) -Teil 3: Abläufe und Anforderungen an den Betrieb

This European Standard was approved by CENELEC on 2013-10-07. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Contents

Page

1 2 Terms, definitions and abbreviations......5 3 Terms and definitions5 3.1 Abbreviations.....5 3.2 4.1 Security screening and vetting......6 4.2 4.3 Training6 5 Operating procedures6 5.1 General6 5.2 Testing......6 5.3 Entry to and exit from the ARC7 5.4 Database management7 5.5 Operational continuity and emergencies......7 Evacuation procedures......8 5.6 Signal handling......8 5.7 6 Audit......9 7 Complaints procedure9 8 8.1 General9 Client data9 8.2 8.3 Data storage 9 8.4 Data disposal9 8.5 Bibliography......10

- 3 -

Foreword

This document (EN 50518-3:2013) has been prepared by CLC/TC 79 "Alarm systems".

The following dates are fixed:

•	latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2014-10-07
•	latest date by which the national standards conflicting with	(dow)	2016-10-07

This document supersedes EN 50518-3:2011.

EN 50518-3:2013 includes the following significant technical changes with respect to EN 50518-3:2011.

- There was no mandatory connection for certification between the three parts of the standard with the result that it could be possible to certify only against one or two of the three parts of the standard, which is clearly not the purpose of the WG. This is solved by adding a sentence "This part of EN 50518 is to be read in conjunction with Part 1 and Part 2, and cannot be used separately." to the foreword.
- The scope is limited to intruder and hold-up alarm systems.
- All normative references are updated.

EN 50518 consists of the following under the generic title "Monitoring and alarm receiving centre":

- Part 1: Location and construction requirements;
- Part 2: Technical requirements;
- Part 3: Procedures and requirements for operation.

This part of EN 50518 is to be read in conjunction with Part 1 and Part 2, and cannot be used separately.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

- 4 -

Introduction

This European Standard applies to all Monitoring and Alarm Receiving Centres (MARC's) that monitor and/or receive and/or process signals that require an emergency response.

In all existing EN 50131 series accomplished under CLC/TC 79 "Alarm systems", the abbreviation ARC is used. To avoid confusion and to achieve consistency in terminology the abbreviation ARC will be used throughout this European Standard, where MARC is equivalent for ARC.

It is noted that this European Standard cannot supersede any legislative requirements deemed necessary by a National Government to control the security sector on a national basis. This European Standard cannot interfere with items that are regulated by (inter)national regulations concerning external services (e.g. water, wastewater, fuel supplies, gas, oil and mains power supplies).

1 Scope

This part of EN 50518 specifies the minimum procedures and requirements for the operation of an ARC.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15713, Secure destruction of confidential material – Code of practice

EN 45011, General requirements for bodies operating product certification systems (ISO/IEC Guide 65)

EN 50518-1, Monitoring and alarm receiving centre - Part 1: Location and construction requirements

EN 50518-2, Monitoring and alarm receiving centre – Part 2: Technical requirements

EN ISO/IEC 17020, Conformity assessment – Requirements for the operation of various types of bodies performing inspection (ISO/IEC 17020)

koniec náhľadu – text ďalej pokračuje v platenej verzii STN