

STN

**Zariadenia pre biele miesta (WSD). Bezdrôtové
prístupové systémy pracujúce v televíznom
vysielacom pásme od 470 MHz do 790 MHz.
Harmonizovaná EN vzťahujúca sa na základné
požiadavky podľa článku 3.2 smernice R&TTE.**

**STN
EN 301 598 V1.1.1**

87 1598

White Space Devices (WSD); Wireless Access Systems operating in the 470 MHz to 790 MHz TV broadcast band; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/14

Obsahuje: EN 301 598 V1.1.1:2014

119822

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2014
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

ETSI EN 301 598 V1.1.1 (2014-04)



**White Space Devices (WSD);
Wireless Access Systems operating in the 470 MHz to 790 MHz
TV broadcast band;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

Reference

DEN/BRAN-0060010

Keywordsaccess, broadband, CRS, FWA, LAN, M2M,
mobile, radio***ETSI***

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important noticeThe present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	9
3 Definitions, symbols and abbreviations	9
3.1 Definitions.....	9
3.2 Symbols.....	11
3.3 Abbreviations	12
4 Technical requirements specifications	12
4.1 Environmental profile.....	12
4.2 Conformance requirements	12
4.2.1 Equipment types	13
4.2.1.1 Equipment Type A.....	13
4.2.1.2 Equipment Type B	13
4.2.2 Nominal Channel Bandwidth and Total Nominal Channel Bandwidth	13
4.2.2.1 Definition	13
4.2.2.2 Requirements	13
4.2.2.3 Conformance.....	14
4.2.3 RF power and RF power spectral density	14
4.2.3.1 Definitions.....	14
4.2.3.1.1 RF power	14
4.2.3.1.2 RF power spectral density	14
4.2.3.2 Limits	14
4.2.3.3 Conformance.....	14
4.2.4 Transmitter unwanted emissions.....	14
4.2.4.1 Transmitter unwanted emissions outside the 470 MHz to 790 MHz band.....	14
4.2.4.1.1 Definition.....	14
4.2.4.1.2 Limits	14
4.2.4.1.3 Conformance	15
4.2.4.2 Transmitter unwanted emissions within the 470 MHz to 790 MHz band.....	15
4.2.4.2.1 Definition.....	15
4.2.4.2.2 Limits	15
4.2.4.2.3 Conformance	15
4.2.5 Transmitter Reverse Intermodulation Attenuation.....	15
4.2.5.1 Definition	15
4.2.5.2 Limits	16
4.2.5.3 Conformance	16
4.2.6 Control and monitoring.....	16
4.2.6.1 TVWSDB identification.....	16
4.2.6.1.1 Definition.....	16
4.2.6.1.2 Applicability	17
4.2.6.1.3 Requirements.....	17
4.2.6.1.4 Conformance	17
4.2.6.2 Data exchange and compliance with parameters.....	17
4.2.6.2.1 Definitions	17
4.2.6.2.2 Transmission in compliance with parameters.....	20
4.2.6.2.3 Reporting of device parameters	21
4.2.6.2.4 Reporting of channel usage parameters	21
4.2.6.2.5 Functionality of a master TVWSD to support slave TVWSDs	21
4.2.6.2.6 Conformance	22

4.2.6.3	Master TVWSD update	22
4.2.6.3.1	Definition.....	22
4.2.6.3.2	Requirements.....	22
4.2.6.3.3	Conformance	23
4.2.6.4	Slave TVWSD update	23
4.2.6.4.1	Definition.....	23
4.2.6.4.2	Requirements.....	23
4.2.6.4.3	Conformance	23
4.2.7	Receiver spurious emissions	23
4.2.7.1	Definition	23
4.2.7.2	Limits	23
4.2.7.3	Conformance	24
4.2.8	Geo-Location capability	24
4.2.8.1	Definition	24
4.2.8.2	Applicability.....	24
4.2.8.3	Requirements	24
4.2.8.4	Conformance	24
4.2.9	Software, Firmware and User Access Restrictions	25
4.2.9.1	Definition	25
4.2.9.2	Requirement	25
4.2.9.3	Conformance	25
4.2.10	Security	25
4.2.10.1	Definition	25
4.2.10.2	Requirements	25
4.2.10.3	Conformance	26
5	Testing for compliance with technical requirements.....	26
5.1	Conditions for testing	26
5.1.1	Normal and extreme test conditions.....	26
5.1.2	Antennas	26
5.1.3	Transmit operating modes	27
5.1.4	Requirements for the test modulation	27
5.1.5	Communication between test TVWSDB, master and slave UUT.....	27
5.1.6	Operational Parameter set	28
5.2	Interpretation of measurement results	28
5.3	Essential test suites.....	29
5.3.1	Product Information.....	29
5.3.2	RF output power	30
5.3.2.1	Test conditions	30
5.3.2.2	Test method.....	30
5.3.2.2.1	Conducted measurements	30
5.3.2.2.2	Radiated measurements	31
5.3.3	Power Spectral Density and Transmitter unwanted emissions within the 470 MHz to 790 MHz band	32
5.3.3.1	Test conditions	32
5.3.3.2	Test method.....	32
5.3.3.2.1	Conducted measurement.....	32
5.3.3.2.2	Radiated measurement.....	34
5.3.4	Transmitter unwanted emissions outside the 470 MHz to 790 MHz bands.....	34
5.3.4.1	Test conditions	35
5.3.4.2	Test method.....	35
5.3.4.2.1	Conducted measurements	35
5.3.4.2.2	Radiated measurements	37
5.3.5	Transmitter Intermodulation	37
5.3.5.1	Measurement Arrangement	37
5.3.5.2	Test Method	37
5.3.6	Master TVWSD update	37
5.3.6.1	Test conditions	38
5.3.6.2	Test method.....	38
5.3.7	Lost connection between the master TVWSD and the TVWSDB.....	39
5.3.7.1	Test conditions	39
5.3.7.2	Test method.....	40
5.3.8	Slave TVWSD update - specific parameters invalidated	40

5.3.8.1	Test conditions	40
5.3.8.2	Test method.....	40
5.3.9	Slave TVWSD update - loss of communication with master TVWSD	41
5.3.9.1	Test conditions	41
5.3.9.2	Test method.....	41
5.3.10	Receiver spurious emission	41
5.3.10.1	Test conditions	41
5.3.10.2	Test method.....	42
5.3.10.2.1	Conducted measurements	42
5.3.10.2.2	Radiated measurements	43
5.3.11	Control and monitoring functions	43
5.3.11.1	TVWSDB identification.....	43
5.3.11.1.1	Test condition	43
5.3.11.1.2	Test method 1	44
5.3.11.1.3	Test method 2	44
5.3.11.1.4	Test method 3	45
5.3.11.1.5	Test method 4	45
5.3.11.1.6	Test method 5	46
5.3.11.2	Transmission in compliance with parameters, provision of device parameters, provision of channel usage parameters and master TVWSD functionality in support of slave TVWSDs	46
5.3.11.2.1	Test condition	46
5.3.11.2.2	Test method 1	47
5.3.11.2.3	Test method 2	47
5.3.11.2.4	Test method 3	48
5.3.11.2.5	Test method 4	48
5.3.11.2.6	Test method 5	49
5.3.11.2.7	Test method 6	49
5.3.12	Geo-location capability.....	50
5.3.12.1	Test conditions	50
5.3.12.2	Test method.....	51

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	52
-----------------------------	--	-----------

Annex B (normative):	Test sites and arrangements for radiated measurement	55
-----------------------------	---	-----------

B.1	Radiation test sites.....	55
B.1.1	Open Area Test Site (OATS)	55
B.1.2	Semi Anechoic Room.....	56
B.1.3	Fully Anechoic Room (FAR)	57
B.1.4	Measurement Distance	58
B.2	Antennas.....	59
B.2.1	Measurement antenna.....	59
B.2.2	Substitution antenna	59
B.3	Test fixture	60
B.3.1	Conducted measurements and use of test fixture	60
B.3.2	Description of the test fixture	60
B.3.3	Using the test fixture for relative measurements	60
B.4	Guidance on the use of radiation test sites	60
B.4.1	Power supplies for the battery powered UUT	61
B.4.2	Site preparation	61
B.5	Coupling of signals.....	61
B.5.1	General	61
B.5.2	Data Signals.....	61

Annex C (normative):	General description of measurement	62
-----------------------------	---	-----------

C.1	Conducted measurements.....	62
C.2	Radiated measurements.....	62

C.3	Substitution measurement	63
Annex D:	Void	64
Annex E (informative):	Nominal Channel Bandwidth and Total Bandwidth	65
Annex F (informative):	Application form for testing.....	67
F.1	Information as required by EN 301 598 V1.1.1, clause 5.3.1	67
Annex G (informative):	Bibliography.....	71
History		72

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Broadband Radio Access Networks (BRAN).

The present document has been produced by ETSI in response to mandates M/284 and M/512 issued from the European Commission under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.2].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.3].

See article 5.1 of Directive 1999/5/EC [i.3] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.3] are summarized in annex A.

National transposition dates	
Date of adoption of this EN:	21 April 2014
Date of latest announcement of this EN (doa):	31 July 2014
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 2015
Date of withdrawal of any conflicting National Standard (dow):	31 January 2016

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.3]. The modular structure is shown in EG 201 399 [i.4].

The methods and principles used in the present document for the operation of TV White Space devices in the band 470 MHz to 790 MHz are taken from the ECC Report 186 [i.5], which explains the regulatory principles under which it is envisaged such devices will be permitted to operate in Europe. This approach is also explained in further detail in Chapter 9 of "Dynamic White Space Spectrum Access" [i.11].

A requirement to facilitate coexistence between TVWSDs is not considered essential with respect to compliance with Article 3.2 of Directive 1999/5/EC [i.3] and therefore is not included in the current version of the present document. This may change in the future, resulting in the inclusion of mitigation techniques in a revision of the present document, to improve the coexistence among TVWSDs, if considered essential in order to comply with Article 3.2 of Directive 1999/5/EC [i.3].

1 Scope

The present document applies to TV white space devices (TVWSDs) controlled by a TV white space database (TVWSDB) and which operate in the TV broadcast band 470 MHz to 790 MHz.

The present document applies to the following radio equipment types:

- 1) Master TV white space device (TVWSD)
- 2) Slave TV white space device (TVWSD)

The present document applies to TVWSDs with integral, dedicated or external antennas, where TVWSDs using external antennas are intended only for fixed use. The present document is intended to cover the provisions of Directive 1999/5/EC [i.3] (R&TTE Directive), Article 3.2, which states that "..... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] NIMA Technical Report TR8350.2 (1984, including amendment 1 of 03 January 2000 and amendment 2 of 23 June 2004): "Department of Defense World Geodetic System 1984. Its Definition and Relationships with Local Geodetic Systems".

NOTE: Available at <http://earth-info.nga.mil/GandG/publications/tr8350.2/wgs84fin.pdf>.

- [2] ETSI TR 100 028-1 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".

- [3] ETSI TR 100 028-2 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".

- [4] IETF RFC 4122 (05-2007): "A Universally Unique IDentifier (UUID) URN Namespace".

NOTE: Available at <http://www.ietf.org/rfc/rfc4122.txt>.

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations and of rules on Information Society services.
- [i.2] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.3] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.4] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the R&TTE Directive".
- [i.5] ECC Report 186: "Technical and operational requirements for the operation of white space devices under geo-location approach", January 2013.
- [i.6] ETSI TR 102 273-2: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 2: Anechoic chamber".
- [i.7] ETSI TR 102 273-3: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 3: Anechoic chamber with a ground plane".
- [i.8] ETSI TR 102 273-4: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 4: Open area test site".
- [i.9] ETSI TR 103 231: "White Space Devices (WSD); Wireless Access Systems operating in the 470 MHz to 790 MHz TV broadcast band; Information on weblistings of TV White Space Databases (TVWSDBs)".
- [i.10] ECC Report 159: "Technical and operational requirements for the possible operation of cognitive radio systems in the "white spaces" of the frequency band 470-790 MHz", January 2011.
- [i.11] Dynamic White Space Spectrum Access; By William Webb and contributors.

NOTE: Available at <http://www.webbsearch.co.uk/publications/>.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN