

STN	Elektromagnetická kompatibilita a záležitosti rádiového spektra (ERM). Zariadenia s krátkym dosahom (SRD) používajúce technológiu ultraširokého pásma (UWB) na komunikačné účely. Harmonizovaná EN vztahujúca sa na základné požiadavky podľa článku 3.2 smernice R&TTE. Časť 3: Požiadavky na zariadenia UWB pre cestné a koľajové vozidlá.	STN EN 302 065-3 V1.1.1 87 2065
------------	---	--

Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 3: Requirements for UWB devices for road and rail vehicles

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/14

Obsahuje: EN 302 065-3 V1.1.1:2014

119825

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2014
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

ETSI EN 302 065-3 V1.1.1 (2014-04)



**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD) using
Ultra Wide Band technology (UWB);
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive;
Part 3: Requirements for UWB devices
for road and rail vehicles**

Reference

DEN/ERM-TGUWB-018

Keywords

radio, regulation, SRD, testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions	8
3.2 Symbols.....	9
3.3 Abbreviations	9
4 Technical requirements specification.....	9
4.1 Operating bandwidth	9
4.1.1 Definition of operating bandwidth for test procedure.....	9
4.1.2 Test procedure	9
4.1.3 Limit	10
4.1.4 Measurement uncertainty.....	10
4.2 Mean power spectral density	10
4.2.1 Definition.....	10
4.2.2 Test procedure	10
4.2.3 Limit	10
4.2.4 Measurement uncertainty.....	11
4.3 Maximum value of peak power.....	11
4.3.1 Definition.....	11
4.3.2 Test procedure	11
4.3.3 Limit	11
4.3.4 Measurement uncertainty.....	12
4.4 Receiver spurious emissions.....	12
4.4.1 Definition.....	12
4.4.2 Test procedure	12
4.4.3 Limit	12
4.4.4 Measurement uncertainty.....	12
4.5 Exterior Limit	13
4.5.1 Definition.....	13
4.5.2 Test Procedure	13
4.5.3 Limit	13
4.5.4 Measurement uncertainty.....	14
4.6 Transmit Power Control (TPC)	14
4.6.1 Definition.....	14
4.6.2 Test procedure	14
4.6.3 Limit	14
4.6.4 Measurement uncertainty.....	14
4.7 Detect And Avoid (DAA)	14
4.7.1 Definition.....	14
4.7.2 Test procedure	14
4.7.3 Limit	14
4.7.4 Measurement Tolerance.....	14
4.8 Low Duty Cycle (LDC).....	15
4.8.1 Definition.....	15
4.8.2 Test procedure	15
4.8.3 Limit	15
4.9 Equivalent mitigation techniques	15
4.9.1 Other mitigation techniques and mitigation factors	15
4.9.2 Power vs. LDC Tradeoff Method	16

5	Test Requirements.....	16
5.1	Product information.....	16
5.2	Requirements for the test modulation.....	17
5.3	Test conditions, power supply and ambient temperatures.....	17
5.4	Choice of equipment for test suites	17
5.4.1	Multiple Operating bandwidths and multiband equipment.....	17
5.5	Testing of host connected equipment and plug-in radio devices.....	17
5.6	Interpretation of the measurement results	17
5.6.1	Measurement uncertainty is equal to or less than maximum acceptable uncertainty.....	18
5.6.2	Measurement uncertainty is greater than maximum acceptable uncertainty.....	18
5.7	Emissions	19
6	Test setups and procedures.....	19
6.1	Introduction	19
6.2	Initial Measurement steps.....	19
6.3	Radiated measurements	19
6.3.1	General.....	19
6.3.2	Test sites and general arrangements for measurements involving the use of radiated fields	19
6.3.3	Guidance on the use of a radiation test site.....	19
6.3.3.1	Range length	19
6.3.4	Coupling of signals	20
6.3.5	Standard test methods	20
6.3.5.1	Generic measurement method.....	20
6.3.5.1.1	Calibrated setup	20
6.3.5.1.2	Substitution method.....	21
6.3.5.2	Spherical scan with automatic test antenna placement.....	22
6.3.5.2.1	Calibrated setup	22
6.3.5.2.2	Substitution method.....	23
6.3.5.3	Spherical scan with rotating and tilting the DUT	23
6.3.5.3.1	Calibrated setup	24
6.3.5.3.2	Substitution method.....	24
6.3.5.4	Spherical scan other methods	25
6.3.6	Standard calibration method	25
6.4	Conducted measurements.....	25
7	Test procedures for essential radio test suites	25
7.1	General	25
7.2	Test Procedure.....	26
7.3	Method of measurements of the Ultra Wideband Emissions	27
7.4	Mean power spectral density measurements	27
7.5	Peak power spectral density measurements.....	28
7.6	Operating bandwidth	28
7.7	Receiver spurious emissions.....	28
7.8	Transmitter Power Control	28
7.9	Low Duty Cycle	28
7.10	Detect and Avoid Mechanisms.....	28
7.11	Exterior Limit.....	28
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	29
Annex B (informative):	Measurement antenna, preamplifier, and cable specifications.....	31
Annex C (informative):	Surface mounted devices example mirror	32
Annex D (normative):	Device mounted inside the tyre.....	34
Annex E (informative):	Bibliography.....	36
History	37	

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to mandate M/407 issued from the European Commission under Directive 98/34/EC [i.9] as amended by Directive 98/48/EC [i.12].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.10].

See article 5.1 of Directive 1999/5/EC [i.10] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.10] are summarized in Annex A.

Equipment covered by the present document operates in accordance with ECC/DEC(06)04 [i.11] "The harmonised conditions for devices using Ultra-Wideband (UWB) technology in bands below 10,6 GHz" in road and railway vehicles.

The present document is part 3 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra Wide Band technology (UWB) for communication purposes, as identified below:

- Part 1: "Requirements for Generic UWB applications";
- Part 2: "Requirements for UWB location tracking";
- Part 3: "Requirements for UWB devices for road and rail vehicles".**

National transposition dates	
Date of adoption of this EN:	8 April 2014
Date of latest announcement of this EN (doa):	31 July 2014
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 2015
Date of withdrawal of any conflicting National Standard (dow):	31 January 2016

1 Scope

The present document applies to transceivers, transmitters and receivers utilizing Ultra WideBand (UWB) technologies and used for short range applications in road and rail vehicles, which includes devices mounted inside or at the surface. The present document applies to impulse, modified impulse and RF carrier based UWB technologies in the main operating frequency ranges from 3,1 GHz to 4,8 GHz or from 6 GHz to 9 GHz.

Examples of applications for road and rail vehicles are:

- stand-alone radio equipment with or without its own control provisions;
- plug-in radio devices intended for use with, or within, a variety of host systems, e.g. personal computers, etc.;
- plug-in radio devices intended for use within combined equipment, e.g. modems, access points, etc.;
- equipment for telemetry communication inside and outside of road and rail vehicles;
- equipment for the localization of devices inside and outside of road and rail vehicles (e.g. hand-held devices);
- equipment to investigate materials (e.g. fuel).

The present document does not apply to fixed road infrastructure installations. For fixed rail infrastructure tracking applications see TR 101 538 [i.5] and TS 103 085 [i.6].

The present document applies to UWB equipment with an output connection used with a dedicated antenna or UWB equipment with an integral antenna.

The present document applies to UWB equipment conforming to ECC/DEC/(06)04 amended 9 December 2011 [i.11] and CEPT Report 45 [i.13].

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 102 883 (V1.1.1) (08-2012): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band (UWB); Measurement Techniques".
- [2] ETSI TS 102 754 (V1.2.1) (11-2008): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics of Detect-And-Avoid (DAA) mitigation techniques for SRD equipment using Ultra Wideband (UWB) technology".
- [3] ETSI TR 100 028 (all parts) (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TR 102 070-2: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Guide to the application of harmonized standards to multi-radio and combined radio and non-radio equipment; Part 2: Effective use of the radio frequency spectrum".
- [i.2] ETSI TR 103 086: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Conformance test procedure for the exterior limit tests in EN 302065-3 UWB applications in the ground based vehicle environment".
- [i.3] ECC Report 120 (March 2008): "ECC Report on Technical requirements for UWB DAA (Detect and avoid) devices to ensure the protection of radiolocation in the bands 3.1-3.4 GHz and 8.5-9 GHz and BWA terminals in the band 3.4-4.2 GHz".
- [i.4] Commission Decision 2007/131/EC of 21 February 2007 on allowing the use of the radio spectrum for equipment using ultra-wideband technology in a harmonised manner in the Community (notified under document number C(2007) 522).

NOTE: This EC Decision is currently under revision based on CEPT Report 45 [i.13] and amended ECC/DEC(06)04 [i.11]. The new EC/DEC revision is expected within 2014.

- [i.5] ETSI TR 101 538: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); UWB location tracking devices in the railroad environment".
- [i.6] ETSI TS 103 085: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band (UWB) for Location and Tracking railroad applications; RF conformance testing".
- [i.7] CEPT/ERC Recommendation 74-01: "Unwanted emissions in the spurious domain".
- [i.8] Void.
- [i.9] Directive 1998/34/EC as amended by 1998/48/EC the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.10] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.11] CEPT ECC/DEC(06)04 of 24 March 2006 amended 9 December 2011: "The harmonised conditions for devices using Ultra-Wideband (UWB) technology in bands below 10.6 GHz".
- [i.12] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.13] CEPT Report 45: "Report from CEPT to the European Commission in response to the Fifth Mandate to CEPT on ultra-wideband technology to clarify the technical parameters in view of a potential update of Commission Decision 2007/131/EC". Report approved on 21 June 2013 by the ECC.

koniec náhľadu – text d'alej pokračuje v platenej verzii STN