

STN	Vysokonapäťové spínacie a riadiace zariadenia. Časť 202: Blokové transformovne vysokého/nízkeho napätia.	STN EN 62271-202
		35 4220

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/15

Obsahuje: EN 62271-202:2014, EN 62271-202:2014/AC Sep.:2014, IEC 62271-202:2014

Oznámením tejto normy sa od 01.05.2017 ruší
STN EN 62271-202 (35 4220) zo septembra 2007

119909

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

EN 62271-202

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2014

ICS 29.130.10

Supersedes EN 62271-202:2007

English Version

**High-voltage switchgear and controlgear - Part 202: High-voltage/low-voltage prefabricated substation
(IEC 62271-202:2014)**

Appareillages à haute tension - Partie 202: Postes préfabriqués haute tension/basse tension
(CEI 62271-202:2014)

Hochspannungs-Schaltgeräte und -Schaltanlagen - Teil 202: Fabrikfertige Stationen für Hochspannung/Niederspannung
(IEC 62271-202:2014)

This European Standard was approved by CENELEC on 2014-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 17C/595/FDIS, future edition 2 of IEC 62271-202, prepared by SC 17C "High-voltage switchgear and controlgear assemblies" of IEC TC 17 "Switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62271-202:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-11-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-05-01

This document supersedes EN 62271-202:2007.

EN 62271-202:2014 includes the following significant technical changes with respect to EN 62271-202:2007:

- a) regarding temperature-rise test an alternative method for liquid filled transformers is (re)introduced and the temperature-rise test method for dry-type transformers is specified more precisely;
- b) testing procedure for short time and peak withstand current tests are specified more precisely;
- c) assessment of electromagnetic fields is considered including a type test (optional) according CLC/TR 62271-208:2010;
- d) influence of the product on the environment is considered (Clause 12);
- e) internal arc test requirements have been adapted to EN 62271-200:2012 and requirements for the assessment of pressure relief volumes below the floor / ground has been assigned;
- f) the method for defining the load factor in an enclosure for liquid filled transformers is extended with different temperature rises for the transformer outside the enclosure (Annex DD);
- g) for the calculation of the load factor of dry-type transformers in an enclosure the insulation systems according to EN 60076-1:2011, Tables B.1 and B.2 are worked out in detail.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62271-202:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60059:1999	NOTE	Harmonized as EN 60059:1999.
IEC 60068 (Series)	NOTE	Harmonized as EN 60068 (Series).
IEC 60076 (Series)	NOTE	Harmonized as EN 60076 (Series).
IEC 60243-1:2013	NOTE	Harmonized as EN 60243-1:2013.
IEC 61936-1:2010	NOTE	Harmonized as EN 61936-1:2010.
IEC 62271-4:2013	NOTE	Harmonized as EN 62271-4:2013.
IEC/TS 62271-304:2008	NOTE	Harmonized as CLC/TS 62271-304:2008.
ISO 1460	NOTE	Harmonized as EN ISO 1460.

ISO 1461	NOTE	Harmonized as EN ISO 1461.
ISO 2081	NOTE	Harmonized as EN ISO 2081.
ISO 2409	NOTE	Harmonized as EN ISO 2409.
ISO 3231:1993	NOTE	Harmonized as EN ISO 3231:1997.
ISO 7784 (Series)	NOTE	Harmonized as EN ISO 7784 (Series).
ISO 9227	NOTE	Harmonized as EN ISO 9227.
ISO 10546	NOTE	Harmonized as EN ISO 1460.
ISO 11997 (Series)	NOTE	Harmonized as EN ISO 11997 (Series).
ISO 12944 (Series)	NOTE	Harmonized as EN ISO 12944 (Series).
ISO 13732-1:2006	NOTE	Harmonized as EN ISO 13732-1:2008.

Annex ZA

(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:
www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
	series			series
IEC 60050		International Electrotechnical Vocabulary - - Part 461: Electric cables		
IEC 60068-2-75	-	Environmental testing -- Part 2-75: Tests - - Test Eh: Hammer tests	EN 60068-2-75	-
IEC 60076-1	2011	Power transformers -- Part 1: General	EN 60076-1	2011
IEC 60076-2	2011	Power transformers -- Part 2: Temperature rise for liquid-immersed transformers	EN 60076-2	2011
IEC 60076-3	2013	Power transformers -- Part 3: Insulation levels, dielectric tests and external clearances in air	EN 60076-3	2013
IEC 60076-5	2006	Power transformers -- Part 5: Ability to withstand short circuit	EN 60076-5	2006
IEC 60076-7	2005	Power transformers -- Part 7: Loading guide for oil-immersed power transformers	-	-
IEC 60076-10	2001	Power transformers -- Part 10: Determination of sound levels	EN 60076-10	2001
IEC 60076-11	2004	Power transformers -- Part 11: Dry-type transformers	EN 60076-11	2004
IEC 60076-12	2008	Power transformers -- Part 12: Loading guide for dry-type power transformers	-	-
IEC 60076-13	2006	Power transformers -- Part 13: Self- protected liquid-filled transformers	EN 60076-13	2006
IEC 60364-4-41 (mod)	2005	Low-voltage electrical installations -- Part 4-41: Protection for safety - Protection against electric shock	HD 60364-4-41 +HD 60364-4- 41:2007/corrigendu m Jul. 2007 +AA	2007
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529 +EN 60529:1991/corrig endum May 1993	1991 1993
IEC 60529:1989/A1	1999			
IEC 60529:1989/A2	2013			
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems -- Part 1: Principles, requirements and tests	EN 60529:1991/A1 EN 60529:1991/A2 EN 60664-1	2000 2013 2007
IEC 60721-1	1990	Classification of environmental conditions - EN 60721-1 - Part 1: Environmental parameters and their severities		1995
+A1	1992		-	-
+A2	1995		+A2	1995

IEC 60721-2-2	2012	Classification of environmental conditions - EN 60721-2-2 - Part 2-2: Environmental conditions appearing in nature -- Precipitation and wind		2013
IEC 60721-2-4	1987	Classification of environmental conditions - HD 478.2.4 S1 - Part 2: Environmental conditions appearing in nature - Solar radiation and temperature		1989
+A1	1988		-	-
IEC 60947-1	2007	Low-voltage switchgear and controlgear -- Part 1: General rules	EN 60947-1	2007
IEC 61180-1	1992	High-voltage test techniques for low-voltage equipment -- Part 1: Definitions, test and procedure requirements	EN 61180-1	1994
IEC 61439-1	2011	Low-voltage switchgear and controlgear assemblies -- Part 1: General rules	EN 61439-1	2011
IEC 61439-2	2011	Low-voltage switchgear and controlgear assemblies -- Part 2: Power switchgear and controlgear assemblies	EN 61439-2	2011
IEC 62262	2002	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)	EN 62262	2002
IEC 62271-1	2007	High-voltage switchgear and controlgear -- Part 1: Common specifications	EN 62271-1	2008
IEC 62271-200	2011	High-voltage switchgear and controlgear -- Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV	EN 62271-200	2012
IEC 62271-201	2006	High-voltage switchgear and controlgear -- Part 201: AC insulation-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV	EN 62271-201	2006
			+EN 62271-201:2006/corrigendum Nov. 2006	2006
IEC 62271-202	2014	High-voltage switchgear and controlgear -- Part 202: High-voltage/low-voltage prefabricated substation	EN 62271-202	2014
ISO 1052	1982	Steels for general engineering purposes	-	-
ISO 1182		Reaction to fire tests for products – Non-combustibility test	EN ISO 1182	2010
ISO 1716		Reaction to fire tests for products – Determination of the gross heat of combustion (calorific value)	EN ISO 1716	2010
ISO 6508-1		Metallic materials -- Rockwell hardness test -- Part 1: Test method (scales A, B, C, D, E, F, G, H, K, N, T)	EN ISO 6508-1	2005
IEC/TR 62271-208	2009	High-voltage switchgear and controlgear -- Part 208: Methods to quantify the steady state, power-frequency electromagnetic fields generated by HV switchgear assemblies and HV/LV prefabricated substations	CLC/TR 62271-208	2010
IEC/TR 62271-300	2006	High-voltage switchgear and controlgear -- Part 300: Seismic qualification of alternating current circuit-breakers	-	-

IEC/TS 60815-1	2008	Selection and dimensioning of high-voltage - insulators intended for use in polluted conditions - Part 1: Definitions, information and general principles	-
ISO/IEC Guide 51	1999	Safety aspects - Guidelines for their inclusion in standards	-



Corrigendum to EN 62271-202:2014

English version

In the Foreword, replace the date of DOP with 2015-02-01.

September 2014



IEC 62271-202

Edition 2.0 2014-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**High-voltage switchgear and controlgear –
Part 202: High-voltage/low-voltage prefabricated substation**

**Appareillage à haute tension –
Partie 202: Postes préfabriqués haute tension/basse tension**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

[IEC Catalogue - webstore.iec.ch/catalogue](#)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

[IEC publications search - www.iec.ch/searchpub](#)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

[IEC Just Published - webstore.iec.ch/justpublished](#)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

[Electropedia - www.electropedia.org](#)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC Glossary - std.iec.ch/glossary](#)

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

[IEC Customer Service Centre - webstore.iec.ch/csc](#)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

[Catalogue IEC - webstore.iec.ch/catalogue](#)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

[Electropedia - www.electropedia.org](#)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

[Recherche de publications IEC - www.iec.ch/searchpub](#)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

[Glossaire IEC - std.iec.ch/glossary](#)

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

[IEC Just Published - webstore.iec.ch/justpublished](#)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

[Service Clients - webstore.iec.ch/csc](#)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE



**High-voltage switchgear and controlgear –
Part 202: High-voltage/low-voltage prefabricated substation**

**Appareillage à haute tension –
Partie 202: Postes préfabriqués haute tension/basse tension**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX
XD

ICS 29.130.10

ISBN 978-2-8322-1483-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	8
INTRODUCTION	10
1 General	11
1.1 Scope	11
1.2 Normative references	11
2 Normal and special service conditions	13
2.1 Normal service conditions	13
2.1.1 Indoor switchgear and controlgear	13
2.1.1.101 Low-voltage switchgear and controlgear	13
2.1.1.102 Transformer	13
2.1.2 Outdoor switchgear and controlgear	14
2.2 Special service conditions	14
2.2.1 Altitude	14
2.2.2 Pollution	14
2.2.3 Temperature and humidity	15
2.2.4 Vibrations, shock or tilting	15
2.2.5 Wind speed	15
2.2.6 Other parameters	15
3 Terms and definitions	15
4 Ratings	17
4.1 Rated voltage (U_r)	18
4.2 Rated insulation level	18
4.3 Rated frequency (f_r)	19
4.4 Rated normal current and temperature rise	19
4.4.1 Rated normal current (I_r)	19
4.4.2 Temperature rise	19
4.4.3 Particular points of Table 3	19
4.5 Rated short-time withstand current (I_k)	19
4.5.101 Rated short-time withstand current of high voltage switchgear and controlgear and high voltage interconnection (I_k)	20
4.5.102 Rated short-time phase to earth withstand current (I_{ke})	20
4.5.103 Rated short-time withstand currents of low voltage switchgear and controlgear and low voltage interconnection (I_{cw})	20
4.6 Rated peak withstand current (I_p)	20
4.6.101 Rated peak withstand current (I_p)	20
4.6.102 Rated peak phase to earth withstand current (I_{pe})	20
4.6.103 Rated peak withstand currents of low voltage switchgear and controlgear and low voltage interconnection (I_{pk})	20
4.7 Rated durations of short circuit (t_k)	20
4.7.101 Rated duration of short circuit (t_k)	21
4.7.102 Rated duration of phase to earth short circuit (t_{ke})	21
4.7.103 Rated duration of short circuits for low voltage switchgear and controlgear and low voltage interconnection	21
4.7.104 Rated duration of short circuits for transformers	21
4.8 Rated supply voltage of closing and opening devices and auxiliary and control circuits (U_a)	21
4.9 Rated supply frequency of closing and opening devices and of auxiliary circuits	21

4.10	Rated pressure of compressed gas supply for controlled pressure systems	21
4.11	Rated filling levels for insulation and/or operation	21
4.101	Rated maximum power and class of enclosure	22
	4.101.1 Rated maximum power of the prefabricated substation	22
	4.101.2 Rated class of enclosure	22
4.102	Ratings of the internal arc classification	22
	4.102.1 General	22
	4.102.2 Types of accessibility (A, B, AB)	22
	4.102.3 Rated arc fault currents (I_A , I_{Ae})	22
	4.102.4 Rated arc fault duration (t_A , t_{Ae})	23
5	Design and construction	23
5.1	Requirements for liquids in switchgear and controlgear	23
5.2	Requirements for gases in switchgear and controlgear	23
5.3	Earthing of switchgear and controlgear	24
5.4	Auxiliary and control equipment	25
5.5	Dependent power operation	25
5.6	Stored energy operation	25
5.7	Independent manual or power operation (independent unlatched operation)	25
5.8	Operation of releases	25
5.9	Low- and high-pressure interlocking and monitoring devices	25
5.10	Nameplates	25
5.11	Interlocking devices	25
5.12	Position indication	26
5.13	Degree of protection provided by enclosures	26
5.14	Creepage distances for outdoor insulators	26
5.15	Gas and vacuum tightness	26
5.16	Liquid tightness	26
5.17	Fire hazard (flammability)	26
5.18	Electromagnetic compatibility (EMC)	26
5.101	Protection of the prefabricated substation against mechanical stress	26
5.102	Protection of the environment due to internal defects	27
5.103	Internal arc fault	27
5.104	Enclosure	28
	5.104.1 General	28
	5.104.2 Fire behaviour	28
	5.104.3 Corrosion	29
	5.104.4 Covers and doors	30
	5.104.5 Ventilation openings	30
	5.104.6 Partitions	30
5.105	Other provisions	31
	5.105.1 Provisions for dielectric tests on cables	31
	5.105.2 Accessories	31
	5.105.3 Operation aisle	31
	5.105.4 Labels	31
5.106	Sound emission	31
5.107	Electromagnetic fields	31
6	Type tests	31

6.1	General	31
6.1.1	Grouping of tests	32
6.1.2	Information for identification of specimens	32
6.1.3	Information to be included in type-test reports	32
6.2	Dielectric tests	33
6.2.1	Ambient air conditions during tests	33
6.2.2	Wet test procedure	33
6.2.3	Conditions of switchgear and controlgear during dielectric tests	33
6.2.4	Criteria to pass the test	33
6.2.5	Application of the test voltage and test conditions	33
6.2.6	Tests of switchgear and controlgear of $U_r \leq 245$ kV	33
6.2.7	Tests of switchgear and controlgear of $U_r > 245$ kV	33
6.2.8	Artificial pollution tests for outdoor insulators	33
6.2.9	Partial discharge tests	33
6.2.10	Dielectric tests on auxiliary and control circuits	34
6.2.11	Voltage test as condition check	34
6.2.101	Tests on the high-voltage interconnection	34
6.2.102	Tests on low-voltage interconnection	35
6.3	Radio interference voltage (r.i.v.) test	36
6.4	Measurement of the resistance of circuits	36
6.5	Temperature-rise tests	36
6.5.101	General	36
6.5.102	Test conditions	37
6.5.103	Test methods	38
6.5.104	Measurements	41
6.5.105	Acceptance criteria	42
6.6	Short-time withstand current and peak withstand current tests	43
6.7	Verification of the protection	43
6.8	Tightness tests	43
6.9	Electromagnetic compatibility tests (EMC)	43
6.10	Additional tests on auxiliary and control circuits	44
6.10.1	General	44
6.10.2	Functional tests	44
6.10.3	Electrical continuity of earthed metallic parts test	44
6.10.4	Verification of the operational characteristics of auxiliary contacts	44
6.10.5	Environmental tests	44
6.10.6	Dielectric test	44
6.11	X-radiation test procedures for vacuum interrupters	44
6.101	Calculations and mechanical tests	44
6.101.1	Wind pressure	44
6.101.2	Roof loads	45
6.101.3	Mechanical impacts	45
6.102	Internal arc test	45
6.102.1	General	45
6.102.2	Test conditions	45
6.102.3	Arrangement of the equipment	46
6.102.4	Test procedure	46

6.102.5	Criteria to pass the test	46
6.102.6	Test report.....	47
6.102.7	Transferability of tests results	48
6.103	Measurement or calculation of electromagnetic fields	48
7	Routine tests	48
	<i>Replacement:</i>	49
7.101	Dielectric test on the high voltage interconnection.....	49
7.102	Voltage withstand tests on auxiliary circuits	49
7.103	Functional tests	49
7.104	Verification of correct wiring.....	49
7.105	Tests after assembly on site	49
8	Guide to the selection of prefabricated substation	49
	<i>Replacement:</i>	49
8.101	General.....	49
8.102	Selection of rated values.....	50
8.103	Selection of class of enclosure.....	50
8.104	Internal arc fault.....	50
8.104.1	General	50
8.104.2	Causes and preventive measures	51
8.104.3	Supplementary protective measures	51
8.104.4	Considerations for the selection and installation	53
8.104.5	Internal arc test	53
8.104.6	IAC classification	53
8.105	Summary of technical requirements, ratings and optional tests	54
9	Information to be given with enquiries, tenders and orders	58
9.1	Information with enquiries and orders	58
9.2	Information with tenders.....	59
10	Transport, storage, installation, operation, maintenance	60
10.1	Conditions during transport, storage and installation	60
10.2	Installation	60
10.2.1	Unpacking and lifting	61
10.2.2	Assembly.....	61
10.2.3	Mounting	61
10.2.4	Connections	61
10.2.5	Final installation inspection.....	61
10.2.6	Basic input data by the user	61
10.2.7	Basic input data by the manufacturer.....	61
10.3	Operation.....	61
10.4	Maintenance	62
10.101	Dismantling, recycling and disposal at the end-of-service life	62
11	Safety.....	62
11.101	Electrical aspects.....	62
11.102	Mechanical aspects	62
11.103	Thermal aspects	62
11.104	Internal arc aspects	62
12	Influence of the product on the environment	63
	Annex AA (normative) Internal arc fault – Method to verify the internal arc classification (IAC)	64

AA.1	General	64
AA.2	Room simulation	64
AA.3	Indicators (for assessing the thermal effects of the gases)	64
AA.3.1	General	64
AA.3.2	Arrangement of indicators	65
AA.4	Tolerances for geometrical dimensions of test arrangements	66
AA.5	Test parameters	67
AA.6	Test procedure	67
Annex BB (normative)	Test to verify the sound level of a prefabricated substation	76
BB.1	Purpose	76
BB.2	Test specimen	76
BB.3	Test method	76
BB.4	Measurements	76
BB.5	Presentation and calculation of the results	76
Annex CC (normative)	Mechanical impact test	78
CC.1	Test for the verification of the resistance to mechanical impact	78
CC.2	Apparatus for the verification of the protection against mechanical damage	78
Annex DD (informative)	Rating of transformers in an enclosure	80
DD.1	General	80
DD.2	Liquid-filled transformer	80
DD.3	Dry-type transformer	81
DD.4	Example	85
Annex EE (informative)	Examples of earthing circuits	88
Annex FF (informative)	Characteristics of enclosure materials	91
FF.1	Metals	91
FF.1.1	Coatings	91
FF.1.2	Paints	91
FF.2	Concrete	91
Bibliography	93	
Figure 101 – Measurement of transformer temperature rise in ambient air: Δt_1	37	
Figure 102 – Measurement of transformer temperature rise in an enclosure: Δt_2	37	
Figure 103 – Diagram of the preferred temperature-rise test method	39	
Figure 104 – Diagram of the alternative temperature-rise test method	40	
Figure 105 – Diagram for open-circuit test	41	
Figure AA.1 – Mounting frame for vertical indicators	68	
Figure AA.2 – Horizontal indicators	68	
Figure AA.3 – Arrangement of indicators	71	
Figure AA.4 – Selection of tests on high voltage switchgear for class IAC-A	72	
Figure AA.5 – Selection of tests on high voltage switchgear for class IAC-B	73	
Figure AA.6 – Selection of tests on high voltage interconnections for class IAC-A	74	
Figure AA.7 – Selection of tests on high voltage interconnections for class IAC-B	75	
Figure CC.1 – Impact test apparatus	79	
Figure DD.1 – Liquid-filled transformer load factor in an enclosure	81	
Figure DD.2 – Dry-type transformer load factor outside of the enclosure	81	

Figure DD.3 – Insulation class 105 °C (A) dry-type transformers load factor in an enclosure.....	82
Figure DD.4 – Insulation class 120 °C (E) dry-type transformers load factor in an enclosure.....	82
Figure DD.5 – Insulation class 130 °C (B) dry-type transformers load factor in an enclosure.....	83
Figure DD.6 – Insulation class 155 °C (F) dry-type transformers load factor in an enclosure.....	83
Figure DD.7 – Insulation class 180 °C (H) dry-type transformers load factor in an enclosure.....	84
Figure DD.8 – Insulation class 200 °C (H) dry-type transformers load factor in an enclosure.....	84
Figure DD.9 – Insulation class 220 °C (H) dry-type transformers load factor in an enclosure.....	85
Figure EE.1 – Example of earthing circuits.....	88
Figure EE.2 – Example of earthing circuits.....	89
Figure EE.3 – Example within the framework serving as the main earthing conductor	90
 Table 101 – Synthetic material characteristics	29
Table 102 – Locations, causes and examples of measures decreasing the probability of internal arcs.....	52
Table 103 – Single phase-to-earth arc fault current depending on the network neutral earthing	54
Table 104 – Summary of technical requirements and ratings for prefabricated substations (1 of 4)	55
Table FF.1 – Treatment of coatings	91
Table FF.2 – Tests of coatings	91
Table FF.3 – Test of concrete	92

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –**Part 202: High-voltage/low-voltage prefabricated substation****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62271-202 has been prepared by subcommittee 17C: High-voltage switchgear and controlgear assemblies, of IEC technical committee 17: Switchgear and controlgear.

This second edition cancels and replaces the first edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) regarding temperature-rise test an alternative method for liquid filled transformers is (re)introduced and the temperature-rise test method for dry-type transformers is specified more precisely;
- b) testing procedure for short time and peak withstand current tests are specified more precisely;
- c) assessment of electromagnetic fields is considered including a type test (optional) according IEC/TR 62271-208:2009;

- d) influence of the product on the environment is considered (Clause 12);
- e) internal arc test requirements have been adapted to IEC 62271-200:2011 and requirements for the assessment of pressure relief volumes below the floor / ground has been assigned;
- f) the method for defining the load factor in an enclosure for liquid filled transformers is extended with different temperature rises for the transformer outside the enclosure (Annex DD);
- g) for the calculation of the load factor of dry-type transformers in an enclosure the insulation systems according to IEC 60076-1:2011, Tables B.1 and B.2 are worked out in detail.

The text of this standard is based on the following documents:

FDIS	Report on voting
17C/595/FDIS	17C/598/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard should be read in conjunction with IEC 62271-1:2007 and its Amendment 1:2011, to which it refers and which is applicable, unless otherwise specified. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1. Amendments to these clauses and subclauses are given under the same numbering, whilst additional subclauses are numbered from 101.

A list of all parts of the IEC 62271 series can be found, under the general title *High-voltage switchgear and controlgear*, on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Prefabricated substations are defined as a type-tested assembly comprising an enclosure containing in general transformers, low-voltage and high-voltage switchgear, connections and auxiliary equipment to supply low-voltage energy from a high-voltage system or vice versa. These substations are in locations accessible to the public and should ensure protection to persons according to the specified service conditions.

This means that, in addition to the specified characteristics, ratings and relevant test procedures, particular attention has been paid to the specification concerning the protection of persons, both operators and general public. Use of type-tested components and suitable design and construction of the enclosure ensure this protection. The correct design and performance of the prefabricated substation are verified by means of relevant type tests described in this standard, including internal arc tests.

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 202: High-voltage/low-voltage prefabricated substation

1 General

1.1 Scope

This part of IEC 62271 specifies the service conditions, rated characteristics, general structural requirements and test methods of high voltage/low voltage or low voltage/high voltage prefabricated substations, which are cable-connected, to be operated from inside (walk-in type) or outside (non-walk-in type) for alternating current of rated voltages above 1 kV and up to and including 52 kV on the high voltage side, and for one or more transformers for service frequencies up to and including 60 Hz for outdoor installation at locations with public accessibility and where protection of personnel is provided.

Prefabricated substations can be situated at ground level or partially or completely below ground level.

In general a prefabricated substation comprises an enclosure containing the following electrical components:

- power transformers;
- high voltage and low voltage switchgear and controlgear;
- high voltage and low voltage interconnections;
- auxiliary equipment and circuits.

However, relevant provisions of this standard are applicable to designs where not all these electrical components exist (for example, an installation consisting of power transformer and low voltage switchgear).

Non-prefabricated substations should comply with the applicable requirements of IEC 61936-1:2010.

1.2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-461 (all parts), *International Electrotechnical Vocabulary* (available at www.electropedia.org)

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60076-1:2011, *Power transformers – Part 1: General*

IEC 60076-2:2011, *Power transformers – Part 2: Temperature rise for liquid-immersed transformers*

IEC 60076-3:2013, *Power transformers – Part 3: Insulation levels, dielectric tests and external clearances in air*

IEC 60076-5:2006, *Power transformers – Part 5: Ability to withstand short circuit*

IEC 60076-7:2005, *Power transformers – Part 7: Loading guide for oil-immersed power transformers*

IEC 60076-10:2001, *Power transformers – Part 10: Determination of sound levels*

IEC 60076-11:2004, *Power transformers – Part 11: Dry-type transformers*

IEC 60076-12:2008, *Power transformers – Part 12: Loading guide for dry-type power transformers*

IEC 60076-13:2006, *Power transformers – Part 13: Self-protected liquid-filled transformers*

IEC 60364-4-41:2005, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

Amendment 1:1999

Amendment 2:2013

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60721-1:1990, *Classification of environmental conditions – Part 1: Environmental parameters and their severities*

Amendment 1:1992

Amendment 2:1995

IEC 60721-2-2:2012, *Classification of environmental conditions – Part 2-2: Environmental conditions appearing in nature – Precipitation and wind*

IEC 60721-2-4:1987, *Classification of environmental conditions – Part 2: Environmental conditions appearing in nature – Solar radiation and temperature*

Amendment 1:1988

IEC/TS 60815-1:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 1: Definitions, information and general principles*

IEC 60947-1:2007, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 61180-1:1992, *High-voltage test techniques for low-voltage equipment – Part 1: Definitions, test and procedure requirements*

IEC 61439-1:2011, *Low-voltage switchgear and controlgear assemblies – Part 1: General rules*

IEC 61439-2:2011, *Low-voltage switchgear and controlgear assemblies – Part 2: Power switchgear and controlgear assemblies*

IEC 62262:2002, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

IEC 62271-1:2007, *High-voltage switchgear and controlgear – Part 1: Common specifications*

Amendment 1:2011

IEC 62271-200:2011, *High-voltage switchgear and controlgear – Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV*

IEC 62271-201:2006, *High-voltage switchgear and controlgear – Part 201: AC insulation enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV*

IEC/TR 62271-208:2009, *High-voltage switchgear and controlgear – Part 208: Methods to quantify the steady state, power-frequency electromagnetic fields generated by HV switchgear assemblies and HV/LV prefabricated substations*

IEC/TR 62271-300:2006, *High-voltage switchgear and controlgear – Part 300: Seismic qualification of alternating current circuit-breakers*

ISO/IEC Guide 51:1999, *Safety aspects – Guidelines for their inclusion in standards*

ISO 1052:1982, *Steels for general engineering purposes*

ISO 1182:2010, *Reaction to fire tests for products – Non-combustibility tests*

ISO 1716:2010, *Reaction to fire tests for products – Determination of the gross heat of combustion (calorific value)*

ISO 6508-1:2005, *Metallic materials – Rockwell hardness test – Part 1: Test method (scales A, B, C, D, E, F, G, H, K, N, T)*

koniec náhľadu – text d'alej pokračuje v platenej verzii STN