

STN	Káblové siete pre televízne signály, rozhlasové signály a interaktívne služby. Časť 10: Systémové vlastnosti spätných kanálov.	STN EN 60728-10
		36 7211

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/15

Obsahuje: EN 60728-10:2014, IEC 60728-10:2014

Oznámením tejto normy sa od 15.04.2017 ruší
STN EN 50083-10 (36 7211) z decembra 2002

STN EN 60728-10 (36 7211) z februára 2007

119932

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60728-10

June 2014

ICS 33.060.40

Supersedes EN 50083-10:2002, EN 60728-10:2006

English Version

**Cable networks for television signals, sound signals and
 interactive services - Part 10: System performance for return
 paths**
(IEC 60728-10:2014)

Réseaux de distribution par câbles pour signaux de
 télévision, signaux de radiodiffusion sonore et services
 interactifs - Partie 10: Performances des systèmes de voie
 de retour
 (CEI 60728-10:2014)

Kabelnetze für Fernsehsignale, Tonsignale und interaktive
 Dienste - Teil 10: Rückweg-Systemanforderungen
 (IEC 60728-10:2014)

This European Standard was approved by CENELEC on 2014-04-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
 Comité Européen de Normalisation Electrotechnique
 Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 100/2247/FDIS, future edition 3 of IEC 60728-10, prepared by Technical Area 5 "Cable networks for television signals, sound signals and interactive services" of IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60728-10:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-01-15
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-04-15

This document supersedes EN 50083-10:2002 and EN 60728-10:2006.

EN 60728-10:2014 includes the following significant technical changes with respect to EN 60728-10:2006:

- update on the state-of-the-art of return path transmission in cable networks;
- provisions for DOCSIS 3.0 and EuroDOCSIS 3.0 transmission standards;
- revision of Subclause 4.3 on measurement of channel level;
- new Subclause 4.12 for method of measurement of noise power ratio (NPR) on return paths;
- new Subclause 4.13 for 10-tone measurements;
- new Subclause 4.14 for method of measurement of modulation error ratio (MER);
- revision of Subclause 5.2 on analogue parameters influencing system performance.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60728-10:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60728-3	NOTE	Harmonized as EN 60728-3.
IEC 60728-4	NOTE	Harmonized as EN 60728-4.
IEC 60728-6	NOTE	Harmonized as EN 60728-6.
IEC 60728-11	NOTE	Harmonized as EN 60728-11.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:
www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
		Cable networks for television signals, sound signals and interactive services - Part 10-1: Guidelines for the implementation of return paths in cable networks	CLC/TR 50083-10-1	2009 ¹⁾
IEC 60728	Series	Cable networks for television signals, sound signals and interactive services		Series
IEC 60728-1	-	Cable networks for television signals, sound signals and interactive services - Part 1: System performance of forward paths		-
IEC 60728-2	-	Cable networks for television signals, sound signals and interactive services - Part 2: Electromagnetic compatibility for equipment		-
IEC 60728-5	-	Cable networks for television signals, sound signals and interactive services - Part 5: Headend equipment		-
IEC 60728-12	-	Cabled distribution systems for television and sound signals - Part 12: Electromagnetic compatibility of systems	EN 50083-8	-
ISO/IEC 13818-1	2007 ²⁾	Information technology - Generic coding of moving pictures and associated audio information: Systems	-	-
ITU-R Recommendation BT.470	-	Conventional analogue television systems	-	-
ETSI ES 200 800	-	Digital Video Broadcasting (DVB); DVB interaction channel for Cable TV distribution systems (CATV)	-	-

¹⁾ Superseded by CLC/TR 50083-10-1:2014.

²⁾ Superseded by ISO/IEC 13818-1:2013.

ETSI EN 302 878-2 2011 Access, Terminals, Transmission and -
Multiplexing (ATTM); Third
Generation Transmission Systems for
Interactive Cable Television Services
- IP Cable Modems; Part 2: Physical
Layer; DOCSIS 3.0

-



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Cable networks for television signals, sound signals and interactive services –
Part 10: System performance for return paths**

**Réseaux de distribution par câbles pour signaux de télévision, signaux de
radiodiffusion sonore et services interactifs –
Partie 10: Performances des systèmes de voie de retour**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Cable networks for television signals, sound signals and interactive services –
Part 10: System performance for return paths**

**Réseaux de distribution par câbles pour signaux de télévision, signaux de
radiodiffusion sonore et services interactifs –
Partie 10: Performances des systèmes de voie de retour**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX
XA

ICS 33.060.40

ISBN 978-2-8322-1438-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	6
INTRODUCTION	8
1 Scope	9
2 Normative references	9
3 Terms, definitions, symbols and abbreviations	10
3.1 Terms and definitions	10
3.2 Symbols	13
3.3 Abbreviations	14
4 Methods of measurement	14
4.1 General	14
4.2 Set-up of the network	15
4.3 Measurement of channel level	15
4.3.1 General	15
4.3.2 Equipment required	15
4.3.3 Connection of the equipment	16
4.3.4 Measurement procedure for digitally modulated carriers	16
4.3.5 Measurement procedure for intermittent digitally modulated carriers	17
4.3.6 Presentation of the results	18
4.4 Measurement of amplitude response variation	18
4.4.1 Background	18
4.4.2 Equipment required	18
4.4.3 Connection of the equipment	18
4.4.4 Calibration of equipment	18
4.4.5 Method of measurement	19
4.4.6 Presentation of the results	19
4.5 Measurement of signal to noise ratio ($S_{D,RF}/N$)	19
4.5.1 General	19
4.5.2 Equipment required	19
4.5.3 Connection of the equipment	19
4.5.4 Measurement procedure	19
4.5.5 Presentation of the results	20
4.6 Measurement of multiple interference	20
4.6.1 General	20
4.6.2 Equipment required	21
4.6.3 Connection of the equipment	21
4.6.4 Measurement procedure	21
4.6.5 Processing of the data	21
4.6.6 Presentation of the results	21
4.7 Measurement of impulse noise	22
4.7.1 General	22
4.7.2 Equipment required	22
4.7.3 Connection of the equipment	22
4.7.4 Measurement procedure	22
4.7.5 Processing of the data and presentation of the results	23

4.8	Measurement of echo ratio.....	23
4.8.1	General	23
4.8.2	Equipment required	24
4.8.3	Connection of the equipment	25
4.8.4	Measurement procedure	25
4.8.5	Presentation of the results	25
4.9	Measurement of group delay variation.....	25
4.10	Measurement of frequency error	26
4.10.1	General	26
4.10.2	Equipment required	26
4.10.3	Connection of the equipment	26
4.10.4	Measurement procedure	26
4.10.5	Presentation of the result.....	27
4.11	Measurement of bit error ratio (BER)	27
4.11.1	General	27
4.11.2	Equipment required	27
4.11.3	Connection of the equipment	28
4.11.4	Measurement procedure	28
4.11.5	Presentation of the results	28
4.12	Noise power ratio (<i>NPR</i>) measurement on return path	28
4.12.1	General	28
4.12.2	Equipment required	29
4.12.3	Connection of the equipment	29
4.12.4	Measurement procedure	30
4.12.5	Presentation of the results	31
4.12.6	Recommended correction factors.....	31
4.12.7	Precautions during measurement.....	32
4.12.8	<i>NPR</i> dynamic range	32
4.13	10-Tone measurement	33
4.13.1	General	33
4.13.2	Measurement principle.....	34
4.13.3	Measurement procedure	34
4.14	Modulation error ratio (<i>MER</i>) measurement on return path	35
4.14.1	General	35
4.14.2	Equipment required	36
4.14.3	Connection of the equipment	36
4.14.4	Measurement procedure	36
4.14.5	Presentation of the results	37
5	System performance requirements	37
5.1	General.....	37
5.2	Analogue parameters that influence the system performance	40
5.3	General requirements	42
5.3.1	Impedance.....	42
5.3.2	Maximum signal level	42
5.4	Specific system performance requirements	42
6	System performance recommendations – Return path bandwidth	45
6.1	Frequency allocation.....	45
6.2	Transmission quality in the return path frequency ranges.....	45
	Annex A (normative) Correction factors for noise	47

A.1	Signal level measurement	47
A.2	Noise level measurement	47
Annex B (normative)	Correction factor for a spectrum analyser	49
Annex C (normative)	Null packet and PRBS definitions	50
C.1	Null packet definition.....	50
C.2	PRBS definition.....	51
Bibliography.....		52

Figure 1 – Reference points of an active return path system (example).....	15
Figure 2 – Time domain representation of an upstream burst with marker on the preamble of the DOCSIS signal	17
Figure 3 – Arrangement of test equipment for measurement of amplitude response variation.....	18
Figure 4 – Echo rating graticule	24
Figure 5 – Arrangement of test equipment for measurement of echo ratio	25
Figure 6 – Test set-up for frequency stability measurement	26
Figure 7 – Principle of BER measurement.....	27
Figure 8 – Band-pass and band-stop filters response.....	29
Figure 9 – <i>NPR</i> test set up.....	30
Figure 10 – <i>NPR</i> versus RF power density applied at input of optical transmitter and determination of <i>OMI</i> 100 %.....	31
Figure 11 – Example of the frequency response of the optional band-pass filter	31
Figure 12 – Example of <i>NPR</i> dynamic range	33
Figure 13 – Dynamic range plotted versus <i>NPR</i>	33
Figure 14 – Alternative <i>NPR</i> measurement principle	34
Figure 15 – Relationship between classical <i>NPR</i> method and multi-tone method	35
Figure 16 – Test set-up for modulation error ratio (<i>MER</i>) measurement	36
Figure 17 – Example of constellation diagram for a 64QAM modulation format	37
Figure 18 – Return path signals affecting forward path signals.....	38
Figure 19 – Forward path signals affecting return path signals.....	39
Figure 20 – Return path signals of service 1 affecting return path signals of a different service (e.g. service 2).....	39
Figure 21 – Return path signals of a specific service (e.g. service 2) affecting return path signals of the same service	39
Figure 22 – Identification of the most common sub-bands within the return path band with limited transmission quality.....	46
Figure A.1 – Noise correction factor <i>CF</i> versus measured level difference <i>D</i>	48
 Table 1 – Examples of the Nyquist bandwidth of digitally modulated carriers	16
Table 2 – Band-stop filter notch frequencies	29
Table 3 – Summary of the requirements for <i>MER</i> according to ETSI EN 302 878-2, V.1.1.1 (2011-11), (clause 6.2.22.3.2).....	41
Table 4 – System performance requirements for different modulation techniques for <i>BER</i> = 10^{-4}	43
Table 5 – Comparison of system performance parameters given in Table 4 with those given in ETSI EN 302 878-2, V.1.1.1 (2011-11), specifications.....	44

Table 6 – Return path frequency ranges	45
Table 7 – Reasons for quality reduction in sub-bands of the return path	45
Table A.1 – Noise correction factor	47
Table C.1 – Null transport stream packet definition	51

INTERNATIONAL ELECTROTECHNICAL COMMISSION**CABLE NETWORKS FOR TELEVISION SIGNALS,
SOUND SIGNALS AND INTERACTIVE SERVICES –****Part 10: System performance for return paths****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-10 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition cancels and replaces the second edition published in 2005 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- update on the state-of-the-art of return path transmission in cable networks;
- provisions for DOCSIS 3.0 and EuroDOCSIS 3.0 transmission standards;
- revision of subclause 4.3 on measurement of channel level;
- new subclause 4.12 for method of measurement of noise power ratio (NPR) on return paths;

- new subclause 4.13 for 10-tone measurements;
- new subclause 4.14 for method of measurement of modulation error ratio (*MER*);
- revision of subclause 5.2 on analogue parameters influencing system performance.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/2247/FDIS	100/2283/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60728 series under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Standards and deliverables of IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes for instance

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

Specific equipment installed in cable networks for the operation of such return paths is standardised in the relevant equipment standards. See IEC 60728-3, IEC 60728-4, IEC 60728-5, IEC 60728-6.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 10: System performance for return paths

1 Scope

This part of IEC 60728 specifies the transparent return path of cable networks operated in the frequency range between 5 MHz and 85 MHz or parts thereof. The upper frequency limit of the return path is reduced to 65 MHz where FM radio signals are transmitted in a cable network. Higher frequencies may be used in fibre based networks.

NOTE In addition, it is possible to use the frequency range from 0 MHz to 5 MHz for return path transmissions, for example for NMS or other control, monitoring and signalling purposes. Applications below 5 MHz are not covered by this standard.

Specifications of transmission systems (e.g. DOCSIS) are not within the scope of this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60728 (all parts), *Cable networks for television signals, sound signals and interactive services*

IEC 60728-1, *Cable networks for television signals, sound signals and interactive services – Part 1: System performance of forward paths*

IEC 60728-2, *Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment*

IEC 60728-5, *Cable networks for television signals, sound signals and interactive services – Part 5: Headend equipment*

IEC 60728-12, *Cabled distribution systems for television and sound signals – Part 12: Electromagnetic compatibility of systems*

ISO/IEC 13818-1:2007, *Information technology – Generic coding of moving pictures and associated audio information – Part 1: Systems*

ITU-R BT.470, *Conventional analogue television systems*

CLC/TR 50083-10-1:2009, *Guidelines for the implementation of return paths in cable networks*

ETSI ES 200 800, *Digital Video Broadcasting (DVB); DVB interaction channel for Cable TV distribution systems (CATV)*

ETSI EN 302 878-2, V.1.1.1 (2011-11), *Access, Terminals, Transmission and Multiplexing (ATTM); Third Generation Transmission Systems for Interactive Cable Television Services – IP Cable Modems; Part 2: Physical Layer; DOCSIS 3.0*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN