

STN	Nanovýroba. Klúčové riadiace charakteristiky. Časť 3-1: Luminiscenčné nanomateriály. Kvantová účinnosť.	STN EN 62607-3-1
		60 3010

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/15

Obsahuje: EN 62607-3-1:2014, IEC 62607-3-1:2014

119944

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnogoňovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

EN 62607-3-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2014

ICS 07.030

English Version

**Nanomanufacturing - Key control characteristics - Part 3-1:
Luminescent nanomaterials - Quantum efficiency
(IEC 62607-3-1:2014)**

Nanofabrication - Caractéristiques de contrôle clé Partie 3-1:
1: Nanomatériaux luminescents - Rendement quantique
(CEI 62607-3-1:2014)

Nanofertigung - Schlüsselmerkmale - Teil 3-1:
Lumineszierende Nanomaterialien - Quanteneffizienz
(IEC 62607-3-1:2014)

This European Standard was approved by CENELEC on 2014-06-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 113/214/FDIS, future edition 1 of IEC 62607-3-1, prepared by TC 113 "Nanotechnology standardization for electrical and electronic products and systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62607-3-1:2014.

The following dates are fixed:

- latest date by which the document has to be (dop) 2015-03-26
implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-06-26

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62607-3-1:2014 was approved by CENELEC as a European Standard without any modification.

Annex ZA

(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
CIE S 017/E	2011	ILV: International Lighting Vocabulary	-	-



INTERNATIONAL STANDARD

NORME INTERNATIONALE



Nanomanufacturing – Key control characteristics
Part 3-1: Luminescent nanomaterials – Quantum efficiency

Nanofabrication – Caractéristiques de contrôle clé
Partie 3-1: Nanomatériaux luminescents – Rendement quantique





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE



Nanomanufacturing – Key control characteristics
Part 3-1: Luminescent nanomaterials – Quantum efficiency

Nanofabrication – Caractéristiques de contrôle clé
Partie 3-1: Nanomatériaux luminescents – Rendement quantique

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 07.030

ISBN 978-2-8322-1605-7

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 General notes on tests	10
4.1 General.....	10
4.2 Ambient conditions	10
4.3 Photobrightening and photobleaching	10
4.4 Luminescence from contaminants at illumination wavelengths < 380 nm.....	10
4.5 Industrial hygiene	11
5 Measurement of relative quantum efficiency of nanomaterials	11
5.1 General.....	11
5.2 Test equipment	11
5.2.1 Required supplies and test equipment	11
5.2.2 Test equipment setup	12
5.3 Calibration	12
5.3.1 General	12
5.3.2 Calibration standard – preparation	13
5.3.3 Calibration standard – test measurements	13
5.4 Experimental procedure	14
5.4.1 Calibration standard – experimental measurements	14
5.4.2 Luminescent nanoparticle sample – Experimental measurements	15
6 Measurement of absolute quantum efficiency of nanomaterials.....	17
6.1 General.....	17
6.2 Test equipment	18
6.3 Calibration	20
6.4 Sample preparation.....	20
6.4.1 General	20
6.4.2 Liquid samples	20
6.4.3 Solid state samples	21
6.5 Test procedure.....	21
6.5.1 Collimated incident light method	21
6.5.2 Diffuse incident light method.....	24
7 Uncertainty statement.....	27
8 Test report.....	27
Annex A (informative) Temperature quenching of quantum efficiency, light modulation considerations for avoiding sample heating, and achieving the best measurement conditions	28
A.1 Overview.....	28
A.2 Addressing TQE.....	28
Bibliography.....	30
Figure 1 – Sample absorbance spectrum of cresyl violet – example calculations	14

Figure 2 – Schematic of the test equipment configuration for both the collimated incident light and diffuse incident light methods	18
Figure 3 – Sample spectrum for collimated incident light method	23
Figure 4 – Sample spectra for the diffuse incident light method.....	26
Figure A.1 – Example of transient behaviour of luminescent material (YAG:Ce) under pulsed excitation.....	28
Figure A.2 – Schematic diagram of variation of normalised QE with average excitation power and the preferred range of input power (indicated by vertical lines)	29
Table 1 – Example fluorescence methods for relative measurements.....	12
Table 2 – Suggested calibration standards for relative quantum efficiency measurements of luminescent nanoparticle solutions.....	13
Table 3 – Spreadsheet format for quantum efficiency data comparisons	16
Table 4 – Spreadsheet format for quantum efficiency data comparisons	17
Table 5 – Comparison of methods for measuring the absolute quantum efficiency of luminescent nanoparticles.....	18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**NANOMANUFACTURING –
KEY CONTROL CHARACTERISTICS****Part 3-1: Luminescent nanomaterials –
Quantum efficiency****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62607-3-1 has been prepared by IEC technical committee 113: Nanotechnology standardization for electrical and electronic products and systems.

The text of this standard is based on the following documents:

FDIS	Report on voting
113/214/FDIS	113/219/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 625607 series, published under the general title *Nanomanufacturing – Key control characteristics*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

One of the principal drivers of solid-state lighting (SSL) is the potential efficiency of the illumination devices to convert electricity into light. Incandescent and fluorescent lighting devices are only about 5 % to 30 % efficient, with incandescent lighting having the lowest efficiency. Since a significant portion of all electricity consumed is used in providing lighting, increasing the efficiency of lighting devices will have a huge impact on the world's energy consumption. The luminous efficiency of SSL devices is a critical measurement of their overall efficiency, and standard methods to perform these measurements have been established and were essential to producing reliable product information for manufacturers and consumers. The same is true of the luminescent materials on which these light-emitting diode (LED) manufacturers rely; however, no such standard currently exists. This standard provides SSL manufacturers a universal means for comparing luminescent nanomaterials from different suppliers, and potentially for luminescent materials for LEDs in general.

The most common SSL devices are composed of a blue light-emitting diode (LED) and a luminescent material. The blue LED optically excites the luminophore, which will radiate light of the appropriate colour or colours to yield the desired white spectrum. This device, termed a phosphor-converted light emitting diode (or pc-LED), converts the electricity indirectly into white light by first creating blue light and then converting the blue light into broad-band visible radiation. Currently, quantum dots (QDs) or nanophosphors are one option for the photoluminescent material that converts the blue LED wavelength to broad spectrum visible light. QDs and nanophosphors are of interest in this application for several reasons including their greater colour flexibility, narrowband emission spectrum, broadband absorption, near-infinite flocculation time, reduced bleaching, and lower scattering compared to conventional phosphors which are typically larger than 5 µm. QD-enabled pc-LEDs have been shown to have the best possible combination of colour rendering, correlated colour temperature, and luminous efficiency of any other pc-LED on the market.

A critical measurement parameter for luminescent materials used in the lighting industry is quantum efficiency, which is defined in this standard as the number of photons emitted into free space by a luminescent nanoparticle divided by the number of photons absorbed by the nanoparticle. Suppliers of QDs and luminescent nanomaterials typically measure only relative quantum efficiency (or alternatively, quantum yield) in the solution phase due to the ease of such measurements and the applicability of such measurements to biomedical imaging (a widespread use of QDs in R&D). These measurements are often taken at low concentrations where effects such as nanoparticle agglomeration and re-absorption are minimized. However, in end-use applications, the actual concentration of luminescent nanomaterials may be significantly different. For example, concentrated luminescent nanoparticle formulations (in either solid or liquid state) may be required to achieve a desired luminous flux and correlated colour temperature in a SSL device. This standard codifies that method for the first time, and establishes an absolute quantum efficiency test method for both solid (e.g., luminescent nanoparticles embedded in polymer matrices, coated on glass optics, applied directly to light emitted diodes, and other form factors) and solution samples (e.g., colloidal suspensions of luminescent nanoparticles), enabling suppliers and purchasers to compare the performance of one material to another, both in their raw (solution) phase as well as their technologically relevant (solid) phase of matter.

NANOMANUFACTURING – KEY CONTROL CHARACTERISTICS

Part 3-1: Luminescent nanomaterials – Quantum efficiency

1 Scope

This part of IEC 62607 describes the procedures to be followed and precautions to be observed when performing reproducible measurements of the quantum efficiency of luminescent nanomaterials. Luminescent nanomaterials covered by this method include nano-objects such as quantum dots, nanophosphors, nanoparticles, nanofibers, nanocrystals, nanoplates, and structures containing these materials. The nanomaterials may be dispersed in either a liquid state (e.g., colloidal dispersion of quantum dots) or solid-state (e.g., nanofibers containing luminescent nanoparticles). This standard covers both relative measurements of liquid state luminescent nanomaterials and absolute measurements of both solid and liquid state nanomaterials.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CIE 017/E:2011, *International Lighting Vocabulary*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN