

STN	Kozmická technika. Časť 20-08: Fotovoltické zostavy a komponenty.	STN EN 16603-20-08
		31 0543

Space engineering - Part 20-08: Photovoltaic assemblies and components

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/15

Obsahuje: EN 16603-20-08:2014

119959

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

English version

Space engineering - Part 20-08: Photovoltaic assemblies and components

Ingénierie spatiale - Partie 20-08: Ensembles et composants photovoltaïque

Raumfahrttechnik - Teil 20-08: Fotovoltaische Baugruppen und Komponenten

This European Standard was approved by CEN on 10 February 2014.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



CEN-CENELEC Management Centre:
Avenue Marnix 17, B-1000 Brussels

Table of contents

Foreword	10
Introduction.....	11
1 Scope.....	12
2 Normative references.....	13
3 Terms, definitions and abbreviated terms.....	14
3.1 Terms from other standards.....	14
3.2 Terms specific to the present standard	14
3.3 Abbreviated terms.....	19
4 General	22
4.1 Overview	22
4.1.1 Objective and organization.....	22
4.1.2 Interfaces with other areas	23
4.2 Physical properties	24
4.3 Test and storage.....	25
4.3.1 Test environment	25
4.3.2 Test tolerances and accuracies.....	25
4.3.3 Margins	26
4.4 Critical materials	26
5 Photovoltaic assemblies.....	27
5.1 Overview	27
5.1.1 Description.....	27
5.1.2 Purpose and objective.....	27
5.2 Conditions and method of test	28
5.3 Photovoltaic assembly design.....	29
5.3.1 Overview.....	29
5.3.2 Parameters related to parts, materials and processes (PMP).....	29
5.3.3 Parameters related to design	30
5.4 PVA manufacturing.....	34
5.4.1 Process validation	34

5.4.2	Defect acceptability	34
5.4.3	In-process testing.....	34
5.4.4	Identification and traceability	35
5.4.5	Recording	36
5.5	PVA tests.....	36
5.5.1	Qualification tests.....	36
5.5.2	Acceptance tests for qualification coupons.....	41
5.5.3	Definition of tests and checks.....	42
5.6	Failure definition	53
5.6.1	Failure criteria	53
5.6.2	Failed qualification coupons	53
5.7	Data documentation.....	53
5.8	Delivery	54
5.9	Packaging, packing, handling and storage.....	54
6	Solar cell assemblies	55
6.1	General.....	55
6.1.1	Testing	55
6.1.2	Conditions and methods of test.....	55
6.1.3	Deliverable components.....	55
6.1.4	Identification and traceability	55
6.2	Production control (process identification document)	56
6.3	Acceptance tests	56
6.3.1	General	56
6.3.2	Test methods and conditions	56
6.3.3	Electrical performance acceptance test (EPA)	57
6.4	Qualification tests	57
6.4.1	General	57
6.4.2	Qualification	59
6.4.3	Test methods, conditions and measurements	60
6.5	Failure definition	71
6.5.1	Failure criteria	71
6.5.2	Failed SCAs	72
6.6	Data documentation.....	72
6.7	Delivery	72
6.8	Packing, dispatching, handling and storage	72
6.8.1	Overview	72
6.8.2	ESD Sensitivity	72

7 Bare solar cells	73
7.1 Testing, deliverable components and marking	73
7.1.1 Testing	73
7.1.2 Deliverable components.....	74
7.1.3 Marking	74
7.2 Production control (process identification document).....	74
7.3 Acceptance tests	75
7.3.1 General.....	75
7.3.2 Test methods and conditions	76
7.3.3 Documentation.....	76
7.4 Qualification tests	77
7.4.1 General.....	77
7.4.2 Qualification	79
7.5 Test methods, conditions and measurements.....	80
7.5.1 Visual inspection (VI)	80
7.5.2 Dimensions and weight (DW).....	82
7.5.3 Electrical performance (EP)	82
7.5.4 Temperature coefficients (TC).....	83
7.5.5 Spectral response (SR).....	84
7.5.6 Optical properties (OP)	84
7.5.7 Humidity and temperature (HT).....	85
7.5.8 Coating adherence (CA)	86
7.5.9 Contact uniformity (CU).....	87
7.5.10 Contact thickness (CT).....	87
7.5.11 Surface finish (SF)	87
7.5.12 Pull test (PT)	88
7.5.13 Electron irradiation (EI)	88
7.5.14 Proton irradiation (PI)	89
7.5.15 Photon irradiation and temperature annealing (PH).....	90
7.5.16 Solar cell reverse bias test (RB)	90
7.5.17 Thermal cycling (CY).....	91
7.5.18 Active-passive interface evaluation test (IF)	91
7.5.19 Flatness test (FT).....	91
7.6 Failure definition	92
7.6.1 Failure criteria	92
7.6.2 Failed components.....	92
7.7 Data documentation.....	92

7.8	Delivery	92
7.9	Packing, dispatching, handling and storage	93
7.9.1	Overview	93
7.9.2	ESD Sensitivity	93
8	Coverglasses	94
8.1	Overview	94
8.1.1	Purpose	94
8.1.2	Description	94
8.2	Interfaces	94
8.3	Testing, deliverable components and marking	95
8.3.1	Testing	95
8.3.2	Deliverable components	95
8.3.3	Marking (coating orientation)	96
8.4	Production control (Process identification document)	96
8.5	Acceptance tests	96
8.5.1	Acceptance test samples	96
8.5.2	Acceptance test sequence	97
8.5.3	Test methods and conditions	97
8.5.4	Documentation	97
8.6	Qualification tests	98
8.6.1	General	98
8.6.2	Qualification	98
8.7	Test methods, conditions and measurements	100
8.7.1	Visual inspection (VI)	100
8.7.2	Transmission into air (TA)	101
8.7.3	Electro-optical properties (EO)	102
8.7.4	Mechanical properties	102
8.7.5	Reflectance properties (OP)	103
8.7.6	Normal emittance (e_N) (NE)	105
8.7.7	Surface resistivity	105
8.7.8	Flatness or bow (FT)	105
8.7.9	Transmission into adhesive (TH)	106
8.7.10	Boiling water test (BW)	106
8.7.11	Humidity and temperature	106
8.7.12	UV exposure (UV)	107
8.7.13	Electron irradiation (EI)	108
8.7.14	Proton irradiation (PI)	108

8.7.15	Breaking strength (BS).....	108
8.7.16	Thermal cycling (CY).....	109
8.7.17	Abrasion resistance (coated surface) (AE)	109
8.7.18	Coating adhesion (TD)	109
8.8	Failure definition	109
8.8.1	Failure criteria	109
8.8.2	Failed components.....	110
8.9	Data documentation.....	110
8.10	Delivery	110
8.11	Packing, dispatching, handling and storage	110
9	Solar cell protection diodes.....	111
9.1	Overview	111
9.2	Testing, deliverable components and marking	111
9.2.1	Testing	111
9.2.2	Deliverable components.....	113
9.2.3	Marking	113
9.3	Production control (process identification document)	113
9.3.1	Integral protection diodes	113
9.3.2	External protection diodes.....	113
9.4	Acceptance tests	114
9.4.1	General	114
9.4.2	Integral protection diodes	114
9.4.3	External protection diodes.....	114
9.4.4	External and integral diodes.....	115
9.4.5	Test methods and conditions	115
9.4.6	Documentation.....	116
9.5	Qualification tests	116
9.5.1	General	116
9.5.2	Integral protection diodes	116
9.5.3	External protection diodes.....	117
9.5.4	Integral and external protection diodes.....	118
9.6	Test methods, conditions and measurements.....	119
9.6.1	General	119
9.6.2	Visual inspection (VI)	119
9.6.3	Dimensions and weight (DW).....	120
9.6.4	Thermal cycling (CY).....	121
9.6.5	Burn in (BI).....	121

9.6.6	Humidity and temperature (HT).....	122
9.6.7	Contact uniformity (CU).....	122
9.6.8	Contact thickness (CT).....	123
9.6.9	Surface Finish (SF)	123
9.6.10	Contact adherence (CA)	123
9.6.11	Pull test (PT)	124
9.6.12	Electron irradiation (EI)	124
9.6.13	Temperature annealing (TA)	125
9.6.14	Temperature behaviour (TB).....	125
9.6.15	Diode characterization (DC).....	126
9.6.16	Human body ESD (DE)	127
9.6.17	Switching test (DS).....	128
9.6.18	Life test (DL)	130
9.7	Failure definition	132
9.7.1	Failure criteria	132
9.7.2	Failed components.....	133
9.8	Data documentation.....	133
9.9	Delivery	133
9.10	Packing, despatching, handling and storage.....	133
9.10.1	Overview.....	133
9.10.2	ESD sensitivity	133
10	Sun simulators and calibration procedures.....	134
10.1	Sun simulators	134
10.1.1	Spectral distribution.....	134
10.1.2	Irradiance uniformity.....	142
10.1.3	Irradiance stability	142
10.2	Standard cell and Sun simulator calibration	143
10.2.1	Primary standards.....	143
10.2.2	Secondary working standards (SWS).....	144
10.2.3	Standards cells documentation	145
10.2.4	Maintenance of standards	146
10.2.5	Recalibration and intercomparation.....	146
10.2.6	Sun simulator calibration and maintenance	146
11	Capacitance measurement methods	147
11.1	Single junction solar cell capacitance measurement	147
11.1.1	Overview.....	147
11.1.2	Signal measurement method	148

11.1.3 Measurement procedure	148
11.1.4 Measurement analysis	152
11.1.5 Measurement of the capacitance of a multi-junction cell	155
11.2 Time domain capacitance measurement	155
11.2.1 Overview	155
11.2.2 Measurement procedure	156
Annex A (normative) Source control drawing for photovoltaic assembly (SCD-PVA) - DRD	158
Annex B (normative) Source control drawing for solar cell assembly (SCD-SCA) - DRD	164
Annex C (normative) Source control drawing for bare solar cell (SCD-BSC) - DRD	169
Annex D (normative) Source control drawing for coverglass (SCD-CVG) - DRD	178
Annex E (normative) Source control drawing for External Protection Diodes (SCD-EPD) - DRD	184
Annex F (normative) Process identification document (PID) - DRD	188
Annex G (normative) Data documentation package (DDP) - DRD	190
Bibliography.....	193

Figures

Figure 4-1: Specification hierarchy	23
Figure 6-1: Definition of cell defects.....	61
Figure 6-2: Test points for electrical performance measurement	63
Figure 7-1: Definition of bare solar cell defects	81
Figure 8-1: Methods of defining coverglass orientation.....	96
Figure 8-2: Edge chip parameters	101
Figure 8-3: Corner chip parameters.....	101
Figure 8-4: Coverglass manufacturing tolerance limits	103
Figure 8-5: Schematic for calculating surface resistivity.....	105
Figure 8-6: Definition of coverglass flatness	106
Figure 9-1: Diode forward and reverse test profile	129
Figure 9-2: Diode switching test profile	130
Figure 11-1: Solar cell impedance measurement equipment	149
Figure 11-2: Channel balancing and reduction of the parasitic inductances.....	150

Figure 11-3: Measurement of the resistance value of the shunt in the measuring conditions (shunt in parallel with the input of the network analyser).....	151
Figure 11-4: Small signal electrical schema biased with a DC voltage associated impedance	153
Figure C-1 : BSC front side	171
Figure C-2 : BSC rear side	172
Figure C-3 : BSC contact.....	172

Tables

Table 4-1: Test tolerances on temperature	26
Table 5-1: Qualification test plan for PVA	37
Table 5-2: Acceptance test plan	42
Table 6-1: Qualification test plan for SCA.....	58
Table 6-2: Maximum dimensions of corner chips, edge chips and surface nicks	61
Table 7-1: Acceptance test matrix	75
Table 7-2: Qualification test plan for bare solar cells	78
Table 7-3: Maximum dimensions of corner chips, edge chips and surface nicks	81
Table 8-1: Qualification test plan for coverglasses.....	99
Table 9-1: Acceptance test matrix IPD	114
Table 9-2: Acceptance test matrix EPD	114
Table 9-3: Qualification test plan for integral protection diode.....	117
Table 9-4: Qualification test plan for external protection diodes.....	118
Table 9-5: Diode life test parameters.....	132
Table 10-1: AM0 solar spectral irradiance (WRC).....	135
Table 10-2: Classes of single and multi-source solar simulators.....	140
Table 10-3: Classes of solar simulators with respect to nonconformity of irradiance uniformity	142
Table 10-4: Classes of solar simulators with respect to temporal instability of irradiance...143	
Table B-1 : Minimum current requirement for solar assemblies (25 °C or operating temperature)	166
Table C-1 : Electrical performance pass-fail criteria.....	174

Foreword

This document (EN 16603-20-08:2014) has been prepared by Technical Committee CEN/CLC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16603-20-08:2014) originates from ECSS-E-ST-20-08C Rev.1.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2015, and conflicting national standards shall be withdrawn at the latest by February 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The qualification, procurement, storage and delivery of space solar arrays are defined in the dedicated solar array specification, where requirements for the solar array electrical layout, structure and mechanism are specified.

This Standard outlines the requirements for the qualification, procurement, storage and delivery of the main assemblies and components of the space solar array electrical layout: photovoltaic assemblies, solar cell assemblies, bare solar cells, coverglass and protection diodes. This Standard does not outline the requirements for the qualification, procurement, storage and delivery of the solar array subsystem, comprising the solar panels, structural parts and mechanisms.

The general requirements are covered in the main part of this Standard (clauses 5 to 11). Annex A to Annex E specify the contents of the source control drawing of photovoltaic and solar cell assemblies, bare solar cells coverglasses and protection diodes and include the inspection data, physical and electrical characteristics, other ratings and acceptance and qualification specific requirements, which can be different for each space project.

This Standard is divided into five specific subjects, each one corresponding to each assembly or component:

- Clause 5 defines requirements for photovoltaic assemblies,
- Clause 6 for solar cell assemblies,
- Clause 7 for bare solar cells,
- Clause 8 for coverglasses,
- Clause 9 for protection diodes.

Two additional clauses are dedicated to Sun simulators and calibration procedures (clause 10 and capacitance measurement methods (clause 11).

1**Scope**

This Standard specifies the general requirements for the qualification, procurement, storage and delivery of photovoltaic assemblies, solar cell assemblies, bare solar cells, coverglasses and protection diodes suitable for space applications.

This standard does not cover the particular qualification requirements for a specific mission.

This Standard primarily applies to qualification approval for photovoltaic assemblies, solar cell assemblies, bare solar cells, coverglasses and protection diodes, and to the procurement of these items.

This standard is limited to crystalline Silicon and single and multi-junction GaAs solar cells with a thickness of more than 50 µm and does not include thin film solar cell technologies and poly-crystalline solar cells.

This Standard does not cover the concentration technology, and especially the requirements related to the optical components of a concentrator (e.g. reflector and lens) and their verification (e.g. collimated light source).

This Standard does not apply to qualification of the solar array subsystem, solar panels, structure and solar array mechanisms.

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-ST-00.

2**Normative references**

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system – Glossary of terms
EN 16602-60	ECSS-Q-ST-60	Space product assurance – Electrical, electronic and electromechanical (EEE) components
EN 16602-70-06	ECSS-Q-ST-70-06	Space product assurance – Particle and UV radiation testing for space materials
EN 16602-70-09	ECSS-Q-ST-70-09	Space product assurance – Measurements of thermo-optical properties of thermal control materials
	ISO 15387:2005	Space Systems – Single junction space solar cells – Measurement and calibration procedures
	ISO 14644-1:1999	Cleanrooms and associated controlled environments – Part 1: Classification of air cleanliness
	MIL-E-12397B	Eraser, rubber pumice for testing coated optical elements
	IEC 60749-26:2006	Semiconductor devices – Mechanical and climatic test methods - Part 26: Electrostatic discharge (ESD) sensitivity testing – Human body model (HBM)
	ASTM D1193-99	Standard specification for reagent water
	ESCC 23800 Issue 1	Electrostatic Discharge Sensitivity Test Method
	ESCC 24900 Issue 2	Minimum Requirements for Controlling Environmental Contamination of Components
	DIN 53289	Testing of adhesives for metals; floating roller peel test

koniec náhľadu – text ďalej pokračuje v platenej verzii STN