

Glass in building - Adhesive backed polymeric filmed glass - Part 1: Definitions and requirements

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/15

Obsahuje: EN 15755-1:2014

120013

STN EN 15755-1: 2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 15755-1

August 2014

ICS 81.040.20; 83.140.10

English Version

Glass in building - Adhesive backed polymeric filmed glass - Part 1: Definitions and requirements

Verre dans la construction - Verre avec film polymère adhésif - Partie 1: Définitions et exigences

Glas im Bauwesen - Glas mit selbstklebender Polymerfolie -Teil 1: Begriffe und Anforderungen

This European Standard was approved by CEN on 15 May 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents Page				
Foreword4				
Introdu	Introduction5			
1	Scope	6		
2	Normative references			
3	Terms and definitions			
4	Glass substrate			
5	Product definitions	10		
5.1	General	10		
5.2	Solar control	10		
5.3	Safety	10		
5.4	Security	11		
5.4.1	General			
5.4.2	Resistance to manual attack			
5.4.3	Resistance to explosive pressure			
5.4.4	Resistance to ballistic attack			
5.5	RFI/EMI shielding			
5.6	Anti-graffiti			
5.7	Decorative			
5.8	Low emissivity			
5.9 5.10	Ultraviolet reduction			
5.10	Privacy			
6	Determination of the durability of adhesive backed polymeric filmed glass	12		
6.1	General			
6.2	Humidity test			
6.2.1	Principle			
6.2.2	Size and number of test specimens			
6.2.3	Preparation of adhesive backed polymeric filmed glass specimens			
6.2.4	Cleaning of filmed glass specimens			
6.2.5	Conditioning of test specimens			
6.2.6	Test procedure – Test without condensation			
6.2.7	Visual Inspection			
6.2.8	Determination of adhesion using peel test			
6.2.9	Assessment of results			
6.2.10	Acceptance criteria			
6.2.11	Test report			
7	Appearance	15		
7.1	General			
7.2	Detection of defects	15		
7.2.1	General	15		
7.2.2	Artificial sky			
7.2.3	Daylight illumination			
7.3	Conditions of examination			
7.3.1	General			
7.3.2	Glass substrate defects			
7.3.3	Adhesive backed polymeric film defects			
7.3.4	Adhesive backed polymeric film installation defects	18		

7.4	Acceptance criteria for adhesive backed polymeric filmed glass defects	19
8	Product information	
8.1	General	21
Annex	A (informative) Guidelines for installation of adhesive backed polymeric film	22
A.1	General	22
A.2	Wet lamination	22
A.2.1	General	22
A.2.2	General Points	22
A.2.3	Installation	22
A.2.3.1	Prepare for the installation	22
A.2.3.2	Clean the glazing	23
A.2.3.3	Install the adhesive backed polymeric film to the glazing	23
A.2.3.4	Squeegee the film – first procedure	24
A.2.3.5	Trim the film	25
A.2.3.6	Finish the squeegee process – second procedure	25
A.2.3.7	Housekeeping	25
A.2.3.8	Safety films ≥ 200µ	26
A.3	Dry installation	26
Annex	B (informative) Film to glass compatibility and thermal stress	27
Bibliog	ıraphy	28

Foreword

This document (EN 15755-1:2014) has been prepared by Technical Committee CEN/TC 129 "Glass in building", the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2015, and conflicting national standards shall be withdrawn at the latest by February 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Adhesive backed polymeric filmed glass is glass which has had its properties and performance modified by the application of adhesive backed polymeric film.

There are a number of different types of films that are manufactured to modify specific properties of glass, including: solar energy transmittance, visible light transmittance, emissivity, Ultra Violet transmittance, privacy, appearance, impact behaviour, security, electromagnetic frequency (EMF) attenuation, and surface protection.

1 Scope

This European Standard defines the characteristics, properties and classification of adhesive backed polymeric filmed glass, i.e. glass product that has had an adhesive backed polymeric film applied, for use in buildings. The adhesive backed polymeric film is based on biaxially oriented polyester film as defined in EN 15752-1. This applies to both site and factory applications.

This European Standard does not apply to adhesive backed polymeric films manufactured using polyvinylchloride (PVC).

Other requirements, not specified in this standard, may apply to adhesive backed polymeric filmed glass that is incorporated into assemblies, e.g. laminated glass or insulating glass units. The additional requirements are specified in the appropriate product standard. Adhesive backed polymeric filmed glass, in this case, does not lose its mechanical or thermal characteristics.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 356, Glass in building - Security glazing - Testing and classification of resistance against manual attack

EN 410, Glass in building - Determination of luminous and solar characteristics of glazing

EN 572-1, Glass in building - Basic soda lime silicate glass products - Part 1: Definitions and general physical and mechanical properties

EN 572-2, Glass in building - Basic soda lime silicate glass products - Part 2: Float glass

EN 572-7, Glass in building - Basic soda lime silicate glass products - Part 7: Wired or unwired channel shaped glass

EN 673, Glass in building - Determination of thermal transmittance (U value) - Calculation method

EN 1063, Glass in building - Security glazing - Testing and classification of resistance against bullet attack

EN 12600, Glass in building - Pendulum test - Impact test method and classification for flat glass

EN 12898, Glass in building - Determination of the emissivity

EN 15752-1:2014, Adhesive backed polymeric film – Definitions and description

EN 50147-1, Anechoic chambers - Part 1: Shield attenuation measurement

EN ISO 8510-2, Adhesives - Peel test for a flexible-bonded-to-rigid test specimen assembly - Part 2: 180 degree peel (ISO 8510-2)

ISO 16933, Glass in building — Explosion-resistant security glazing — Test and classification for arena airblast loading

CIE 13.3:1995, Method of Measuring and Specifying Colour Rendering Properties of Light Sources

koniec náhľadu – text ďalej pokračuje v platenej verzii STN