

Námorné navigačné a rádiokomunikačné zariadenia a systémy. Prezentácia navigačných informácií na lodných navigačných displejoch. Všeobecné požiadavky, skúšobné metódy a požadované výsledky skúšok.

STN EN 62288

32 6755

Maritime navigation and radiocommunication equipment and systems - Presentation of navigation-related information on shipborne navigational displays - General requirements, methods of testing and required test results

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/15

Obsahuje: EN 62288:2014, IEC 62288:2014

Oznámením tejto normy sa od 14.08.2017 ruší STN EN 62288 (32 6755) z júna 2009

120050

STN EN 62288: 2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN 62288**

September 2014

ICS 47.020.70

Supersedes EN 62288:2008

English Version

Maritime navigation and radiocommunication equipment and systems - Presentation of navigation-related information on shipborne navigational displays - General requirements, methods of testing and required test results (IEC 62288:2014)

Équipements et systèmes de navigation et de radiocommunications maritimes - Présentation des informations relatives à la navigation sur des affichages de navigation de bord - Exigences générales, méthodes d'essai et résultats d'essai exigibles (CEI 62288:2014)

Navigations- und Funkkommunikationsgeräte und -systeme für die Seeschifffahrt - Darstellung von navigationsbezogenen Informationen auf Navigationsanzeigen für Schiffe - Allgemeine Anforderungen, Prüfverfahren und geforderte Prüfergebnisse (IEC 62288:2014)

This European Standard was approved by CENELEC on 2014-08-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 80/733/FDIS, future edition 2 of IEC 62288, prepared by IEC/TC 80 "Maritime navigation and radiocommunication equipment and systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62288:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2017-08-14 the document have to be withdrawn

This document supersedes EN 62288:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62288:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61162	NOTE	Harmonized in EN 61162 series.
IEC 61924-2	NOTE	Harmonized as EN 61924-2.
ISO 9241-8:1997	NOTE	Harmonized as EN ISO 9241-8:1997 (not modified).
ISO 9241-12:1998	NOTE	Harmonized as EN ISO 9241-12:1998 (not modified).
ISO 13406-2:2001	NOTE	Harmonized as EN ISO 13406-2:2001 (not modified).

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	Year	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60945	2002	Maritime navigation and radiocommunication equipment and systems - General requirements - Methods of testing and required test results	EN 60945	2002
IEC 61174	-	Maritime navigation and radiocommunication equipment and systems - Electronic chart display and information system (ECDIS) - Operational and performance requirements, methods of testing and required test results	EN 61174	-
IEC 61966-4	-	Multimedia systems and equipment - Colour measurement and management - Part 4: Equipment using liquid crystal display panels	EN 61966-4	-
IEC 62065	-	Maritime navigation and radiocommunication equipment and systems - Track control systems - Operational and performance requirements, methods of testing and required test results	EN 62065	-
IEC 62388	-	Maritime navigation and radiocommunication equipment and systems - Shipborne radar - Performance requirements, methods of testing and required test results	EN 62388	-
IHO S-52	-	Specifications for Chart Content and Display Aspects of ECDIS	-	-
IHO S-52 Annex A of Appendix 2	-	IHO ECDIS presentation library	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IMO A.694(17)	1991	General requirements for shipborne radio equipment forming part of the global maritime distress and safety system (GMDSS) and for electronic navigational aids	-	-
IMO A.1021(26)	2009	Code on alerts and indicators	-	-
IMO MSC.191(79)	2004	Performance standards for the presentation of navigation-related information on shipborne navigational displays	-	-
IMO MSC.192(79)	2004	Performance standards for radar equipment	-	-
IMO MSC.232(82)	2006	Performance standards for electronic chart display and information systems (ECDIS)	-	-
IMO MSC.252(83)	2007	Performance standards for integrated navigation systems (INS)	-	-
IMO MSC.302(87)	2010	Performance standards for Bridge Alert Management (BAM)	-	-
IMO SN.1/Circ.243/ Rev.1	2014	Guidelines for the presentation of navigation-related symbols, terms and abbreviations	-	-
VESA-2001-6	-	Flat Panel Display Measurements (FPDM)	-	-



IEC 62288

Edition 2.0 2014-07

INTERNATIONAL STANDARD



Maritime navigation and radiocommunication equipment and systems – Presentation of navigation-related information on shipborne navigational displays – General requirements, methods of testing and required test results





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 62288

Edition 2.0 2014-07

INTERNATIONAL STANDARD



Maritime navigation and radiocommunication equipment and systems – Presentation of navigation-related information on shipborne navigational displays – General requirements, methods of testing and required test results

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE XF

ICS 47.020.70 ISBN 978-2-8322-1688-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	REWO	RD	7
1	Scop	e	9
2	Norm	ative references	9
3	Term	s and definitions	.10
4		ral requirements for all displays on the bridge of a ship	
	4.1	Relationship to IMO standards	
	4.2	Application of IEC 60945	
	4.2.1	Remark	
	4.2.2		
		Arrangement of information	
	4.3.1	Consistency of layout	
	4.3.2	•	
	4.3.3	Separation of operational display area	
	4.4	Readability	
	4.4.1	Readability under all ambient light conditions	.17
	4.4.2	Legibility of alphanumeric data and text	
	4.4.3	Presentation of text	
	4.4.4	Icons	20
	4.5	Colours and intensity	21
	4.5.1	Discrimination of colours – Requirement	.21
	4.5.2	Methods of test and required results	21
	4.6	Symbols	22
	4.6.1	Operational information	.22
	4.6.2	Electronic chart information	.22
	4.7	Colour coding of information	23
	4.7.1	Colour coding for discrimination	23
	4.7.2	Colour coding of information	23
	4.7.3	Colour coding in combination with other attributes	23
	4.7.4	Flashing of information	24
	4.8	Integrity marking	24
	4.8.1	Indication of source, validity and integrity status	24
	4.8.2	Colour coding of validity and integrity	24
	4.8.3	Indication of presentation failure	25
	4.9	Alerts and indications	25
	4.9.1	Operational status	25
	4.9.2	List of alerts	26
	4.9.3	Alert related information from multiple sources	27
	4.9.4	Speech output for alarms and warnings	
	4.10	Presentation mode	28
	4.10.	1 Requirement	28
	4.10.	2 Methods of test and required results	.28
	4.11	User manuals, instructions and reference guides	.28
	4.11.	•	
	4.11.	•	
5	Prese	entation of operational information	
	5.1	Application	29

6

5.2 Pres	sentation of own ship information	29
5.2.1	Graphical representation of own ship – Requirement	29
5.2.2	Methods of test and required results	29
5.3 Pres	sentation of chart information	30
5.3.1	Alteration of chart information	30
5.3.2	Colours and symbols for charted information	30
5.4 Pres	sentation of radar information	31
5.4.1	Radar video images	31
5.4.2	Target trails	32
5.5 Pres	sentation of target information	32
5.5.1	Providing target information	
5.5.2	Consistent user interface for target information	33
5.5.3	Indication of exceeding target capacity	33
5.5.4	Merging AIS targets from multiple source	33
5.5.5	Filtering sleeping AIS targets	34
5.5.6	Activation of AIS targets	35
5.5.7	Graphical presentation of targets	35
5.5.8	Target selection	37
5.5.9	Indication of target derivation	37
5.5.10	Presentation of tracked radar target information	37
5.5.11	Presentation of reported AIS target information	38
5.5.12	Continual update of target information	
5.5.13	Own ship's AIS information	39
5.5.14	Obscuring the operational display area	39
5.6 Ope	erational alerts	
5.6.1	Alert status	39
5.6.2	CPA/TCPA alarms	40
5.6.3	Acquisition/activation zones warnings	40
5.6.4	Lost target warnings	41
5.7 AIS	and radar target association	41
5.7.1	Target association	
5.7.2	AIS presentation status	42
5.7.3	Trial manoeuvre	43
5.8 Mea	surement	43
5.8.1	Measurement from own ship	43
5.8.2	Bearing and range measurements	44
5.9 Nav	igation tools	44
5.9.1	General requirements	44
5.9.2	Range rings	44
5.9.3	Variable range marker (VRM)	45
5.9.4	Bearing scale	46
5.9.5	Electronic bearing line (EBL)	46
5.9.6	Parallel index lines (PI)	47
5.9.7	Offset measurement of range and bearing	48
5.9.8	User cursor	49
Radar an	d chart displays	50
6.1 Gen	eral	50
6.1.1	Application	50
612	Multifunction displays	50

	6.1.3	Simultaneous display of radar and chart data	.51
	6.1.4	Range scales	.51
	6.1.5	Operational display area	.51
	6.1.6	Motion display modes	.52
	6.1.7	Orientation modes	52
	6.1.8	Off-centring	53
	6.1.9	Stabilisation modes	53
	6.2	Radar displays	54
	6.2.1	Application	54
	6.2.2	Radar video image	54
	6.2.3	Brightness of radar information	. 54
	6.2.4	Display of chart information on radar	.55
	6.2.5	Priority of radar information	56
	6.2.6	Display of map graphics	.56
	6.3	Chart displays	57
	6.3.1	Application	57
	6.3.2	Display of chart information	. 57
	6.3.3	IMO ECDIS display categories	.57
	6.3.4	Adding or removing information from the display	
	6.3.5	Safety contour	
	6.3.6	Safety depth	59
	6.3.7	Chart scale	59
	6.3.8	Display of radar and target information	.59
	6.3.9	Display of additional information	60
	6.4	Composite task-oriented presentations	
	6.4.1	User-configured presentations	
	6.4.2		
7	Physi	cal requirements	61
		General	
	7.2	Display adjustment	61
	7.2.1	Contrast and brightness	61
	7.2.2	Magnetic interference	62
	7.2.3	Temporal stability	62
	7.2.4	Physical controls and status indicators	63
	7.3	Screen size	63
	7.3.1	Requirement	63
	7.3.2	Method of test and required results	64
	7.4	Multicoloured display equipment	64
	7.4.1	Requirement	
	7.4.2	Method of test and required results	64
	7.5	Screen resolution	64
	7.5.1	Requirement	64
	7.5.2	Method of test and required results	
		Screen viewing angle	65
	7.6.1	Requirement	65
	7.6.2	Methods of test and required results	65
Αı	nnex A (normative) Presentation colours and symbols	.66
	A.1	Overview	66
	A.2	Purpose	66

A.3 Scope		66	
A.4 Applic	ation	66	
A.5 Naviga	ation-related symbols	66	
	tive) Guidelines for the presentation of navigation-related terminology		
and abbreviation	IS	99	
B.1 Overvi	iew	99	
B.2 Purpos	se	99	
B.3 Scope	of these guidelines	99	
B.4 Applic	ation	99	
B.5 Naviga	ation related terminology and abbreviations	99	
Annex C (information	ative) Guidance on display and dialogue design in MSC/Circ.982	106	
C.1 Overvi	iew	106	
	al		
	rements in MSC/Circ.982 related to the display design		
•	ative) Guidance on testing		
,	ds of test derived from ISO 9241-12		
	General		
	Ubservation		
	rspection of documented evidence		
	leasurement		
	nalytical evaluation		
	•		
•	ation of IEC 60945		
	isplay equipment category		
	echnical performance		
	re-conditioning for environmental tests		
	lethods of test derived from ISO 9241-12 applied for IEC 60945		
•	liance with requirements		
	ation		
	onic chart data		
`	tive) Operational controls		
	iew		
_	al grouping of data and control functions		
	for common function controls		
Annex F (normat	tive) Icons for presentation of the state of an alert	117	
Annex G (norma	tive) Testing for colours, intensity and flicker	119	
G.1 Testin	g for colours and intensity	119	
G.1.1 G	eneral	119	
G.1.2 T	est personnel	120	
G.1.3 M	lethod of test	120	
G.2 Testin	g for flicker	121	
G.2.1 O	verview	121	
G.2.2 A	nalytic model	121	
	ecision criteria		
5 , ,			
Table 1 Ambio	nt light conditions	1Ω	
	-		
	tional status		
Table 3 - AIS status			

Table A.1 – Own ship symbols	67
Table A.2 – Radar and AIS symbols	71
Table A.3 – Navigation symbols	84
Table A.4 – Navigation tools	91
Table A.5 – Other symbols	92
Table A.6 – Example of possible colour scheme	98
Table B.1 – List of standard terms and abbreviations	100
Table B.2 – List of standard units of measurement and abbreviations	105
Table C.1 – Paragraphs in MSC/Circ.982 associated with IEC 60945 requirements	106
Table C.2 – Other paragraphs in MSC/Circ.982 related to display design	107
Table C.3 – Other paragraphs in MSC/Circ.982 partially related to display design	107
Table D.1 – Methods of test applied for IEC 60945	110
Table E.1 – Top-level grouping of data and control functions for radar applications	114
Table E.2 – Top-level grouping of data and control functions for charting	114
Table E.3 – General control icons	115
Table E.4 – Task-oriented measurement control icons	115
Table E.5 – Radar specific control icons	116
Table F.1 – Alert management icons – basic	117
Table F.2 – Alert management icons – additional qualifiers	118
Table G.1 – Values of predicted energy and special coefficients	124

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – PRESENTATION OF NAVIGATION-RELATED INFORMATION ON SHIPBORNE NAVIGATIONAL DISPLAYS – GENERAL REQUIREMENTS, METHODS OF TESTING AND REQUIRED TEST RESULTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62288 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This standard supports the performance standards for the presentation of navigation-related information on shipborne navigational displays, adopted by the IMO in resolution MSC.191(79) in December 2004.

This second edition cancels and replaces the first edition published in 2008 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

• References to IBS have been removed as IMO has revoked MSC.64(67) Annex 1:1996, Performance standards for integrated bridge systems (IBS).

- Subclause 4.9 (Alerts and indicators) has been revised to align the requirements with the IMO resolutions MSC.252(83), MSC.302(87) and A.1021(26) published since MSC.191(79), together with a new Annex F for alert related icons.
- Clause 5 (Presentation of operational information) has been revised with a new requirement added for merging AIS targets from multiple sources.
- Test methods have been reviewed and further guidance on testing added to Annex D. A new normative Annex G has been added for testing of colours, intensity and flicker.
- Annex A (Presentation of colours and symbols) has been revised with AIS AtoN symbols, AIS-SART symbol and wheel over position symbol redefined, and new symbols added for AIS SAR aircraft, AIS SAR vessel, MSI and AIS application specific messages.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/733/FDIS	80/738/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

NOTE All text in this standard whose wording is identical to text contained in an IMO document is printed in *italics*. Reference to the document is noted at the beginning of the paragraph. The notation contains a prefix referring to the document and a suffix with the paragraph number from the document (for example, (MSC191/1); (SN243/1), etc.).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – PRESENTATION OF NAVIGATION-RELATED INFORMATION ON SHIPBORNE NAVIGATIONAL DISPLAYS – GENERAL REQUIREMENTS, METHODS OF TESTING AND REQUIRED TEST RESULTS

1 Scope

This International Standard specifies the general requirements, methods of testing, and required test results, for the presentation of navigation-related information on shipborne navigational displays in support of IMO resolutions MSC.191(79) and MSC.302(87).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945:2002, Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results

IEC 61174, Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results

IEC 61966-4, Multimedia systems and equipment – Colour measurement and management – Part 4: Equipment using liquid crystal display panels

IEC 62065, Maritime navigation and radiocommunication equipment and systems – Track control systems – Operational and performance requirements, methods of testing and required test results

IEC 62388, Maritime navigation and radiocommunication equipment and systems – Shipborne radar – Performance requirements, methods of testing and required test results

IHO S-52 Specifications for chart content and display aspects of ECDIS

IHO S-52 Annex A, IHO ECDIS presentation library

IMO A.694(17):1991, General requirements for shipborne radio equipment forming part of the global maritime distress and safety system (GMDSS) and for electronic navigational aids

IMO MSC.191(79):2004, Performance standards for the presentation of navigation related information on shipborne navigational displays

IMO MSC.192(79):2004, Performance standards for radar equipment

IMO MSC.232(82):2006, Revised performance standards for electronic chart display and information systems (ECDIS)

IMO SN.1/Circ.243/Rev.1:2014, Guidelines for the presentation of navigation related symbols, terms and abbreviations

IMO MSC.252(83):2007, Performance standards for integrated navigation systems (INS)

IMO MSC.302(87):2010, Performance standards for bridge alert management (BAM)

IMO A.1021(26):2009, Code on Alerts and Indications

VESA-2001-6, Flat Panel Display Measurements (FPDM)

koniec náhľadu – text ďalej pokračuje v platenej verzii STN