

STN	Priemyselné komunikačné siete. Špecifikácie prevádzkových zberníc. Časť 4-2: Špecifikácia protokolu údajovej vrstvy. Prvky typu 2.	STN EN 61158-4-2
		18 4020

Industrial communication networks - Fieldbus specifications -Part 4-2: Data-link layer protocol specification - Type 2 elements

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 03/15

Obsahuje: EN 61158-4-2:2014, IEC 61158-4-2:2014

Oznámením tejto normy sa od 19.09.2017 ruší
STN EN 61158-4-2 (18 4020) z decembra 2012

120266

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61158-4-2

October 2014

ICS 25.040.40; 35.100.20; 35.110

Supersedes EN 61158-4-2:2012

English Version

**Industrial communication networks - Fieldbus specifications -Part
 4-2: Data-link layer protocol specification - Type 2 elements
 (IEC 61158-4-2:2014)**

Réseaux de communication industriels - Spécifications des
 bus de terrain - Partie 4-2: Spécification du protocole de la
 couche liaison de données - Eléments de type 2
 (CEI 61158-4-2:2014)

Industrielle Kommunikationsnetze - Feldbusse - Teil 4-2:
 Protokollspezifikation des Data Link Layer
 (Sicherungsschicht) - Typ 2-Elemente
 (IEC 61158-4-2:2014)

This European Standard was approved by CENELEC on 2014-09-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
 Comité Européen de Normalisation Electrotechnique
 Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 65C/762/FDIS, future edition 3 of IEC 61158-4-2, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-4-2:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-06-19
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-19

This document supersedes EN 61158-4-2:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 61158-4-2:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for bibliography, the following notes have to be added for the standards indicated:

IEC 61158-1:2014	NOTE	Harmonised as EN 61158-1:2014
IEC 61158-2:2014	NOTE	Harmonised as EN 61158-2:2014
IEC 61784-1:2014	NOTE	Harmonised as EN 61784-1:2014
IEC 61784-2:2014	NOTE	Harmonised as EN 61784-2:2014

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61131-3	-	Programmable controllers - Part 3: Programming languages	EN 61131-3	-
IEC 61158-3-2	2014	Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements	EN 61158-3-2	2014
IEC 61158-5-2	2014	Industrial communication networks - Fieldbus specifications -- Part 5-2: Application layer service definition - Type 2 elements	EN 61158-5-2	2014
IEC 61158-6-2	2014	Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements	EN 61158-6-2	2014
IEC 61588	2009	Precision clock synchronization protocol for networked measurement and control systems	-	-
IEC 61784-3-2	-	Industrial communication networks - Profiles Part 3-2: Functional safety fieldbuses - Additional specifications for CPF 2	EN 61784-3-2	-
IEC 62026-3	2008	Low-voltage switchgear and controlgear - Controller-device interfaces (CDIs) Part 3: DeviceNet	EN 62026-3	2009
ISO 11898	1993 ¹	Road vehicles - Interchange of digital information - Controller area network (CAN) for high-speed communication	-	-
ISO/IEC 3309	-	Information technology - Telecommunications and information exchange between systems - High-level data link control (HDLC) procedures - Frame structure	-	-
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-

¹ Superseded by ISO 11898-1:2003 and ISO 11898-8:2003

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO/IEC 7498-3	-	Information technology - Open Systems Interconnection - Basic reference model: Naming and addressing	-	-
ISO/IEC 8802-3	-	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
IEEE 802.1D	2004	IEEE Standard for local and metropolitan area networks - Media Access Control (MAC) Bridges	-	-
IEEE 802.1Q	2005 ²⁾	IEEE Standard for Local and Metropolitan Area Networks - Virtual Bridged Local Area Networks	-	-
IEEE 802.3	2008	IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications	-	-

²⁾ Superseded by IEEE 802.1Q:2011



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 4-2: Data-link layer protocol specification – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-2: Spécification du protocole de la couche liaison de données –
Eléments de type 2**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 4-2: Data-link layer protocol specification – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-2: Spécification du protocole de la couche liaison de données – Eléments
de type 2**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX
XH

ICS 25.04€40; 35.100.20; 35.110

ISBN 978-2-8322-1720-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	10
INTRODUCTION	13
1 Scope	15
1.1 General	15
1.2 Specifications	15
1.3 Procedures	15
1.4 Applicability	16
1.5 Conformance	16
2 Normative references	16
3 Terms, definitions, symbols, abbreviations and conventions	17
3.1 Reference model terms and definitions	17
3.2 Service convention terms and definitions	19
3.3 Common terms and definitions	20
3.4 Additional Type 2 definitions	22
3.5 Type 2 symbols and abbreviations	30
3.6 Conventions for station management objects	31
4 Overview of the data-link protocol	31
4.1 General	31
4.2 Services provided by the DL	34
4.3 Structure and definition of DL-addresses	35
4.4 Services assumed from the PhL	37
4.5 Functional classes	39
5 General structure and encoding of PhIDUs and DLPDUs and related elements of procedure	40
5.1 Overview	40
5.2 Media access procedure	40
5.3 DLPDU structure and encoding	44
5.4 Lpacket components	48
5.5 DLPDU procedures	50
5.6 Summary of DLL support services and objects	51
6 Specific DLPDU structure, encoding and procedures	53
6.1 Modeling language	53
6.2 DLS user services	55
6.3 Generic tag Lpacket	61
6.4 Moderator Lpacket	62
6.5 Time distribution Lpacket	63
6.6 UCMM Lpacket	66
6.7 Keeper UCMM Lpacket	66
6.8 TUI Lpacket	67
6.9 Link parameters Lpacket and tMinus Lpacket	68
6.10 I'm-alive Lpacket	70
6.11 Ping Lpackets	71
6.12 WAMI Lpacket	73
6.13 Debug Lpacket	73
6.14 IP Lpacket	74
6.15 Ethernet Lpacket	74

7 Objects for station management	74
7.1 General	74
7.2 ControlNet object	76
7.3 Keeper object	86
7.4 Scheduling object	108
7.5 TCP/IP Interface object	119
7.6 Ethernet link object	139
7.7 DeviceNet object	149
7.8 Connection configuration object (CCO)	157
7.9 DLR object	180
7.10 QoS object	195
7.11 Port object	198
8 Other DLE elements of procedure	201
8.1 Network attachment monitor (NAM)	201
8.2 Calculating link parameters	209
9 Detailed specification of DL components	218
9.1 General	218
9.2 Access control machine (ACM)	218
9.3 TxLLC	238
9.4 RxLLC	243
9.5 Transmit machine (TxM)	247
9.6 Receive machine (RxM)	251
9.7 Serializer	257
9.8 Deserializer	260
9.9 DLL management	260
10 Device Level Ring (DLR) protocol	262
10.1 General	262
10.2 Supported topologies	263
10.3 Overview of DLR operation	264
10.4 Classes of DLR implementation	267
10.5 DLR behavior	268
10.6 Implementation requirements	273
10.7 Using non-DLR nodes in the ring network	275
10.8 Redundant gateway devices on DLR network	278
10.9 DLR messages	283
10.10 State diagrams and state-event-action matrices	289
10.11 Performance analysis	316
Annex A (normative) Indicators and switches	322
A.1 Purpose	322
A.2 Indicators	322
A.2.1 General indicator requirements	322
A.2.2 Common indicator requirements	322
A.2.3 Fieldbus specific indicator requirements (1)	324
A.2.4 Fieldbus specific indicator requirements (2)	328
A.2.5 Fieldbus specific indicator requirements (3)	331
A.3 Switches	335
A.3.1 Common switch requirements	335
A.3.2 Fieldbus specific switch requirements (1)	336

A.3.3 Fieldbus specific switch requirements (2)	336
A.3.4 Fieldbus specific switch requirements (3)	337
Bibliography.....	338
 Figure 1 – Relationships of DLSAPs, DLSAP-addresses and group DL-addresses	21
Figure 2 – Data-link layer internal architecture.....	33
Figure 3 – Basic structure of a MAC ID address.....	35
Figure 4 – Basic structure of a generic tag address	35
Figure 5 – Basic structure of a fixed tag address	36
Figure 6 – M_symbols and Manchester encoding at 5 MHz	38
Figure 7 – NUT structure	41
Figure 8 – Media access during scheduled time	42
Figure 9 – Media access during unscheduled time	43
Figure 10 – DLPDU format.....	44
Figure 11 – Aborting a DLPDU during transmission	48
Figure 12 – Lpacket format	48
Figure 13 – Generic tag Lpacket format	49
Figure 14 – Fixed tag Lpacket format.....	50
Figure 15 – Goodness parameter of TimeDist_Lpacket	64
Figure 16 – Example I'm alive processing algorithm.....	71
Figure 17 – Keeper CRC algorithm	92
Figure 18 – Keeper object power-up state diagram	103
Figure 19 – Keeper object operating state diagram	105
Figure 20 – Synchronized network change processing	108
Figure 21 – State transition diagram for TCP/IP Interface object	132
Figure 22 – State transition diagram for TCP/IP Interface object (continued)	133
Figure 23 – ACD Behavior	135
Figure 24 – State transition diagram for Ethernet Link object	149
Figure 25 – Connection configuration object edit flowchart.....	180
Figure 26 – NAM state machine	202
Figure 27 – DLR rings connected to switches.....	264
Figure 28 – Normal operation of a DLR network.....	265
Figure 29 – Beacon and Announce frames.....	265
Figure 30 – Link failure	266
Figure 31 – Network reconfiguration after link failure	267
Figure 32 – Neighbor Check process	273
Figure 33 – Unsupported topology – example 1	277
Figure 34 – Unsupported topology – example 2	277
Figure 35 – DLR ring connected to switches through redundant gateways	279
Figure 36 – DLR redundant gateway capable device.....	280
Figure 37 – Advertise frame.....	282
Figure 38 – State transition diagram for Beacon frame based non-supervisor ring node.....	290
Figure 39 – State transition diagram for Announce frame based non-supervisor ring node	295

Figure 40 – State transition diagram for ring supervisor	299
Figure 41 – State transition diagram for redundant gateway.....	312
Figure A.1 – Non redundant network status indicator labeling	328
Figure A.2 – Redundant network status indicator labeling	328
Figure A.3 – Network status indicator state diagram	331
Table 1 – Format of attribute tables	31
Table 2 – Data-link layer components	32
Table 3 – MAC ID addresses allocation	35
Table 4 – Fixed tag service definitions	36
Table 5 – Data encoding rules	37
Table 6 – M Data symbols	39
Table 7 – Truth table for ph_status_indication.....	39
Table 8 – FCS length, polynomials and constants	45
Table 9 – DLL support services and objects.....	52
Table 10 – Elementary data types.....	55
Table 11 – DLL events	59
Table 12 – Time distribution priority	65
Table 13 – Format of the TUI Lpacket.....	67
Table 14 – ControlNet object class attributes	76
Table 15 – ControlNet object instance attributes	76
Table 16 – TUI status flag bits	80
Table 17 – Mac_ver bits.....	81
Table 18 – Channel state bits	82
Table 19 – ControlNet object common services.....	83
Table 20 – ControlNet object class specific services	84
Table 21 – Keeper object revision history	86
Table 22 – Keeper object class attributes	87
Table 23 – Keeper object instance attributes	87
Table 24 – Keeper operating state definitions	90
Table 25 – Port status flag bit definitions	90
Table 26 – TUI status flag bits	91
Table 27 – Keeper attributes.....	94
Table 28 – Memory requirements (in octets) for the Keeper attributes.....	94
Table 29 – Keeper object common services	95
Table 30 – Keeper object class specific services	95
Table 31 – Service error codes	96
Table 32 – Wire order format of the TUI Lpacket.....	100
Table 33 – Service error codes	101
Table 34 – Keeper object operating states	101
Table 35 – Keeper object state event matrix	105
Table 36 – Scheduling object class attributes	109
Table 37 – Scheduling object instance attributes	109

Table 38 – Scheduling object common services	110
Table 39 – Status error descriptions for Create	111
Table 40 – Status error descriptions for Delete and Kick_Timer	112
Table 41 – Scheduling object class specific services	112
Table 42 – Status error descriptions for Read	114
Table 43 – Status error descriptions for Conditional_Write	115
Table 44 – Status error descriptions for Forced_Write	115
Table 45 – Status error descriptions for Change_Start	116
Table 46 – Status error descriptions for Break_Connections	116
Table 47 – Status error descriptions for Change_Complete	117
Table 48 – Status error descriptions for Restart_Connections	118
Table 49 – Revision history	119
Table 50 – TCP/IP Interface object class attributes	120
Table 51 – TCP/IP Interface object instance attributes	120
Table 52 – Status bits	123
Table 53 – Configuration capability bits	124
Table 54 – Configuration control bits	124
Table 55 – Example path	125
Table 56 – Interface configuration components	126
Table 57 – Alloc control values	128
Table 58 – AcdActivity values	129
Table 59 – ArpPdu - ARP Response PDU in binary format	129
Table 60 – TCP/IP Interface object common services	130
Table 61 – Get_Attribute_All reply format	130
Table 62 – Ethernet link object revision history	139
Table 63 – Ethernet link object class attributes	140
Table 64 – Ethernet link object instance attributes	140
Table 65 – Interface flags bits	143
Table 66 – Control bits	145
Table 67 – Interface type	145
Table 68 – Interface state	146
Table 69 – Admin state	146
Table 70 – Ethernet Link object common services	146
Table 71 – Get_Attribute_All reply format	147
Table 72 – Ethernet Link object class specific services	148
Table 73 – DeviceNet object revision history	150
Table 74 – DeviceNet object class attributes	150
Table 75 – DeviceNet object instance attributes	150
Table 76 – Bit rate attribute values	152
Table 77 – BOI attribute values	153
Table 78 – Diagnostic counters bit description	155
Table 79 – DeviceNet object common services	156
Table 80 – Reset service parameter	156

Table 81 – Reset service parameter values	156
Table 82 – DeviceNet object class specific services.....	157
Table 83 – Connection configuration object revision history	158
Table 84 – Connection configuration object class attributes	158
Table 85 – Format number values.....	159
Table 86 – Connection configuration object instance attributes	160
Table 87 – Originator connection status values	164
Table 88 – Target connection status values	164
Table 89 – Connection flags	165
Table 90 – I/O mapping formats	167
Table 91 – Services valid during a change operation	169
Table 92 – Connection configuration object common services.....	169
Table 93 – Get_Attribute_All Response – class level	170
Table 94 – Get_Attribute_All response – instance level.....	170
Table 95 – Set_Attribute_All error codes.....	172
Table 96 – Set_Attribute_All request.....	172
Table 97 – Create request parameters	174
Table 98 – Create error codes	174
Table 99 – Delete error codes.....	175
Table 100 – Restore error codes.....	175
Table 101 – Connection configuration object class specific services	175
Table 102 – Change_Start error codes	177
Table 103 – Get_Status service parameter	177
Table 104 – Get_Status service response	177
Table 105 – Get_Status service error codes	178
Table 106 – Change_Complete service parameter	178
Table 107 – Change_Complete service error codes	178
Table 108 – Audit_Changes service parameter	179
Table 109 – Audit_Changes service error codes	179
Table 110 – Revision history.....	181
Table 111 – DLR object class attributes	181
Table 112 – DLR object instance attributes	181
Table 113 – Network Status values	185
Table 114 – Ring Supervisor Status values	185
Table 115 – Capability flags.....	188
Table 116 – Redundant Gateway Status values	190
Table 117 – DLR object common services	191
Table 118 – Get_Attribute_All Response – Object Revision 1, non supervisor device	191
Table 119 – Get_Attribute_All Response – Object Revision 1, supervisor-capable device.....	192
Table 120 – Get_Attribute_All Response – Object Revision 2, non supervisor device	192
Table 121 – Get_Attribute_All Response – All other cases.....	193
Table 122 – DLR object class specific services	194

Table 123 – QoS object revision history	195
Table 124 – QoS object class attributes	195
Table 125 – QoS object instance attributes	196
Table 126 – Default DCSP values and usages	197
Table 127 – QoS object common services	197
Table 128 – Port object class attributes	198
Table 129 – Port object instance attributes	199
Table 130 – Port object common services	201
Table 131 – NAM states	201
Table 132 – Default link parameters	202
Table 133 – PhL timing characteristics	210
Table 134 – DLR variables	268
Table 135 – Redundant gateway variables	281
Table 136 – MAC addresses for DLR messages	283
Table 137 – IEEE 802.1Q common frame header format	284
Table 138 – DLR message payload fields	284
Table 139 – DLR frame types	284
Table 140 – Format of the Beacon frame	285
Table 141 – Ring State values	285
Table 142 – Format of the Neighbor_Check request	286
Table 143 – Format of the Neighbor_Check response	286
Table 144 – Format of the Link_Status/Neighbor_Status frame	286
Table 145 – Link/Neighbor status values	287
Table 146 – Format of the Locate_Fault frame	287
Table 147 – Format of the Announce frame	287
Table 148 – Format of the Sign_On frame	288
Table 149 – Format of the Advertise frame	288
Table 150 – Gateway state values	288
Table 151 – Format of the Flush_Tables frame	289
Table 152 – Format of the Learning_Update frame	289
Table 153 – Parameter values for Beacon frame based non-supervisor ring node	290
Table 154 – LastBcnRcvPort bit definitions	291
Table 155 – State-event-action matrix for Beacon frame based non-supervisor ring node	291
Table 156 – Parameter values for Announce frame based non-supervisor ring node	295
Table 157 – State-event-action matrix for Announce frame based non-supervisor ring node	296
Table 158 – Parameter values for ring supervisor node	299
Table 159 – LastBcnRcvPort bit definitions	300
Table 160 – State-event-action matrix for ring supervisor node	301
Table 161 – Parameter values for redundant gateway node	313
Table 162 – State-event-action matrix for redundant gateway node	314
Table 163 – Parameters/assumptions for example performance calculations	316
Table 164 – Example ring configuration parameters and performance	319

Table 165 – Variables for performance analysis	320
Table A.1 – Module status indicator	323
Table A.2 – Time Sync status indication	324
Table A.3 – Network status indicators	326
Table A.4 – Network status indicator	330
Table A.5 – Network status indicator	333
Table A.6 – Combined module/network status indicator	334
Table A.7 – I/O status indicator	335
Table A.8 – Bit rate switch encoding	337

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 4-2: Data-link layer protocol specification –
Type 2 elements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-4-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below.

- Addition of conventions in 3.6
- Updates of ControlNet object in 7.2
- Addition of missing V/NV attribute characteristic in 7.5, 7.6, 7.7
- Extensions and clarifications of TCP/IP interface object in 7.5
- Extensions and clarifications of Ethernet Link object in 7.6
- Extensions and clarifications of CCO object in 7.8
- Extensions and updates of DLR object in 7.9
- Updates of QoS object in 7.10
- Addition of Port object in 7.11
- Updates to DL state machines in 8.1 and 9.2
- Extensions and updates of DLR protocol in Clause 10
- Update of indicator behaviour in A.2.2 and A.2.3
- Miscellaneous editorial corrections

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/762/FDIS	65C/772/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementers and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents given in several subclauses as indicated in the table below. These patents are held by their respective inventors under license to ODVA, Inc:

US 5,400,331	[ODVA]	Communication network interface with screeners for incoming messages	Subclause 3.4, Clauses 4 to 9
US 5,471,461	[ODVA]	Digital communication network with a moderator station election process	
US 5,491,531	[ODVA]	Media access controller with a shared class message delivery capability	
US 5,493,571	[ODVA]	Apparatus and method for digital communications with improved delimiter detection	
US 5,537,549	[ODVA]	Communication network with time coordinated station activity by time slot and periodic interval number	
US 5,553,095	[ODVA]	Method and apparatus for exchanging different classes of data during different time intervals	
US 8,244,838	[ODVA]	Industrial controller employing the network ring topology	Clause 10

IEC takes no position concerning the evidence, validity and scope of these patent rights.

ODVA and the holders of these patent rights have assured the IEC that ODVA is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of ODVA and the holders of these patent rights is registered with IEC. Information may be obtained from:

[ODVA] ODVA, Inc.
 2370 East Stadium Boulevard #1000
 Ann Arbor, Michigan 48104
 USA
 Attention: Office of the Executive Director
 e-mail: odva@odva.org

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line databases of patents relevant to their standards. Users are encouraged to consult the databases for the most up to date information concerning patents.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-2: Data-link layer protocol specification – Type 2 elements

1 Scope

1.1 General

The data-link layer provides basic time-critical messaging communications between devices in an automation environment.

This protocol provides communication opportunities to all participating data-link entities, sequentially and in a cyclic synchronous manner. Foreground scheduled access is available for time-critical activities together with background unscheduled access for less critical activities.

Deterministic and synchronized transfers can be provided at cyclic intervals up to 1 ms and device separations of 25 km. This performance is adjustable dynamically and on-line by re-configuring the parameters of the local link whilst normal operation continues. By similar means, DL connections and new devices may be added or removed during normal operation.

This protocol provides means to maintain clock synchronization across an extended link with a precision better than 10 µs.

This protocol optimizes each access opportunity by concatenating multiple DLSDUs and associated DLPCI into a single DLPDU, thereby improving data transfer efficiency for data-link entities that actively source multiple streams of data.

The maximum system size is an unlimited number of links of 99 nodes, each with 255 DLSAP-addresses. Each link has a maximum of 2^{24} related peer and publisher DLCEPs.

1.2 Specifications

This standard specifies

- a) procedures for the timely transfer of data and control information from one data-link user entity to a peer user entity, and among the data-link entities forming the distributed data-link service provider;
- b) the structure of the fieldbus DLPDUs used for the transfer of data and control information by the protocol of this standard, and their representation as physical interface data units.

1.3 Procedures

The procedures are defined in terms of

- a) the interactions between peer DL-entities (DLEs) through the exchange of fieldbus DLPDUs;
- b) the interactions between a DL-service (DLS) provider and a DLS-user in the same system through the exchange of DLS primitives;
- c) the interactions between a DLS-provider and a Ph-service provider in the same system through the exchange of Ph-service primitives.

1.4 Applicability

These procedures are applicable to instances of communication between systems which support time-critical communications services within the data-link layer of the OSI or fieldbus reference models, and which require the ability to interconnect in an open systems interconnection environment.

Profiles provide a simple multi-attribute means of summarizing an implementation's capabilities, and thus its applicability to various time-critical communications needs.

1.5 Conformance

This standard also specifies conformance requirements for systems implementing these procedures. This standard does not contain tests to demonstrate compliance with such requirements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61131-3, *Programmable controllers – Part 3: Programming languages*

IEC 61158-3-2:2014, *Industrial communication networks – Fieldbus specifications – Part 3-2: Data-link layer service definition – Type 2 elements*

IEC 61158-5-2:2014, *Industrial communication networks – Fieldbus specifications – Part 5-2: Application layer service definition – Type 2 elements*

IEC 61158-6-2:2014, *Industrial communication networks – Fieldbus specifications – Part 6-2: Application layer protocol specification – Type 2 elements*

IEC 61588:2009, *Precision clock synchronization protocol for networked measurement and control systems*

IEC 61784-3-2, *Industrial communication networks – Profiles – Part 3-2: Functional safety fieldbuses – Additional specifications for CPF 2*

IEC 62026-3:2008, *Low-voltage switchgear and controlgear – Controller-device interfaces (CDIs) – Part 3: DeviceNet*

ISO/IEC 33091, *Information technology – Telecommunications and information exchange between systems – High-level data link control (HDLC) procedures – Frame structure*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 7498-3, *Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing*

¹ This standard has been withdrawn.

ISO/IEC 8802-3, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO 11898:1993², *Road vehicles – Interchange of digital information – Controller area network (CAN) for high-speed communication*

IEEE 802.1D-2004, *IEEE standard for local and metropolitan area networks – Media Access Control (MAC) bridges*, available at <<http://www.ieee.org>>

IEEE 802.1Q-2005², *IEEE standard for local and metropolitan area networks – Virtual bridged local area networks*, available at <<http://www.ieee.org>>

IEEE 802.3-2008, *IEEE Standard for Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications*, available at <<http://www.ieee.org>>

IETF RFC 951, *Bootstrap Protocol (BOOTP)*, available at <<http://www.ietf.org>>

IETF RFC 1213, *Management Information Base for Network Management of TCP/IP-based internets: MIB-II*, available at <<http://www.ietf.org>>

IETF RFC 1542, *Clarifications and Extensions for the Bootstrap Protocol*, available at <<http://www.ietf.org>>

IETF RFC 1643, *Definitions of Managed Objects for the Ethernet-like Interface Types*, available at <<http://www.ietf.org>>

IETF RFC 2131, *Dynamic Host Configuration Protocol*, available at <<http://www.ietf.org>>

IETF RFC 2132, *DHCP Options and BOOTP Vendor Extensions*, available at <<http://www.ietf.org>>

IETF RFC 4541, *Considerations for Internet Group Management Protocol (IGMP) and Multicast Listener Discovery (MLD) Snooping Switches*, available at <<http://www.ietf.org>>

IETF RFC 5227:2008, *IPv4 Address Conflict Detection*, available at <<http://www.ietf.org>>

koniec náhľadu – text d'alej pokračuje v platenej verzii STN

² A newer edition of this standard has been published, but only the cited edition applies.