STN	**Priemyselné komunikačné siete. Profily. Časť 1: Profily prevádzkových zberníc.**	**STN EN 61784-1** 18 4020

Industrial communication networks - Profiles - Part 1: Fieldbus profiles

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/15

Obsahuje: EN 61784-1:2014, IEC 61784-1:2014

Oznámením tejto normy sa od 23.09.2017 ruší
STN EN 61784-1 (18 4020) z júna 2011

120301

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 61784-1

October 2014

ICS 35.100.20; 35.240.50

Supersedes EN 61784-1:2010

English Version

Industrial communication networks - Profiles - Part 1: Fieldbus profiles (IEC 61784-1:2014)

Réseaux de communication industriels - Profils - Partie 1: Profils de bus de terrain (CEI 61784-1:2014)

Industrielle Kommunikationsnetze - Profile - Teil 1: Feldbusprofile (IEC 61784-1:2014)

This European Standard was approved by CENELEC on 2014-09-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2014 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN 61784-1:2014 E

Foreword

The text of document 65C/760/FDIS, future edition 4 of IEC 61784-1, prepared by IEC/TC 65C "Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61784-1:2014.

The following dates are fixed:

• latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2015-06-23
• latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2017-09-23

This document supersedes EN 61784-1:2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61784-1:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60079-14	NOTE	Harmonised as EN 60079-14.
IEC 60793 (Series)	NOTE	Harmonised as EN 60793 (Series).
IEC 61131-3	NOTE	Harmonised as EN 61131-3.
IEC 61158-1	NOTE	Harmonised as EN 61158-1.
IEC 61800-7-204	NOTE	Harmonised as EN 61800-7-204.
ISO/IEC 7498-3	NOTE	Harmonised as EN ISO/IEC 7498-1.

Annex ZA
(normative)
Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 60079-11	-	Explosive atmospheres -- Part 11: Equipment protection by intrinsic safety "i"	EN 60079-11	-
IEC 60079-25	-	Explosive atmospheres -- Part 25: Intrinsically safe electrical systems	EN 60079-25 +AC	- 2013
IEC 61010	series	Safety requirements for electrical equipment for measurement, control and laboratory use	-	series
IEC 61131-2	-	Programmable controllers -- Part 2: Equipment requirements and tests	EN 61131-2	-
IEC 61158	series	Industrial communication networks - Fieldbus specifications	EN 61158	series
IEC 61158-2	2014	Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition	EN 61158-2	2014
IEC 61158-3-1	2014	Industrial communication networks - Fieldbus specifications - Part 3-1: Data-link layer service definition - Type 1 elements	EN 61158-3-1	2014
IEC 61158-3-2	2014	Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements	EN 61158-3-2	2014
IEC 61158-3-3	2014	Industrial communication networks - Fieldbus specifications - Part 3-3: Data-link layer service definition - Type 3 elements	EN 61158-3-3	2014
IEC 61158-3-4	2014	Industrial communication networks - Fieldbus specifications - Part 3-4: Data-link layer service definition - Type 4 elements	EN 61158-3-4	2014
IEC 61158-3-7	2007	Industrial communication networks - Fieldbus specifications - Part 3-7: Data-link layer service definition - Type 7 elements	EN 61158-3-7	2008
IEC 61158-3-8	2007	Industrial communication networks - Fieldbus specifications - Part 3-8: Data-link layer service definition - Type 8 elements	EN 61158-3-8	2008
IEC 61158-3-16	2007	Industrial communication networks - Fieldbus specifications - Part 3-16: Data-link layer service definition - Type 16 elements	EN 61158-3-16	2008
IEC 61158-3-18	2007	Industrial communication networks - Fieldbus specifications - Part 3-18: Data-link layer service definition - Type 18 elements	EN 61158-3-18	2008
IEC 61158-3-19	2014	Industrial communication networks - Fieldbus specifications - Part 3-19: Data-link layer service definition - Type 19 elements	EN 61158-3-19	2014

IEC 61158-3-20	2014	Industrial communication networks - Fieldbus specifications - Part 3-20: Data-link layer service definition - Type 20 elements	EN 61158-3-20	2014
IEC 61158-3-24	2014	Industrial communication networks - Fieldbus specifications - Part 3-24: Data-link layer service definition - Type-24 elements	EN 61158-3-24	2014
IEC 61158-4-1	2014	Industrial communication networks - Fieldbus specifications - Part 4-1: Data-link layer protocol specification - Type 1 elements	EN 61158-4-1	2014
IEC 61158-4-2	2014	Industrial communication networks - Fieldbus specifications - Part 4-2: Data-link layer protocol specification - Type 2 elements	EN 61158-4-2	2014
IEC 61158-4-3	2014	Industrial communication networks - Fieldbus specifications - Part 4-3: Data-link layer protocol specification - Type 3 elements	EN 61158-4-3	2014
IEC 61158-4-4	2014	Industrial communication networks - Fieldbus specifications - Part 4-4: Data-link layer protocol specification - Type 4 elements	EN 61158-4-4	2014
IEC 61158-4-7	2007	Industrial communication networks - Fieldbus specifications - Part 4-7: Data-link layer protocol specification - Type 7 elements	EN 61158-4-7	2008
IEC 61158-4-8	2007	Industrial communication networks - Fieldbus specifications - Part 4-8: Data-link layer protocol specification - Type 8 elements	EN 61158-4-8	2008
IEC 61158-4-16	2007	Industrial communication networks - Fieldbus specifications - Part 4-16: Data-link layer protocol specification - Type 16 elements	EN 61158-4-16	2008
IEC 61158-4-16	2007	Industrial communication networks - Fieldbus specifications - Part 4-16: Data-link layer protocol specification - Type 16 elements	EN 61158-4-16	2008
IEC 61158-4-18	2010	Industrial communication networks - Fieldbus specifications -- Part 4-18: Data-link layer protocol specification - Type 18 elements	EN 61158-4-18	2012
IEC 61158-4-18	2010	Industrial communication networks - Fieldbus specifications -- Part 4-18: Data-link layer protocol specification - Type 18 elements	EN 61158-4-18	2012
IEC 61158-4-19	2014	Industrial communication networks - Fieldbus specifications - Part 4-19: Data-link layer protocol specification - Type 19 elements	EN 61158-4-19	2014
IEC 61158-4-20	2014	Industrial communication networks - Fieldbus specifications - Part 4-20: Data-link layer protocol specification - Type 20 elements	EN 61158-4-20	2014
IEC 61158-4-24	2014	Industrial communication networks - Fieldbus specifications - Part 4-24: Data-link layer protocol specification - Type 24 elements	EN 61158-4-24	2014

IEC 61158-5-2	2014	Industrial communication networks - Fieldbus specifications -- Part 5-2: Application layer service definition - Type 2 elements	EN 61158-5-2	2014
IEC 61158-5-3	2014	Industrial communication networks - Fieldbus specifications - Part 5-3: Application layer service definition - Type 3 elements	EN 61158-5-3	2014
IEC 61158-5-4	2014	Industrial communication networks - Fieldbus specifications - Part 5-4: Application layer service definition - Type 4 elements	EN 61158-5-4	2014
IEC 61158-5-5	2014	Industrial communication networks - Fieldbus specifications - Part 5-5: Application layer service definition - Type 5 elements	EN 61158-5-5	2014
IEC 61158-5-7	2007	Industrial communication networks - Fieldbus specifications - Part 5-7: Application layer service definition - Type 7 elements	EN 61158-5-7	2008
IEC 61158-5-8	2007	Industrial communication networks - Fieldbus specifications - Part 5-8: Application layer service definition - Type 8 elements	EN 61158-5-8	2008
IEC 61158-5-9	2014	Industrial communication networks - Fieldbus specifications - Part 5-9: Application layer service definition - Type 9 elements	EN 61158-5-9	2014
IEC 61158-5-16	2007	Industrial communication networks - Fieldbus specifications - Part 5-16: Application layer service definition - Type 16 elements	EN 61158-5-16	2008
IEC 61158-5-18	2010	Industrial communication networks - Fieldbus specifications -- Part 5-18: Application layer service definition - Type 18 elements	EN 61158-5-18	2012
IEC 61158-5-19	2014	Industrial communication networks - Fieldbus specifications - Part 5-19: Application layer service definition - Type 19 elements	EN 61158-5-19	2014
IEC 61158-5-20	2014	Industrial communication networks - Fieldbus specifications - Part 5-20: Application layer service definition - Type 20 elements	EN 61158-5-20	2014
IEC 61158-5-24	2014	Industrial communication networks - Fieldbus specifications - Part 5-24: Application layer service definition - Type 24 elements	EN 61158-5-24	2014
IEC 61158-6-2	2014	Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements	FprEN 61158-6-2	2014
IEC 61158-6-3	2014	Industrial communication networks - Fieldbus specifications - Part 6-3: Application layer protocol specification - Type 3 elements	EN 61158-6-3	2014
IEC 61158-6-4	2014	Industrial communication networks - Fieldbus specifications - Part 6-4: Application layer protocol specification - Type 4 elements	EN 61158-6-4	2014

IEC 61158-6-5	2014	Industrial communication networks - Fieldbus specifications - Part 6-5: Application layer protocol specification - Type 5 elements	EN 61158-6-5	2014
IEC 61158-6-7	2007	Industrial communication networks - Fieldbus specifications - Part 6-7: Application layer protocol specification - Type 7 elements	EN 61158-6-7	2008
IEC 61158-6-8	2007	Industrial communication networks - Fieldbus specifications - Part 6-8: Application layer protocol specification - Type 8 elements	EN 61158-6-8	2008
IEC 61158-6-9	2014	Industrial communication networks - Fieldbus specifications - Part 6-9: Application layer protocol specification - Type 9 elements	EN 61158-6-9	2014
IEC 61158-6-16	2007	Industrial communication networks - Fieldbus specifications - Part 6-16: Application layer protocol specification - Type 16 elements	EN 61158-6-16	2008
IEC 61158-6-18	2010	Industrial communication networks - Fieldbus specifications - Part 6-18: Application layer protocol specification - Type 18 elements	EN 61158-6-18	2012
IEC 61158-6-19	2014	Industrial communication networks - Fieldbus specifications - Part 6-19: Application layer protocol specification - Type 19 elements	EN 61158-6-19	2014
IEC 61158-6-20	2014	Industrial communication networks - Fieldbus specifications - Part 6-20: Application layer protocol specification - Type 20 elements	EN 61158-6-20	2014
IEC 61158-6-24	2014	Industrial communication networks - Fieldbus specifications - Part 6-24: Application layer protocol specification - Type-24 Elements	EN 61158-6-24	2014
IEC 61784-2	2014	Industrial communication networks - Profiles - Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3	EN 61784-2	2014
IEC 61784-5-2	2013	Industrial communication networks - Profiles -- Part 5-2: Installation of fieldbuses - Installation profiles for CPF 2	EN 61784-5-2	2013
IEC 61918 (mod)	2013	Industrial communication networks - Installation of communication networks in industrial premises	EN 61918	2013
			+AC	2014
			+AA	201X
IEC 62026-3	-	Low-voltage switchgear and controlgear Controller-device interfaces (CDIs) -- Part 3: Device Net	-	-
IEC 62591	2010	Industrial communication networks - Wireless communication network and communication profiles - WirelessHART™	EN 62591	2010
ISO 15745-3	2003	Industrial automation systems and integration - Open systems application integration framework -- Part 3: Reference description for IEC 61158 based control systems	-	-

ISO 15745-4	2003	Industrial automation systems and integration - Open systems application integration framework - Part 4: Reference description for Ethernet-based control systems	-	-
ISO/IEC 8482	-	Information technology - Telecommunications and information exchange between systems - Twisted pair multipoint interconnections	-	-
ISO/IEC 8802-2	1998	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements -- Part 2: Logical link control	-	-
ISO/IEC 8802-3	2000	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 15802-3	-	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Common specifications - Part 3: Media Access Control (MAC) Bridges	-	-
ANSI TIA/EIA-485-A		Electrical Characteristics of Generators and Receivers for Use in Balanced Digital Multipoint Systems	-	-
IEEE 802.3	2002	Information technology - Telecommunications and information exchange between systems; Local and metropolitan area networks; Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
IETF RFC 1112	-	Host Extensions for IP Multicasting	-	-
IETF RFC 1122	-	Requirements for Internet Hosts - Communication Layers	-	-
IETF RFC 1123	-	Requirements for Internet Hosts - Application and Support	-	-
IETF RFC 1127	-	A Perspective on the Host Requirements RFCs	-	-
IETF RFC 2236	-	Internet Group Management Protocol	-	-
IETF RFC 768	-	User Datagram Protocol	-	-
IETF RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 792	-	Internet Control Message Protocol	-	-
IETF RFC 793	-	Transmission Control Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 826	-	An Ethernet Address Resolution Protocol - or - Converting Network Protocol Addresses to 48.bit Ethernet Address for Transmission on Ethernet Hardware	-	-
IETF RFC 894	-	Standard for the Transmission of IP Datagrams over Ethernet Networks	-	-

IEC 61784-1

Edition 4.0 2014-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Industrial communication networks – Profiles – Part 1: Fieldbus profiles

Réseaux de communication industriels – Profils – Partie 1: Profils de bus de terrain

IEC 61784-1:2014-08(en-fr)

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue
Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org
Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

IEC 61784-1

Edition 4.0 2014-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Industrial communication networks – Profiles – Part 1: Fieldbus profiles

Réseaux de communication industriels – Profils – Partie 1: Profils de bus de terrain

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX XH

ICS 35.100.20; 35.240.50

ISBN 978-2-8322-1706-1

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FOREWORD 15
INTRODUCTION 17
1 Scope 18
2 Normative references 19
3 Definitions 23
3.1 Terms and definitions 23
3.2 Abbreviations and symbols 23
3.2.1 IEC 61158 abbreviations and symbols 23
3.2.2 Other abbreviations and symbols 24
3.3 Conventions 24
3.3.1 Conventions common to all layers 24
3.3.2 Physical layer 26
3.3.3 Data-link layer 26
3.3.4 Application layer 27
4 Conformance to communication profiles 27
5 Communication Profile Family 1 (FOUNDATION™ fieldbus) 28
5.1 General overview 28
5.2 Profile 1/1 (FOUNDATION™ H1) 29
5.2.1 Physical layer 29
5.2.2 Data-link layer 47
5.2.3 Application layer 118
5.3 Profile 1/2 (FOUNDATION™ HSE) 120
5.3.1 Physical layer 120
5.3.2 Data-link layer 120
5.3.3 Network layer 120
5.3.4 Transport layer 120
5.3.5 Application layer 120
5.4 Profile 1/3 (FOUNDATION™ H2) 121
5.4.1 Physical layer 121
5.4.2 Data-link layer 124
5.4.3 Application layer 124
6 Communication Profile Family 2 (CIP™) 124
6.1 General overview 124
6.2 Profile 2/1 (ControlNet) 125
6.2.1 Physical layer 125
6.2.2 Data-link layer 126
6.2.3 Application layer 128
6.3 Profile 2/2 (EtherNet/IP) 129
6.3.1 Physical layer 129
6.3.2 Data-link layer 130
6.3.3 Application layer 131
6.4 Profile 2/3 (DeviceNet) 133
6.4.1 Physical layer 133
6.4.2 Data-link layer 133
6.4.3 Application layer 135
7 Communication Profile Family 3 (PROFIBUS & PROFINET) 136

7.1 General overview 136
7.2 Profile 3/1 (PROFIBUS DP) 138
7.2.1 Physical layer 138
7.2.2 Data-link layer 140
7.2.3 Application layer 164
7.3 Profile 3/2 (PROFIBUS PA) 223
7.3.1 Physical layer 223
7.3.2 Data-link layer 228
7.3.3 Application layer 240
7.4 Profile 3/3 (PROFINET CBA)---*Void* 241
8 Communication Profile Family 4 (P-NET®) 241
8.1 General overview 241
8.2 Profile 4/1 (P-NET RS-485) 241
8.2.1 Physical layer 241
8.2.2 Data-link layer 242
8.2.3 Application layer 243
9 Communication Profile Family 5 (WorldFIP®) 244
9.1 General overview 244
9.2 Profile 5/1 (WorldFIP) 245
9.2.1 Physical layer 245
9.2.2 Data-link layer 247
9.2.3 Application layer 249
9.3 Profile 5/2 (WorldFIP) 255
9.3.1 Physical layer 255
9.3.2 Data-link layer 255
9.3.3 Application layer 255
9.4 Profile 5/3 (WorldFIP) 261
9.4.1 Physical layer 261
9.4.2 Data-link layer 261
9.4.3 Application layer 261
10 Communication Profile Family 6 (INTERBUS®) 262
10.1 General overview 262
10.2 Profile 6/1 263
10.2.1 Physical layer 263
10.2.2 Data-link layer 265
10.2.3 Application layer 267
10.3 Profile 6/2 268
10.3.1 Physical layer 268
10.3.2 Data-link layer 269
10.3.3 Application layer 270
10.4 Profile 6/3 271
10.4.1 Physical layer 271
10.4.2 Data-link layer 271
10.4.3 Application layer 272
11 Communication Profile Family 7 – *Void* 273
12 Communication Profile Family 8 (CC-Link) 274
12.1 General overview 274
12.1.1 General 274

12.1.2 Profile 8/1 274
12.1.3 Profile 8/2 275
12.1.4 Profile 8/3 275
12.2 Profile 8/1 275
12.2.1 Physical layer 275
12.2.2 Data-link layer 276
12.2.3 Application layer 279
12.3 Profile 8/2 282
12.3.1 Physical layer 282
12.3.2 Data-link layer 282
12.3.3 Application layer 282
12.4 Profile 8/3 282
12.4.1 Physical layer 282
12.4.2 Data-link layer 283
12.4.3 Application layer 286
13 Communication Profile Family 9 (HART®) 289
13.1 General Overview 289
13.2 Profile 9/1, HART® 289
13.2.1 Physical layer 289
13.2.2 Data-link layer 290
13.2.3 Application layer 291
13.3 Profile 9/2, WirelessHART® 292
14 Communication Profile Family 16 (SERCOS) 292
14.1 General overview 292
14.2 Profile 16/1 (SERCOS I) 292
14.2.1 Physical layer selection 292
14.2.2 Data-link layer 293
14.2.3 Application layer 294
14.3 Profile 16/2 (SERCOS II) 294
14.3.1 Physical layer 294
14.3.2 Data-link layer 295
14.3.3 Application layer 296
15 Communication Profile Family 19 (MECHATRLINK) 296
15.1 General overview 296
15.2 Profile 19/1 (MECHATROLINK-II) 296
15.2.1 Physical layer selection 296
15.2.2 Data-link layer 298
15.2.3 Application layer 307
15.3 Profile 19/2 (M-III) 313
15.3.1 Physical layer 313
15.3.2 Data-link layer 313
15.3.3 Application layer 323
Annex A (informative) Communication concepts 328
A.1 CPF 1 (FOUNDATION Fieldbus) communication concepts 328
A.1.1 Overview 328
A.1.2 Physical layer characteristics 328
A.1.3 Data-link layer characteristics 328
A.1.4 Application layer characteristics 329

A.1.5 Management characteristics 329
A.2 CPF 2 (CIP) communication concepts 329
A.2.1 Overview 329
A.2.2 CIP common characteristics 330
A.2.3 ControlNet 330
A.2.4 EtherNet/IP 331
A.2.5 DeviceNet 332
A.3 CPF 3 (PROFIBUS & PROFINET) communication concepts 332
A.3.1 Basic characteristics 332
A.3.2 Physical layer profiles 333
A.3.3 Communication feature list (GSD) 334
A.3.4 PROFINET---*Void* 334
A.4 CPF 4 (P-NET) communication concepts 334
A.5 CPF 5 (WorldFIP) communication concepts 336
A.5.1 Physical layer characteristics 336
A.5.2 Data-link layer characteristics 336
A.5.3 Application layer characteristics 336
A.6 CPF 6 (INTERBUS) communication concepts 336
A.7 CPF 8 (CC-LINK) communication concepts 338
A.7.1 Basic characteristics 338
A.7.2 Variants 338
A.8 CPF 9 (HART) communication concepts 339
A.9 CPF 16 (SERCOS) communication concepts 339
Annex B (informative) Added value of IEC 61784-1 341
Bibliography 342

Figure 1 – Communication profile families and profiles 18
Figure 2 – Example optical power budget for a 100/140 μm fiber system with a 16/16 optical passive star coupler 46
Figure 3 – CP 3/2 Slave devices usable in applications 138
Figure A.1 – Ring structure 339
Figure A.2 – Topology example 340

Table 1 – Relations of Communication Profile Families to type numbers 19
Table 2 – Layout of profile (sub)clause selection tables 24
Table 3 – Contents of (sub)clause selection tables 25
Table 4 – Layout of service selection tables 25
Table 5 – Contents of service selection tables 26
Table 6 – Layout of parameter selection tables 26
Table 7 – Contents of parameter selection tables 26
Table 8 – Layout of class attribute selection tables 27
Table 9 – Contents of class attribute selection tables 27
Table 10 – CPF 1: overview of profile sets 29
Table 11 – CP 1/1: PhL selection for communicating devices and their MAUs 29
Table 12 – CP 1/1: PhL classification of MAUs and attached devices 31

Table 13 – CP 1/1: PhL selection of Clause 16 for devices and their MAUs 32
Table 14 – CP 1/1: PhL selection of Clause 12 for devices and their MAUs 32
Table 15 – Void 33
Table 16 – CP 1/1: PhL selection of recommended IS parameters for MAU classes 111, 112, 121, 122, 511 and 512 34
Table 17 – CP 1/1: PhL selection for media components 35
Table 18 – CP 1/1: PhL selection of imperative IS parameters for media in FISCO systems 36
Table 19 – CP 1/1: PhL selection for power supplies 37
Table 20 – CP 1/1: PhL selection of power supply types 38
Table 21 – CP 1/1: PhL selection of permissible output voltage and IS parameters for FISCO power supplies 38
Table 22 – CP 1/1: PhL selection for terminators 39
Table 23 – CP 1/1: PhL selection of IS parameters for terminators 40
Table 24 – CP 1/1: PhL selection of Clause 12 for intrinsic safety barriers 41
Table 25 – CP 1/1: PhL selection of recommended IS parameters for intrinsic safety barriers and galvanic isolators (Entity model only) 42
Table 26 – CP 1/1: PhL selection of Clause 12 for intrinsically safe galvanic isolators 43
Table 27 – CP 1/1: PhL selection of Clause 15, recommended optical fiber types 44
Table 28 – CP 1/1: PhL selection of passive star couplers, recommended maximum insertion loss 44
Table 29 – CP 1/1: PhL selection of active star couplers 45
Table 30 – CP 1/1: Optical power budget considerations 45
Table 31 – CP 1/1: DLL service selection 47
Table 32 – CP 1/1: DLL service selection of Clause 5 47
Table 33 – CP 1/1: DLL service selection of 5.4 47
Table 34 – CP 1/1: DLL service selection of 5.4.1 48
Table 35 – CP 1/1: DLL service selection of 5.4.3 48
Table 36 – CP 1/1: DLL service selection of 5.4.6 49
Table 37 – CP 1/1: DLL service selection of Clause 6 50
Table 38 – CP 1/1: DLL service selection of the summary of 6.3, DL-connection QoS 51
Table 39 – CP 1/1: DLL service selection of figures 9 to 14 of 6.4 51
Table 40 – CP 1/1: DLL service selection of 6.5 52
Table 41 – CP 1/1: DLL service selection: replacement for Table 13 of 6.5 53
Table 42 – CP 1/1: DLL service selection of 6.5, replacement for Table 14 54
Table 43 – CP 1/1: DLL service selection of 6.5 for use of addresses for peer DLC 54
Table 44 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at publisher 54
Table 45 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at subscriber 54
Table 46 – CP 1/1: DLL service selection of 6.6 55
Table 47 – CP 1/1: DLL service selection: replacement for Table 15 of 6.6 55
Table 48 – CP 1/1: DLL service selection of 6.7 56
Table 49 – CP 1/1: DLL service selection of 6.7, replacement for Table 16 56
Table 50 – CP 1/1: DLL service selection of 6.7, replacement for Table 17 56

Table 51 – CP 1/1: DLL service selection of 6.7, replacement for Table 18 57
Table 52 – CP 1/1: DLL service selection of Clause 7 57
Table 53 – CP 1/1: DLL service selection of 7.5, replacement for Table 23 58
Table 54 – CP 1/1: DLL service selection of Clause 8 59
Table 55 – CP 1/1: DLL service selection of 8.5, replacement for Table 28 59
Table 56 – CP 1/1: DLL protocol selection 60
Table 57 – CP 1/1: DLL protocol selection of Clause 4 60
Table 58 – CP 1/1: DLL protocol selection of 4.3 61
Table 59 – CP 1/1: DLL protocol selection of 4.3.2.1 for use of link designators 61
Table 60 – CP 1/1: DLL protocol selection of 4.3.2.2 for use of node designators 61
Table 61 – CP 1/1: DLL protocol selection of 4.3.3.1 for predefined flat non–local DL-addresses 62
Table 62 – CP 1/1: DLL protocol selection of 4.3.3.2 for predefined flat link–local DL-addresses 62
Table 63 – CP 1/1: DLL protocol selection of 4.3.3.3 for predefined node–local DL-addresses 62
Table 64 – CP 1/1: DLL protocol selection of 4.7 63
Table 65 – CP 1/1: DLL protocol selection of 4.7.4 64
Table 66 – CP 1/1: DLL protocol selection of 4.7.5 65
Table 67 – CP 1/1: DLL protocol selection of Clause 6 66
Table 68 – CP 1/1: DLL protocol selection, replacement for Table 10 of 6.0 67
Table 69 – CP 1/1: DLL protocol selection of 6.5 68
Table 70 – CP 1/1: DLL protocol selection of 6.7 71
Table 71 – CP 1/1: DLL protocol selection of 6.8 75
Table 72 – CP 1/1: DLL protocol selection of 6.11 76
Table 73 – CP 1/1: DLL protocol selection of 6.12 76
Table 74 – CP 1/1: DLL protocol selection of 6.15 77
Table 75 – CP 1/1: DLL protocol selection of 6.20 78
Table 76 – CP 1/1: DLL protocol selection of Clause 7 79
Table 77 – CP 1/1: DLL protocol selection of 7.4 80
Table 78 – CP 1/1: DLL protocol selection of Clause 8 81
Table 79 – CP 1/1: DLL protocol selection of 8.2 82
Table 80 – CP 1/1: DLL protocol selection of 8.2.2 93
Table 81 – CP 1/1: DLL protocol selection of 8.3 105
Table 82 – CP 1/1: DLL protocol selection of 8.4 106
Table 83 – CP 1/1: DLL protocol selection of Clause 9 107
Table 84 – CP 1/1: DLL protocol selection of 9.3 108
Table 85 – CP 1/1: DLL protocol selection of 9.3.5 110
Table 86 – CP 1/1: DLL protocol selection of 9.3.5.2.2, replacement for element encoding 111
Table 87 – CP 1/1: DLL protocol selection of Clause 10 111
Table 88 – CP 1/1: DLL protocol selection of 10.2 112
Table 89 – CP 1/1: DLL protocol selection of 10.3 113
Table 90 – CP 1/1: DLL protocol selection of 10.3.7, specification of errors 115

Table 91 – CP 1/1: DLL protocol selection of 10.4 116
Table 92 – CP 1/1: DLL protocol selection of 10.5 117
Table 93 – CP 1/1: DLL protocol selection of 10.6 118
Table 94 – CP 1/1: AL service selection 118
Table 95 – CP 1/1: AL data type selection of Clause 4 119
Table 96 – CP 1/1: AL protocol selection 119
Table 97 – CP 1/2: AL service selection 120
Table 98 – CP 1/2: AL protocol selection 121
Table 99 – CP 1/3: PhL selection for H2 devices 122
Table 100 – CP 1/3: PhL selection for H2 media and related components 123
Table 101 – CPF 2: overview of profile sets 125
Table 102 – CP 2/1: PhL selection 125
Table 103 – CP 2/1: DLL service selection 126
Table 104 – CP 2/1: DLL protocol selection 127
Table 105 – CP 2/1: DLL protocol selection of management objects 128
Table 106 – CP 2/1: AL service selection 128
Table 107 – CP 2/1: AL protocol selection 129
Table 108 – CP 2/2: DLL protocol selection 130
Table 109 – CP 2/2: DLL protocol selection of management objects 131
Table 110 – CP 2/2: AL service selection 131
Table 111 – CP 2/2: AL protocol selection 132
Table 112 – CP 2/3: DLL protocol selection 134
Table 113 – CP 2/3: DLL protocol selection of management objects 134
Table 114 – CP 2/3: AL service selection 135
Table 115 – CP 2/3: AL protocol selection 136
Table 116 – CPF 3: overview of profile sets 137
Table 117 – CP 3/1: PhL selection 138
Table 118 – CP 3/1: PhL selection of Clause 3 140
Table 119 – CP 3/1: PhL selection of Clause 4 140
Table 120 – CP 3/1: General DLL service selection 140
Table 121 – CP 3/1: DLL service selection for DP-V0 master (class 1) 141
Table 122 – CP 3/1: DLM service selection for DP-V0 master (class 1) 142
Table 123 – CP 3/1: DLL service selection for DP-V1 master (class 1) 143
Table 124 – CP 3/1: DLM service selection for DP-V1 master (class 1) 144
Table 125 – CP 3/1: DLL service selection for DP-V0 master (class 2) 144
Table 126 – CP 3/1: DLL service selection for DP-V1 master (class 2) 145
Table 127 – CP 3/1: DLL service selection for DP-V0 slave 147
Table 128 – CP 3/1: DLM service selection for DP-V0 slave 148
Table 129 – CP 3/1: DLL service selection for DP-V1 slave 149
Table 130 – CP 3/1: DLM service selection for DP-V1 slave 150
Table 131 – CP 3/1: General DLL protocol selection 151
Table 132 – CP 3/1: DLL protocol selection of Clause 5 151
Table 133 – CP 3/1: DLL protocol selection of Clause 6 152

Table 134 – CP 3/1: DLL protocol selection of Clause 7 152
Table 135 – CP 3/1: Time variable selection for DP-V0 master (class 1) 153
Table 136 – CP 3/1: Timer and counter selection for DP-V0 master (class 1) 154
Table 137 – CP 3/1: DLPDU selection for DP-V0 master (class 1) 154
Table 138 – CP 3/1: MAC state selection for DP-V0 master (class 1) 155
Table 139 – CP 3/1: Time selection for DP-V1 master (class 1) 156
Table 140 – CP 3/1: Timer and counter selection for DP-V1 master (class 1) 157
Table 141 – CP 3/1: DLPDU selection for DP-V1 master (class 1) 157
Table 142 – CP 3/1: MAC state selection for DP-V1 master (class 1) 158
Table 143 – CP 3/1: CS protocol selection for DP-V1 master (class 1) 158
Table 144 – CP 3/1: Time selection for DP-V1 master (class 2) 159
Table 145 – CP 3/1: Timer and counter selection for DP-V1 master (class 2) 159
Table 146 – CP 3/1: DLPDU selection for DP-V1 master (class 2) 160
Table 147 – CP 3/1: Time selection for DP-V0 slave 160
Table 148 – CP 3/1: Timer and counter selection for DP-V0 slave 161
Table 149 – CP 3/1: DLPDU selection for DP-V0 slave 161
Table 150 – CP 3/1: MAC state selection for DP-V0 slave 162
Table 151 – CP 3/1: Time selection for DP-V1 slave 162
Table 152 – CP 3/1: Timer and counter selection for DP-V1 slave 163
Table 153 – CP 3/1: DLPDU selection for DP-V1 slave 163
Table 154 – CP 3/1: CS protocol selection for DP-V1 slave 164
Table 155 – CP 3/1, 3/2: AL service selection 164
Table 156 – CP 3/1, 3/2: AL service selection of Clause 6 165
Table 157 – CP 3/1, 3/2: AL service selection of I/O data ASE 165
Table 158 – CP 3/1, 3/2: AL service selection of Diagnosis ASE 166
Table 159 – CP 3/1, 3/2: AL service selection of Context ASE 166
Table 160 – CP 3/1, 3/2: AL service selection of Management ASE 167
Table 161 – CP 3/1, 3/2: AL service selection of AR ASE 168
Table 162 – CP 3/1, 3/2: AL service selection of Clause 6 169
Table 163 – CP 3/1, 3/2: AL service selection of Process data ASE 169
Table 164 – CP 3/1, 3/2: AL service selection of I/O data ASE 170
Table 165 – CP 3/1, 3/2: AL service selection of Alarm ASE 170
Table 166 – CP 3/1, 3/2: AL service selection of Context ASE 170
Table 167 – CP 3/1, 3/2: AL service selection of Load region ASE 171
Table 168 – CP 3/1, 3/2: AL service selection of Function invocation ASE 171
Table 169 – CP 3/1, 3/2: AL service selection of Time ASE 171
Table 170 – CP 3/1, 3/2: AL service selection of AR ASE 172
Table 171 – CP 3/1, 3/2: AL service selection of Clause 6 173
Table 172 – CP 3/1, 3/2: AL service selection of I/O data ASE 173
Table 173 – CP 3/1, 3/2: AL service selection of Diagnosis ASE 174
Table 174 – CP 3/1, 3/2: AL service selection of Context ASE 174
Table 175 – CP 3/1, 3/2: AL service selection of Management ASE 175
Table 176 – CP 3/1, 3/2: AL service selection of AR ASE 175

Table 177 – CP 3/1, 3/2: AL service selection of Clause 6 176
Table 178 – CP 3/1, 3/2: AL service selection of Process data ASE 177
Table 179 – CP 3/1, 3/2: AL service selection of Context ASE 177
Table 180 – CP 3/1, 3/2: AL service selection of Load region ASE 178
Table 181 – CP 3/1, 3/2: AL service selection of Function invocation ASE 178
Table 182 – CP 3/1, 3/2: AL service selection of Time ASE 178
Table 183 – CP 3/1, 3/2: AL service selection of AR ASE 179
Table 184 – CP 3/1, 3/2: AL service selection of Clause 6 180
Table 185 – CP 3/1, 3/2: AL service selection of I/O data ASE 181
Table 186 – CP 3/1, 3/2: AL service selection of Diagnosis ASE 182
Table 187 – CP 3/1, 3/2: AL service selection of Context ASE 183
Table 188 – CP 3/1, 3/2: AL service selection of AR ASE 184
Table 189 – CP 3/1, 3/2: AL service selection of Clause 6 185
Table 190 – CP 3/1, 3/2: AL service selection of Process data ASE 185
Table 191 – CP 3/1, 3/2: AL service selection of I/O data ASE 186
Table 192 – CP 3/1, 3/2: AL service selection of diagnosis ASE 186
Table 193 – CP 3/1, 3/2: AL service selection of Alarm ASE 187
Table 194 – CP 3/1, 3/2: AL service selection of Context ASE 187
Table 195 – CP 3/1, 3/2: AL service selection of Load region ASE 188
Table 196 – CP 3/1, 3/2: AL service selection of Function invocation ASE 188
Table 197 – CP 3/1, 3/2: AL service selection of Time ASE 188
Table 198 – CP 3/1, 3/2: AL service selection of AR ASE 189
Table 199 – CP 3/1, 3/2: AL protocol selection 190
Table 200 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11 191
Table 201 – CP 3/1, 3/2: AL protocol selection of APDUs 193
Table 202 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives 194
Table 203 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives 195
Table 204 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11 196
Table 205 – CP 3/1, 3/2: AL protocol selection of APDUs 198
Table 206 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives 199
Table 207 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives 201
Table 208 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 6 202
Table 209 – CP 3/1, 3/2: AL protocol selection of APDUs 204
Table 210 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives 205
Table 211 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives 205
Table 212 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11 206
Table 213 – CP 3/1, 3/2: AL protocol selection of APDUs 208
Table 214 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives 210
Table 215 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives 211
Table 216 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11 211
Table 217 – CP 3/1, 3/2: AL protocol selection of APDU selection 213
Table 218 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives 214
Table 219 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives 215

Table 220 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11 216
Table 221 – CP 3/1, 3/2: AL protocol selection of APDUs 218
Table 222 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives 219
Table 223 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives 221
Table 224 – CP 3/2: PhL selection 224
Table 225 – CP 3/2: PhL selection of Clause 12 for devices and their MAUs 226
Table 226 – CP 3/2: PhL selection of recommended IS parameters 227
Table 227 – CP 3/2: PhL selection of Clause 21 for devices and their MAUs 228
Table 228 – CP 3/2: General DLL protocol selection 229
Table 229 – CP 3/2: DLL protocol selection of Clause 4 229
Table 230 – CP 3/2: DLL protocol selection of Clause 5 230
Table 231 – CP 3/2: DLL protocol selection of Clause 6 230
Table 232 – CP 3/2: DLL protocol selection of Clause 7 231
Table 233 – CP 3/2: Time variable selection for DP-V0 master (class 1) 232
Table 234 – CP 3/2: Timer and counter selection for DP-V0 master (class 1) 232
Table 235 – CP 3/2: DLPDU selection for DP-V0 master (class 1) 233
Table 236 – CP 3/2: Time variable selection for DP-V1 master (class 1) 234
Table 237 – CP 3/2: Timer and counter selection for DP-V1 master (class 1) 235
Table 238 – CP 3/2: DLPDU selection for DP-V1 master (class 1) 235
Table 239 – CP 3/2: Time variable selection for DP-V1 master (class 2) 236
Table 240 – CP 3/2: Timer and counter selection for DP-V1 master (class 2) 237
Table 241 – CP 3/2: DLPDU selection for DP-V1 master (class 2) 237
Table 242 – CP 3/2: Time variable selection for DP-V0 slave 238
Table 243 – CP 3/2: Timer and counter selection for DP-V0 slave 238
Table 244 – CP 3/2: DLPDU selection for DP-V0 slave 239
Table 245 – CP 3/2: Time variable selection for DP-V1 slave 239
Table 246 – CP 3/2: Timer and counter selection for DP-V1 slave 240
Table 247 – CP 3/2: DLPDU selection for DP-V1 slave 240
Table 248 – CP 4/1: PhL selection 242
Table 249 – CP 4/1: DLL service selection 243
Table 250 – CP 4/1: DLL protocol selection 243
Table 251 – CP 4/1: AL service selection 244
Table 252 – CP 4/1: AL protocol selection 244
Table 253 – CPF 5: overview of profile sets 245
Table 254 – CPF 5: PhL selection 246
Table 255 – CPF 5: DLL service selection 247
Table 256 – CPF 5: DLL service selection of Clause 4 247
Table 257 – CPF 5: DLL protocol selection 248
Table 258 – CPF 5: DLL protocol selection of variables and resources 248
Table 259 – CPF 5: DLL protocol selection of DLPDUs 249
Table 260 – CP 5/1: AL service selection 249
Table 261 – CP 5/1: AL service selection of ASEs 250
Table 262 – CPF 5: AL service selection of MPS ASEs 250

Table 263 – CPF 5: AL service selection of variable elements 250
Table 264 – CPF 5: AL service selection of produced variable elements 251
Table 265 – CPF 5: AL service selection of consumed variable elements 251
Table 266 – CP 5/1: AL service selection of MPS services 251
Table 267 – CP 5/1, 5/2: AL service selection of A_Readloc service parameters 251
Table 268 – CP 5/1, 5/2: AL service selection of A_Readfar service parameters 252
Table 269 – CP 5/1, 5/2: AL service selection of A_Read service parameters 252
Table 270 – CP 5/1: AL service selection of MCS service classes 252
Table 271 – CP 5/1: AL service selection of QoS 252
Table 272 – CP 5/1: AL service selection of MCS services 253
Table 273 – CP 5/1, 5/2: AL service selection of A_Data parameters 253
Table 274 – CP 5/1: AL protocol selection 253
Table 275 – CPF 5/1: AL protocol selection of MPS data types 253
Table 276 – CPF 5/1: AL protocol selection of MPS PDUs 254
Table 277 – CPF 5/1: AL protocol selection of MPS encoding rules 254
Table 278 – CP 5/1, 5/2: AL protocol selection of MCS PDUs 254
Table 279 – CP 5/1: AL protocol selection of MCS state machines 255
Table 280 – CP 5/2: AL service selection 255
Table 281 – CP 5/2: AL service selection of ASEs 256
Table 282 – CP 5/2: AL service selection of MPS services 256
Table 283 – CP 5/2: AL service selection of MCS service classes 256
Table 284 – CP 5/2: AL service selection of QoS 257
Table 285 – CP 5/2: AL service selection of MCS services 257
Table 286 – CP 5/2: AL service selection of domain services 257
Table 287 – CP 5/2: AL service selection of domain object attributes 258
Table 288 – CP 5/2: AL service selection of program services 258
Table 289 – CP 5/2: AL service selection of program object attributes 258
Table 290 – CP 5/2: AL service selection of variable services 259
Table 291 – CP 5/2: AL service selection of variable classes 259
Table 292 – CP 5/2: AL service selection of variable class attributes 259
Table 293 – CP 5/2: AL protocol selection 259
Table 294 – CP 5/2: AL protocol selection of MCS state machines 260
Table 295 – CP 5/2: AL protocol selection of sub-MMS coding rules 260
Table 296 – CP 5/2: AL protocol selection of sub-MMS PDUs 261
Table 297 – CP 5/3: AL service selection 261
Table 298 – CP 5/3: AL service selection of ASEs 262
Table 299 – CP 5/3: AL protocol selection 262
Table 300 – CPF 6: device CP identifier assignment 263
Table 301 – CPF 6: PhL selection 264
Table 302 – CP 6/1: DLL service selection, assignment of DLL services to device types 266
Table 303 – CPF 6: DLL protocol selection of data widths supported by master 267
Table 304 – CP 6/1: AL service selection, assignment of AL services to device types 268
Table 305 – CP 6/2: DLL service selection, assignment of DLL services to device types 269

Table 306 – CP 6/2: AL service selection, assignment of AL services to device types 270
Table 307 – CP 6/2: AL service selection of AR-Data-Send-Acknowledge service parameters 271
Table 308 – CP 6/3: DLL service selection, assignment of DLL services to device types 272
Table 309 – CP 6/3: AL service selection, assignment of AL services to device types 273
Table 310 – CP 8/1 transmission support level 275
Table 311 – CP 8/1 PhL selection 276
Table 312 – CP 8/1 DLL services selection 277
Table 313 – CP 8/1 DLL protocol selection 278
Table 314 – CP 8/1 AL services selection 280
Table 315 – CP 8/1 AL protocol selection 281
Table 316 – CP 8/2 DLL protocol selection 282
Table 317 – CP 8/3 PhL selection 283
Table 318 – CP 8/3 DLL services selection 284
Table 319 – CP 8/3 DLL protocol selection 285
Table 320 – CP 8/3 AL services selection 287
Table 321 – CP 8/3 AL protocol selection 288
Table 322 – CP 9/1 PhL selection 290
Table 323 – CP 9/1: DLL service selection 291
Table 324 – CP 9/1: DLL protocol selection 291
Table 325 – CP 9/1: AL service selection 291
Table 326 – CP 9/1: AL protocol selection 292
Table 327 – CP 16/1: PhL selection 293
Table 328 – CP 16/1: DLL protocol selection 294
Table 329 – CP 16/1: AL service selection 294
Table 330 – CP 16/2: PhL selection 295
Table 331 – CPF 19: overview of profile sets 296
Table 332 – CP 19/1 profile: PhL selection 297
Table 333 – CP 19/1: DLL service selection 298
Table 334 – DLL service selection for C1 master of CP 19/1 299
Table 335 – DLL service selection for C2 master of CP 19//1 300
Table 336 – DLL service selection for slave of CP 19//1 301
Table 337 – CP 19/1: DLL protocol selection 302
Table 338 – DLL protocol selection for C1 master of CP 19/1 304
Table 339 – DLL protocol selection for C2 master of CP 19/1 305
Table 340 – DLL protocol selection for slave of CP 19/1 306
Table 341 – CP 19/1: AL service selection 308
Table 342 – Class selection for C1 master of CP 19/1 309
Table 343 – Master class attribute selection for C1 master of CP 19/1 309
Table 344 – Master class service selection 309
Table 345 – FDCMaster-AR class attribute selection for C1 master of CP 19/1 309
Table 346 – FDCMaster-AR class service selection 310
Table 347 – Class selection for C2 master of CP 19/1 310

Table 348 – Monitor class attribute selection for C2 master of CP 19/1 310
Table 349 – Monitor class service selection 310
Table 350 – FDCMonitor-AR class attribute selection for C2 master of CP 19/1 311
Table 351 – FDCMonitor-AR class service selection 311
Table 352 – Class selection for slave AP of CP 19/1 311
Table 353 – Slave class attribute selection for slave AP of CP 19/1 312
Table 354 – Slave class service selection 312
Table 355 – FDCSlave-AR class attribute selection for slave AP of CP 19/1 312
Table 356 – FDCSlave-AR class service selection 312
Table 357 – CP 19/1: AL protocol selection 312
Table 358 – CP 19/2: DLL service selection 313
Table 359 – DLL service selection for C1 master of CP 19/2 315
Table 360 – DLL service selection for C2 master of CP 19/2 316
Table 361 – DLL service selection for slave of CP 19/2 316
Table 362 – CP 19/2: DLL protocol selection 317
Table 363 – DLL protocol selection for C1 master of CP 19/2 319
Table 364 – DLL protocol selection for C2 master of CP 19/2 320
Table 365 – DLL protocol selection for slave of CP 19/2 322
Table 366 – CP 19/2: AL service selection 323
Table 367 – Class selection for C1 master of CP 19/2 324
Table 368 – EventManager class attribute selection for C1 master of CP 19/2 324
Table 369 – EventManager class service selection 324
Table 370 – Class selection for C2 master of CP 19/2 325
Table 371 – EventManager class attribute selection for C2 master of CP 19/2 325
Table 372 – EventManager class service selection 325
Table 373 – Class selection for slave AP of CP 19/2 326
Table 374 – EventManager class attribute selection for slave AP of CP 19/2 326
Table 375 – EventManager class service selection 326
Table 376 – CP 19/2: AL protocol selection 327
Table A.1 – Number of devices per CP16/1 and CP16/2 systems (examples) 340

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 1: Fieldbus profiles

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by their respective intellectual property right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61784-1 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2010. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- update of the dated references to the IEC 61158 series, to IEC 61784-2, to the IEC 61784-3 series, to the IEC 61784-5 series and to IEC 61918 throughout the document;
- new profile family CPF 19;
- update of selection tables for CPF 1 and CPF 9.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/760/FDIS	65C/770/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784 series, published under the general title *Industrial communication networks – Profiles*, can be found on the IEC web site

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61784 provides a set of Communication Profiles (CP) in the sense of ISO/IEC TR 10000-1. These answer the need of identifying the protocol families co-existing within the IEC 61158 series, as a result of the international harmonization of fieldbus technologies available on the market. More specifically, these profiles help to correctly state the compliance to the IEC 61158 series, and to avoid the spreading of divergent implementations, which would limit its use, clearness and understanding. Additional profiles to address specific market concerns, such as functional safety or information security, may be addressed by future parts of this standard.

This standard contains several Communication Profile Families (CPF), which specify one or more communication profiles. Such profiles identify, in a strict sense, protocol subsets of the IEC 61158 series via protocol specific communication profiles. They do not define device-type-specific communication profiles for the purpose of guiding manufacturers in feature set selection – for example, in selecting the minimum set of communication services and protocol to implement a specific class of devices, such as generic slaves or transmitters ("implementation profiles"). Neither do they define device profiles that specify communication profiles together with application functions needed to answer the need of a specific application ("application profiles").

It is agreed that these latter classes of profiles would help the use of the IEC 61158 series of standards; the profiles defined in this document are a necessary step to achieve that task.

It is also important to clarify that interoperability – defined as the ability of two or more network systems to exchange information and to make mutual use of the information that has been exchanged (see 3.2.1 of ISO/IEC TR 10000-1) – can be directly achieved on the same link only for those devices complying to the same communication profile.

Profiles contained in this International Standard are constructed of references to IEC 61158-2 and the IEC 61158-3, IEC 61158-4, IEC 61158-5 and IEC 61158-6 series, and other IS, TS or worldwide-accepted standards, as appropriate[1]. Each profile is required to reference at least one (sub)part of IEC 61158-2 through IEC 61158-6.

Two or more Profiles, which are related to a common family, are specified within a "Communication Profile Family" (CPF).

---

[1] International Standardised Profiles may contain normative references to specifications other than International Standards; see ISO/IEC JTC 1 N 4047.

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 1: Fieldbus profiles

1 Scope

This part of IEC 61784 defines a set of protocol specific communication profiles based primarily on the IEC 61158 series, to be used in the design of devices involved in communications in factory manufacturing and process control.

Each profile selects specifications for the communications protocol stack at a device. It contains a minimal set of required services at the application layer and specification of options in intermediate layers defined through references. If no application layer is included, then a minimal set of required services at the Data-link layer is specified. The appropriate references to the protocol specific types are given in each communication profile family or associated profiles.

NOTE All profiles are based on standards or draft standards or International Standards published by the IEC or from standards or International Standards established by other standards bodies or open standards processes.

The structure of communication profile families is specified in Figure 1.



Figure 1 – Communication profile families and profiles

Each profile selects an appropriate consistent and compatible subset of services and protocols from the total available set that is defined and modeled in IEC 61158. For the

selected subset of services and protocols, the profile also describes any possible or necessary constrains in parameter values.

Table 1 shows the communication profile families that are defined in this standard.

Table 1 – Relations of Communication Profile Families to type numbers

IEC 61784-1 contents			Corresponding IEC 61158 Types
CPF	**Clause**	**Communication Profile Families (Note 1)**	**Type**
1	5	Foundation® Fieldbus	1, 5, 9 (see Note 2)
2	6	CIP™	2
3	7	PROFIBUS & PROFINET	3 (see Note 3)
4	8	P-NET®	4
5	9	WorldFIP®	7
6	10	INTERBUS®	8
7	11	Has been removed based for lack of market relevance	6
8	12	CC-Link	18
9	13	HART	20
16	14	SERCOS	16
19	15	MECHATROLINK	24

NOTE 1 See the specific CPF clauses for information on the respective trademark holders.

NOTE 2 CP 1/1 has a denigrated PhL device profile subclass, which uses a variant of a Type 3 PhL.

NOTE 3 CP 3/2 has a denigrated PhL device profile subclass, which uses a variant of a Type 1 PhL.

NOTE 4 Other CPFs can be found in IEC 61784-2.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i"*

IEC 60079-25, *Explosive atmospheres – Part 25: Intrinsically safe electrical systems*

IEC 61010 (all parts), *Safety requirements for electrical equipment for measurement, control and laboratory use*

IEC 61131-2, *Programmable controllers – Part 2: Equipment requirements and tests*

IEC 61158 (all parts), *Industrial communication networks – Fieldbus specifications*

IEC 61158-2:2014, *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61158-3-1:2014, *Industrial communication networks – Fieldbus specifications – Part 3-1: Data-link layer service definition – Type 1 elements*

IEC 61158-3-2:2014, *Industrial communication networks – Fieldbus specifications – Part 3-2: Data-link layer service definition – Type 2 elements*

IEC 61158-3-3:2014, *Industrial communication networks – Fieldbus specifications – Part 3-3: Data-link layer service definition – Type 3 elements*

IEC 61158-3-4:2014, *Industrial communication networks – Fieldbus specifications – Part 3-4: Data-link layer service definition – Type 4 elements*

IEC 61158-3-7:2007, *Industrial communication networks – Fieldbus specifications – Part 3-7: Data-link layer service definition – Type 7 elements*

IEC 61158-3-8:2007, *Industrial communication networks – Fieldbus specifications – Part 3-8: Data-link layer service definition – Type 8 elements*

IEC 61158-3-16:2007, *Industrial communication networks – Fieldbus specifications – Part 3-16: Data-link layer service definition – Type 16 elements*

IEC 61158-3-18:2007, *Industrial communication networks – Fieldbus specifications – Part 3-18: Data-link layer service definition – Type 18 elements*

IEC 61158-3-19:2014, *Industrial communication networks – Fieldbus specifications – Part 3-19: Data-link layer service definition – Type 19 elements*

IEC 61158-3-20:2014, *Industrial communication networks – Fieldbus specifications – Part 3-20: Data-link layer service definition – Type 20 elements*

IEC 61158-3-24:2014, *Industrial communication networks – Fieldbus specifications – Part 3-24: Data-link layer service definition – Type 24 elements*

IEC 61158-4-1:2014, *Industrial communication networks – Fieldbus specifications – Part 4-1: Data-link layer protocol specification – Type 1 elements*

IEC 61158-4-2:2014, *Industrial communication networks – Fieldbus specifications – Part 4-2: Data-link layer protocol specification – Type 2 elements*

IEC 61158-4-3:2014, *Industrial communication networks – Fieldbus specifications – Part 4-3: Data-link layer protocol specification – Type 3 elements*

IEC 61158-4-4:2014, *Industrial communication networks – Fieldbus specifications – Part 4-4: Data-link layer protocol specification – Type 4 elements*

IEC 61158-4-7:2007, *Industrial communication networks – Fieldbus specifications – Part 4-7: Data-link layer protocol specification – Type 7 elements*

IEC 61158-4-8:2007, *Industrial communication networks – Fieldbus specifications – Part 4-8: Data-link layer protocol specification – Type 8 elements*

IEC 61158-4-16:2007, *Industrial communication networks – Fieldbus specifications – Part 4-16: Data-link layer protocol specification – Type 16 elements*

IEC 61158-4-18:2010, *Industrial communication networks – Fieldbus specifications – Part 4-18: Data-link layer protocol specification – Type 18 elements*

IEC 61158-4-19:2014, *Industrial communication networks – Fieldbus specifications – Part 4-19: Data-link layer protocol specification – Type 19 elements*

IEC 61158-4-20:2014, *Industrial communication networks – Fieldbus specifications – Part 4-20: Data-link layer protocol specification – Type 20 elements*

IEC 61158-4-24:2014, *Industrial communication networks – Fieldbus specifications – Part 4-24: Data-link layer protocol specification – Type 24 elements*

IEC 61158-5-2:2014, *Industrial communication networks – Fieldbus specifications – Part 5-2: Application layer service definition – Type 2 elements*

IEC 61158-5-3:2014, *Industrial communication networks – Fieldbus specifications – Part 5-3: Application layer service definition – Type 3 elements*

IEC 61158-5-4:2014, *Industrial communication networks – Fieldbus specifications – Part 5-4: Application layer service definition – Type 4 elements*

IEC 61158-5-5:2014, *Industrial communication networks – Fieldbus specifications – Part 5-5: Application layer service definition – Type 5 elements*

IEC 61158-5-7:2007, *Industrial communication networks – Fieldbus specifications – Part 5-7: Application layer service definition – Type 7 element*s

IEC 61158-5-8:2007, *Industrial communication networks – Fieldbus specifications – Part 5-8: Application layer service definition – Type 8 elements*

IEC 61158-5-9:2014, *Industrial communication networks – Fieldbus specifications – Part 5-9: Application layer service definition – Type 9 elements*

IEC 61158-5-16:2007, *Industrial communication networks – Fieldbus specifications – Part 5-16: Application layer service definition – Type 16 elements*

IEC 61158-5-18:2010, *Industrial communication networks – Fieldbus specifications – Part 5-18: Application layer service definition – Type 18 elements*

IEC 61158-5-19:2014, *Industrial communication networks – Fieldbus specifications – Part 5-19: Application layer service definition – Type 19 elements*

IEC 61158-5-20:2014, *Industrial communication networks – Fieldbus specifications – Part 5-20: Application layer service definition – Type 20 elements*

IEC 61158-5-24:2014, *Industrial communication networks – Fieldbus specifications – Part 5-24: Application layer service definition – Type 24 elements*

IEC 61158-6-2:2014, *Industrial communication networks – Fieldbus specifications – Part 6-2: Application layer protocol specification – Type 2 elements*

IEC 61158-6-3:2014, *Industrial communication networks – Fieldbus specifications – Part 6-3: Application layer protocol specification – Type 3 elements*

IEC 61158-6-4:2014, *Industrial communication networks – Fieldbus specifications – Part 6-4: Application layer protocol specification – Type 4 elements*

IEC 61158-6-5:2014, *Industrial communication networks – Fieldbus specifications – Part 6-5: Application layer protocol specification – Type 5 elements*

IEC 61158-6-7:2007, *Industrial communication networks – Fieldbus specifications – Part 6-7: Application layer protocol specification – Type 7 elements*

IEC 61158-6-8:2007, *Industrial communication networks – Fieldbus specifications – Part 6-8: Application layer protocol specification – Type 8 elements*

IEC 61158-6-9:2014, *Industrial communication networks – Fieldbus specifications – Part 6-9: Application layer protocol specification – Type 9 elements*

IEC 61158-6-16:2007, *Industrial communication networks – Fieldbus specifications – Part 6-16: Application layer protocol specification – Type 16 elements*

IEC 61158-6-18:2010, *Industrial communication networks – Fieldbus specifications – Part 6-18: Application layer protocol specification – Type 18 elements*

IEC 61158-6-19:2014, *Industrial communication networks – Fieldbus specifications – Part 6-19: Application layer protocol specification – Type 19 elements*

IEC 61158-6-20:2014, *Industrial communication networks – Fieldbus specifications – Part 6-20: Application layer protocol specification – Type 20 elements*

IEC 61158-6-24:2014, *Industrial communication networks – Fieldbus specifications – Part 6-24: Application layer protocol specification – Type 24 elements*

IEC 61784-2:2014, *Industrial communication networks – Profiles – Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3*

IEC 61784-5-2:2013, *Industrial communication networks – Profiles – Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2*

IEC 61918:2013, *Industrial communication networks – Installation of communication networks in industrial premises*

IEC 62026-3, *Low-voltage switchgear and controlgear – Controller-device interfaces (CDIs) – Part 3: DeviceNet*

IEC 62591:2010, *Industrial communication networks – Wireless communication network and communication profiles – WirelessHART™*

ISO/IEC 8482, *Information technology – Telecommunications and information exchange between systems – Twisted pair multipoint interconnections*

ISO/IEC 8802-2:1998, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 2: Logical link control*

ISO/IEC 8802-3:2000, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO/IEC 15802-3, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Common specifications – Part 3: Media Access Control (MAC) Bridges*

ISO 15745-3:2003, *Industrial automation systems and integration – Open systems application integration framework – Part 3: Reference description for IEC 61158-based control systems*

ISO 15745-4:2003, *Industrial automation systems and integration – Open systems application integration framework – Part 4: Reference description for Ethernet-based control systems,* Amendment 1:2006, *PROFINET profiles*

ANSI TIA/EIA-485-A:1998, *Electrical Characteristics of Generators and Receivers for Use in Balanced Digital Multipoint Systems*

IEEE 802.3-2002, *IEEE Standard for Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications*

IETF RFC 768, *User Datagram Protocol*; available at <http://www.ietf.org>

IETF RFC 791, *Internet Protocol*; available at <http://www.ietf.org>

IETF RFC 792, *Internet Control Message Protocol*; available at <http://www.ietf.org>

IETF RFC 793, *Transmission Control Protocol*; available at <http://www.ietf.org>

IETF RFC 826, *Ethernet Address Resolution Protocol*; available at <http://www.ietf.org>

IETF RFC 894, *A standard for the Transmission of IP Datagrams over Ethernet Networks*; available at <http://www.ietf.org>

IETF RFC 1112, *Host Extensions for IP Multicasting*; available at <http://www.ietf.org>

IETF RFC 1122, *Requirements for Internet Hosts – Communication Layers*; available at <http://www.ietf.org>

IETF RFC 1123, *Requirements for Internet Hosts – Application and Support*; available at <http://www.ietf.org>

IETF RFC 1127, *A Perspective on the Host Requirements RFCs*; available at <http://www.ietf.org>

IETF RFC 2236, *Internet Group Management Protocol, Version 2*; available at <http://www.ietf.org>

koniec náhľadu – text ďalej pokračuje v platenej verzii STN