

STN	Komunikačné systémy, meradlá a diaľkové odčítanie meradiel. Časť 1: Výmena dát.	STN EN 13757-1 36 5711
------------	--	--

Communication systems for meters - Part 1: Data exchange

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/15

Obsahuje: EN 13757-1:2014

Oznámením tejto normy sa ruší
STN EN 13757-1 (36 5711) z júla 2003

120379

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

English Version

Communication systems for meters - Part 1: Data exchange

Systèmes de communication et de télérelevé de compteurs
- Partie 1 : Echange de données

Kommunikationssysteme für Zähler - Teil 1:
Datenaustausch

This European Standard was approved by CEN on 30 August 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	9
Introduction	10
1 Scope	11
2 Normative references	11
3 Terms and definitions	13
4 General description and security.....	15
4.1 Basic vocabulary	15
4.2 Layered protocols.....	15
4.2.1 General.....	15
4.2.2 7 Layer Protocol.....	15
4.2.3 IP Protocol	16
4.2.4 3 Layer Protocol.....	17
4.3 Security.....	18
4.3.1 General.....	18
4.3.2 Security Requirement Analysis/ Threat Analysis.....	19
4.3.3 Key Management	19
4.3.4 COSEM Upper Layer Security	20
4.3.5 Lower Layer Security	21
5 Network Architecture	22
5.1 M/441 Mandate	22
5.2 General.....	23
5.3 Basic architecture.....	23
5.4 Metering Architecture.....	24
5.5 One unique access point at any time: a tree structure.....	26
5.6 Self-configurable network.....	26
5.7 Hand Held Unit for local access	26
5.8 Network layers	26
5.9 Multiple access	26
6 Application Layers for Metering.....	27
6.1 General.....	27
6.2 COSEM Application Layer for Metering	27
6.3 Companion Specification.....	27
6.4 COSEM Basic Principles.....	28
6.5 Management of a COSEM Device.....	29
6.6 Lower layers	29
7 Data Exchange	30
7.1 General.....	30
7.2 Data exchange using direct local connection	30
7.2.1 General.....	30
7.2.2 Security.....	31
7.2.3 Physical layer.....	31
7.2.4 Link Layer.....	31
7.3 Data exchange using wired local area network (LAN).....	31
7.3.1 General.....	31
7.3.2 Twisted pair, baseband signalling	32
7.3.3 Twisted pair, baseband limited systems.....	32
7.3.4 Twisted pair, carrier signalling.....	32
7.4 Data exchange using wide area network (WAN)	32

7.4.1	General	32
7.4.2	PSTN based connection	32
7.4.3	IP connection	36
7.5	Data exchange using M-Bus radio communication	37
7.5.1	General	37
7.5.2	Basic M- Bus radio networks	38
7.5.3	Routed M-Bus radio networks	38
7.6	Data Exchange using HDLC for some innovative communications technologies and local interfaces	38
7.6.1	General	38
7.6.2	Security.....	38
7.6.3	Physical layer.....	38
7.6.4	Link Layer.....	39
8	Upper Layer Protocols	39
8.1	Introduction.....	39
8.2	Transport sub-layer	39
8.2.1	Introduction.....	39
8.2.2	EN 62056-46 related Transport sub-layer.....	40
8.2.3	EN 62056-47 related Transport sub-layer.....	40
8.2.4	Transport sub-layer	40
8.3	Application sub-layer	42
8.3.1	Introduction.....	42
8.3.2	Application layer structure	42
8.3.3	Service specification.....	42
8.3.4	Protocol specification	43
9	Cross-application data handling.....	43
9.1	General	43
9.2	Data tunnelling.....	43
9.2.1	General	43
9.2.2	M-Bus Application Layer transferred by DLMS.....	44
9.3	Data translation	48
10	Extensions to COSEM.....	49
10.1	Introduction.....	49
10.2	Dedicated Interface classes	49
10.3	Specific object types — Error reporting object.....	56
10.3.1	Introduction.....	56
10.3.2	General error object	57
10.3.3	Media specific error object.....	58
10.3.4	Manufacturer specific error object	58
11	Object Identification System (OBIS).....	58
11.1	Object Identification System (Variable naming rules)	58
11.1.1	Introduction.....	58
11.1.2	Structure.....	58
11.1.3	Manufacturer, utility, consortia and country specific codes	59
11.1.4	Common value groups.....	60
11.2	Abstract Objects (A = 0).....	63
11.2.1	Abstract objects, general service entries	63
11.2.2	Error registers, alarm registers and alarm filters – Abstract	68
11.2.3	List objects – Abstract.....	68
11.2.4	Register table objects – Abstract	69
11.2.5	Data profile objects – Abstract	69
11.3	Media specific value groups.....	69
11.3.1	General	69
11.3.2	Value groups specific to Heat Cost Allocators	69
11.3.3	Value groups specific to Heat or Cooling Meters	73

11.3.4	Value groups specific to Gas Meters.....	79
11.3.5	Value groups specific to Water Meters (A = 8 and A = 9).....	108
11.4	Other media (Value group A = F).....	111
11.4.1	General.....	111
11.4.2	Value group C codes – Other media.....	112
11.4.3	Value group D codes – Other media.....	112
11.4.4	Value group E codes – Other media.....	112
11.4.5	Value group F codes – Other media.....	112
11.5	Code presentation.....	112
11.5.1	Reduced ID codes (e.g. for EN 62056-21).....	112
11.5.2	Display.....	113
11.5.3	Special handling of value group F.....	113
Annex A (normative) Basic class meters.....		115
A.1	General.....	115
A.2	Basic requirements for Heat Cost Allocators.....	115
A.3	Basic requirements for Heat/ Cooling meters.....	116
A.4	Basic requirements for Gas meters.....	116
A.5	Basic requirements for Cold/ Hot water meters.....	117
Annex B (informative) DLMS Glossary.....		118
B.1	Introduction.....	118
B.2	Activation mask.....	118
B.3	Activity calendar.....	118
B.4	Association LN.....	118
B.5	Association SN.....	118
B.6	Automatic capturing.....	118
B.7	Billing Period in COSEM.....	118
B.8	Capture.....	119
B.9	Channel.....	119
B.10	Clock.....	119
B.11	Current and last average value objects.....	120
B.12	Date and time.....	120
B.13	Daylight saving.....	120
B.14	Demand Register.....	120
B.15	Device ID.....	122
B.16	Error values.....	122
B.17	High level security.....	123
B.18	Interface modelling.....	123
B.19	I/O Control Signals.....	123
B.20	Interoperability.....	123
B.21	Logical device.....	123
B.22	Logical name referencing.....	124
B.23	Low level security.....	124
B.24	Manufacturer defined ID-s.....	124
B.25	Manufacturer specific abstract objects.....	124
B.26	Manufacturer specific class id.....	124
B.27	Manufacturer specific data and parameters.....	124
B.28	Manufacturer specific OBIS codes.....	125
B.29	Maximum and minimum value objects.....	125
B.30	Measurement of different media.....	125
B.31	Measurement method and tariffs.....	125
B.32	Measurement values series.....	125
B.33	Missing measurement values.....	125
B.34	Node.....	125
B.35	Password.....	126
B.36	Physical device.....	126
B.37	Power failure handling.....	126

B.38	Power failure monitoring	126
B.39	Preferred readout-values	127
B.40	Profile objects	127
B.41	Profile for billing periods	127
B.42	Profile generic interface class	127
B.43	Register interface class	127
B.44	Reset, IC Demand register	127
B.45	Reset, IC Extended register	128
B.46	Reset, IC Profile generic	128
B.47	Reset, IC Register	128
B.48	Reset, indication of source	128
B.49	Scaler	128
B.50	Scaler-unit	128
B.51	Schedule	128
B.52	Script	128
B.53	Script table interface class	129
B.54	Season	129
B.55	Selective access	129
B.56	Set date	129
B.57	Short name referencing	129
B.58	Special days table interface class	129
B.59	Standard readout definitions	129
B.60	Tariff	129
B.61	Tariffication	129
B.62	Threshold	130
B.63	Time integral value objects	130
B.64	Time setting, in relation with IC Schedule	130
B.64.1	General	130
B.64.2	Time setting forward	130
B.64.3	Time setting backward	130
B.64.4	Time synchronization	131
B.64.5	Daylight Saving	131
B.65	Time stamps (in relation with IC PSTN Auto dial)	131
B.66	Time stamp (in relation with billing periods)	131
B.67	Time synchronization	131
B.68	Unique identifier	131
B.69	Unit	131
B.70	Utility tables	134
Annex C	(informative) Gas Volume Conversion	135
C.1	Introduction	135
C.2	Foreword to abstract data model of gas volume converter	135
C.3	Abstract data model of gas volume converter — Common objects in gas conversion and energy calculation	136
C.4	Principle of measurement for volume conversion and energy calculation	137
C.5	Data flow in volume conversion and energy calculation	139
Annex D	(normative) Country specific identifiers	140
Bibliography	142
Tables		
Table 1	— Typical Client Access Levels	21
Table 2	— M-Bus Port Setup Object	44
Table 3	— Description of Class ID “Data”	45
Table 4	— Tunnelling, Value group E	46

Table 5 — M-Bus slave port setup	49
Table 6 — M-Bus client.....	51
Table 7 — Wireless Mode Q channel	55
Table 8 — M-Bus master port setup	56
Table 9 — OBIS code structure and use of value groups	59
Table 10 — Reserved OBIS codes	60
Table 11 — Value group A	61
Table 12 — Value group B	61
Table 13 — Value group C codes where A = 0 (abstract objects).....	62
Table 14 — Abstract objects, general service entries	64
Table 15 — Codes for error registers, alarm registers and alarm filters – Abstract.....	68
Table 16 — OBIS codes for list objects – Abstract	68
Table 17 — OBIS codes for register table objects – Abstract.....	69
Table 18 — OBIS codes for data profile objects – Abstract.....	69
Table 19 — Value group C codes where A = 4 (HCA objects).....	70
Table 20 — Value group D codes where A = 4, C < > 0, 96 .. 99 (HCA objects).....	71
Table 21 — OBIS codes for general and service entry objects – HCA.....	71
Table 22 — OBIS codes for error register objects – HCA.....	72
Table 23 — OBIS codes for data profile objects – HCA.....	73
Table 24 — OBIS codes for HCA related objects (examples)	73
Table 25 — Value group C codes where A = 5 or A = 6 (Heat/cooling objects)	74
Table 26 — Value group D codes where A = 5 or A = 6 and C < > 0, 96...99 (Heat/cooling objects)	75
Table 27 — OBIS codes for general and service entry objects – Heat/cooling.....	76
Table 28 — OBIS codes for error register objects – Heat/ cooling.....	78
Table 29 — OBIS codes for data profile objects – Heat/ cooling.....	78
Table 30 — OBIS codes for heat/ cooling related objects (examples)	79
Table 31 — Value group C codes where A = 7 – Gas	81
Table 32 — Value group D codes for Gas – Indexes and index differences (A = 7, C = 1...8, 11...16, 21...26, 31...36, 61...66)	84
Table 33 — Value group D codes – Gas – Flow rate: A = 7, C = 43	88
Table 34 — Value group D codes – Gas – Process values (A = 7, C = 41, 42, 44...49)	90
Table 35 — Value group D codes – Gas – Correction, conversion and compressibility values (A = 7, C = 51...55).....	93
Table 36 — Value group D codes – Gas – Natural gas analysis values (A = 7, C = 70).....	93
Table 37 — Value group E codes – Gas – Indexes and index differences – Tariff rates for A = 7, C = 1...8, 11...16, 21...26, 31...36, 61...66, D = 0...3, 6...98.....	95
Table 38 — Value group E codes – Gas – Correction, conversion and compressibility values – Averages: A = 7, C = 51...55, D = 0, 2, 3, 10, 11	95
Table 39 — Value group E codes – Gas – Calculation methods A = 7, C = 51...55, D = 12	97

Table 40 — Value group E codes – Gas – Natural gas analysis values – Averages: A = 7, C = 70, D = 8...20, 60...84	98
Table 41 — OBIS codes for general and service entry objects – Gas	99
Table 42 — OBIS codes for error register objects – Gas	106
Table 43 — OBIS codes for list objects - Gas.....	107
Table 44 — OBIS codes for data profile objects – Gas	108
Table 45 — Value group C codes where A = 8 or A = 9 (Water volume objects)	109
Table 46 — Value group D codes where A = 8 or A = 9, C < > 0, 96...99 (Water volume objects).....	109
Table 47 — OBIS codes for general and service entry objects – Water	110
Table 48 — OBIS codes for error register objects – Water	111
Table 49 — OBIS codes for data profile objects – Water	111
Table 50 — OBIS codes for water related objects (examples).....	111
Table 51 — Value group C codes – Other media.....	112
Table 52 — Example of display code replacement – Value group C.....	113
Table 53 — Value group F – Billing periods	114
Table A.1 — Basic requirements for Heat Cost Allocators	115
Table A.2 — Basic requirements for Heat/ Cooling meters	116
Table A.3 — Basic requirements for Gas meters	116
Table A.4 — Basic requirements for Cold/ Hot water meters	117
Table B.1 — Enumerated values for physical units	132
Table C.1 — OBIS-Value group A = 7, B = X, E = 0, F = FF	136
Table D.1 — Value group D codes — Country specific identifiers C = 94	140

Figures

Figure 1 — The OSI 7-layer model	16
Figure 2 — Connection method independent Application Layers	17
Figure 3 — IEC 3-layer model.....	17
Figure 4 — Link and Physical layers in the 3 layer model	18
Figure 5 — Network Architecture — The architecture diagram in CEN/CLC/ETSI TR 50572	22
Figure 6 — System and physical architecture.....	24
Figure 7 — Basic Metering architecture.....	25
Figure 8 — Scope of Companion Specifications	27
Figure 9 — Companion Specification in relation to lower layers (3 layer model)	28
Figure 10 — An interface class and its instances.....	29
Figure 11 — Full protocol stack.....	30
Figure 12 — Typical PSTN configuration.....	33
Figure 13 — The location of the Physical Layer.....	34
Figure 14 — COSEM over IP.....	36
Figure 15 — EN 60870-5-2-related Transport PDU format.....	40

Figure 16 — CI field format	41
Figure 17 — The structure of the COSEM Application Layers	42
Figure 18 — Transporting DLMS/COSEM APDU's via M-Bus	44
Figure 19 — Reduced ID code presentation	113
Figure B.1 — The generalized time concept	119
Figure B.2 — The attributes when measuring sliding demand	120
Figure B.3 — Attributes when measuring current_average_value if number of periods is 1	121
Figure B.4 — The attributes if number of periods is 3	122
Figure B.5 — The COSEM server model	126
Figure C.1 — Energy Conversion Calculation flow chart	139

Foreword

This document (EN 13757-1:2014) has been prepared by Technical Committee CEN/TC 294 “Communication systems for meters and remote reading of meters”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2015, and conflicting national standards shall be withdrawn at the latest by April 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13757-1:2002.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been revised in order to reflect the 7 – layer OSI model, significant updates in Security practices, and updates to the OBIS model to reflect the state of the art.

EN 13757 comprises the following parts:

- *Part 1: Data exchange* [the present document];
- *Part 2: Physical and link layer*;
- *Part 3: Dedicated application layer*;
- *Part 4: Wireless meter readout (Radio meter reading for operation in SRD bands)*;
- *Part 5: Wireless relaying*;
- *Part 6: Local Bus*.

This document is referred to in the CEN/CLC/ETSI TR 50572:2011, *Functional Reference Architecture for Communications in Smart Metering Systems*, as a standard for communications between elements in the Smart Metering Architecture. The M/441 Mandate, which led to the CEN/CLC/ETSI TR 50572, is driving significant development of standards in smart metering.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

There are a number of other activities taking place in the smart metering and smart grid environment. The reader's attention is drawn to M/490, the mandate for standardization for smart grid, available from http://ec.europa.eu/energy/gas_electricity/smartgrids/doc/2011_03_01_mandate_m490_en.pdf, and C(2012) 1342, "Guidelines for conducting a cost-benefit analysis of Smart Grid projects", available from http://ec.europa.eu/energy/gas_electricity/smartgrids/doc/20120427_smartgrids_guideline.pdf.

This document describes the data exchange and communications for meters and remote reading of meters in a generic way. It is Part 1 of EN 13757.

The main use of EN 13757-1 is to provide an overview of the protocols at the different levels and to provide a specification for the DLMS/COSEM application Layer for meters.

Additional parts to the series of standard EN 13757 are:

- *Part 2: Physical and link layer;*
- *Part 3: Dedicated application layer;*
- *Part 4: Wireless meter readout (radio meter reading for operation in SRD bands);*
- *Part 5: Wireless relaying;*
- *Part 6: Local Bus.*

The world of metering is going through a period of rapid change, and it is anticipated that this and other parts of the standard will require amendment in a short period of time.

NOTE 1 This document makes reference to EN 62056 standards repeatedly. An exercise is taking place to reissue and renumber these standards, and it is anticipated that CEN-listed versions of these standards will be confirmed shortly. References to older versions of these standards will be comprehensively updated as part of the response to comments to this draft.

NOTE 2 Some of the ISO/IEC documents listed under Clause 2 may be available only from ISO or IEC directly. If the document you require is not available from your national standards organization, it is recommended that you contact ISO or IEC to establish the status of the document and its availability. ISO can be contacted via www.iso.org.

NOTE 3 Clause 3 contains the terms and definitions special to remote reading of meters. Annex B is used to explain terms related to the object oriented model used in COSEM, detailed in EN 62056-6-2 and OBIS, detailed in EN 62056-6-1.

1 Scope

This European Standard specifies data exchange and communications for meters and remote reading of meters in a generic way.

This European Standard establishes a protocol specification for the Application Layer for meters and establishes several protocols for meter communications which may be applied depending on the application being fulfilled.

NOTE Electricity meters are not covered by this standard, as the standardization of remote readout of electricity meters is a task for CENELEC.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 834, *Heat cost allocators for the determination of the consumption of room heating radiators — Appliances with electrical energy supply*

EN 1434-1, *Heat meters — Part 1: General requirements*

EN 1434-2, *Heat meters — Part 2: Constructional requirements*

EN 1434-3, *Heat Meters — Part 3: Data exchange and interfaces*

EN 13757-2:2004, *Communication systems for and remote reading of meters — Part 2: Physical and link layer*

EN 13757-3:2013, *Communication systems for and remote reading of meters — Part 3: Dedicated application layer*

EN 13757-4:2013, *Communication systems for meters and remote reading of meters — Part 4: Wireless meter readout (Radio meter reading for operation in SRD bands)*

EN 13757-5:2008, *Communication systems for meters and remote reading of meters — Part 5: Wireless relaying*

EN 13757-6, *Communication systems for meters and remote reading of meters — Part 6: Local Bus*

CEN/CLC/ETSI TR 50572, *Functional Reference Architecture for Communications in Smart Metering Systems*

EN 60870-5-2, *Telecontrol equipment and systems — Part 5: Transmission protocols — Section 2: Link transmission procedures (IEC 60870-5-2)*

EN 61334-4-1, *Distribution automation using distribution line carrier systems — Part 4: Data communication protocols — Section 1: Reference model of the communication system (IEC 61334-4-1)*

EN 61334-4-41, *Distribution automation using distribution line carrier systems — Part 4: Data communication protocols — Section 41: Application protocols — Distribution line message specification (IEC 61334-4-41)*

EN 62056-3-1, *Electricity metering data exchange — The DLMS/COSEM suite — Part 3-1: Use of local area networks on twisted pair with carrier signalling (IEC 62056-3-1)*

EN 62056-5-3, *Electricity metering data exchange — The DLMS/COSEM suite — Part 5-3: DLMS/COSEM application layer (IEC 62056-5-3)*

EN 13757-1:2014 (E)

EN 62056-6-1:2013¹⁾, *Electricity metering data exchange — The DLMS/COSEM suite — Part 6-1: Object Identification System (OBIS) (IEC 62056-6-1:2013)*

EN 62056-6-2:2013¹⁾, *Electricity metering data exchange — The DLMS/COSEM suite — Part 6-2: COSEM interface classes (IEC 62056-6-2:2013)*

EN 62056-21:2002¹⁾, *Electricity metering — Data exchange for meter reading, tariff and load control — Part 21: Direct local data exchange (IEC 62056-21:2002)*

EN 62056-42¹⁾, *Electricity metering - Data exchange for meter reading, tariff and load control — Part 42: Physical layer services and procedures for connection-oriented asynchronous data exchange (IEC 62056-42)*

EN 62056-46:2002¹⁾, *Electricity metering — Data exchange for meter reading, tariff and load control — Part 46: Data link layer using HDLC protocol (IEC 62056-46:2002)*

EN 62056-47¹⁾, *Electricity metering — Data exchange for meter reading, tariff and load control — Part 47: COSEM transport layers for IPv4 networks (IEC 62056-47)*

ISO 1155, *Information processing — Use of longitudinal parity to detect errors in information messages*

ISO 1177, *Information processing — Character structure for start/stop and synchronous character oriented transmission*

ISO 1745, *Information processing — Basic mode control procedures for data communication systems*

ISO 7498-2, *Information processing systems — Open Systems Interconnection — Basic Reference Model — Part 2: Security Architecture*

ISO 9506-1, *Industrial automation systems — Manufacturing Message Specification — Part 1: Service definition*

ISO/IEC 646, *Information technology — ISO 7-bit coded character set for information interchange*

ISO/IEC 7498-1, *Information technology — Open Systems Interconnection — Basic Reference Model: The Basic Model*

ISO/IEC 8802-2, *Information technology — Telecommunications and information exchange between systems — Local and metropolitan area networks — Specific requirements — Part 2: Logical link control*

ISO/IEC 13239, *Information technology — Telecommunications and information exchange between systems — High-level data link control (HDLC) procedures*

ISO/IEC 15408 (all parts), *Information technology — Security techniques — Evaluation criteria for IT security*

ISO/IEC 15953, *Information technology — Open Systems Interconnection — Service definition for the Application Service Object Association Control Service Element*

ISO/IEC 15954, *Information technology — Open Systems Interconnection — Connection-mode protocol for the Application Service Object Association Control Service Element*

ISO/IEC 27033 (all parts), *Information technology — Security techniques — Network security*

IETF RFC 791, *Internet Protocol — Darpa Internet Program — Protocol Specification [IPv4 Network Layer]*

1) The EN 62056 series of standards are in the process of revision/renumbering.

IETF RFC 793, *Transmission Control Protocol — Darpa Internet Program — Protocol Specification*

IETF RFC 768, *User Datagram Protocol*

IETF RFC 2460, *Internet Protocol, Version 6 (IPv6) — Specification*

IETF RFC 4301, *Security Architecture for the Internet Protocol [IPsec]*

IETF RFC 5246, *The Transport Layer Security (TLS) Protocol — Version 1.2*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN