

| | | |
|------------|--|---|
| STN | <p>Elektromagnetická kompatibilita a záležitosti rádiového spektra (ERM). Sietové zariadenia s krátkym dosahom (SRD). Rádiové zariadenia na použitie vo frekvenčnom rozsahu od 870 MHz do 876 MHz s vyžiereným výkonom do 500 mW. Časť 2: Harmonizovaná EN vztahujúca sa na základné požiadavky podľa článku 3.2 smernice R&TTE</p> | <p>STN EN 303 204-2 V1.1.1</p> |
| | | 87 3204 |

Electromagnetic compatibility and Radio spectrum Matters (ERM); Network Based Short Range Devices (SRD); Radio equipment to be used in the 870 MHz to 876 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/15

Obsahuje: EN 303 204-2 V1.1.1:2014

120578

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

ETSI EN 303 204-2 V1.1.1 (2014-10)



**Electromagnetic compatibility and
Radio spectrum Matters (ERM);
Network Based Short Range Devices (SRD);
Radio equipment to be used in the 870 MHz to 876 MHz
frequency range with power levels ranging up to 500 mW;
Part 2: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

Reference

DEN/ERM-TG28-504

Keywords

radio, regulation, SRD

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

| | |
|---|----|
| Intellectual Property Rights | 5 |
| Foreword..... | 5 |
| Modal verbs terminology..... | 5 |
| Introduction | 5 |
| 1 Scope | 6 |
| 2 References | 6 |
| 2.1 Normative references | 6 |
| 2.2 Informative references..... | 6 |
| 3 Definitions, symbols and abbreviations | 7 |
| 3.1 Definitions | 7 |
| 3.2 Symbols | 7 |
| 3.3 Abbreviations | 7 |
| 4 Technical requirements specifications | 7 |
| 4.1 Environmental profile..... | 7 |
| 4.2 Conformance requirements | 7 |
| 4.2.1 Transmitter requirements..... | 7 |
| 4.2.1.1 Frequency Tolerance..... | 7 |
| 4.2.1.1.1 Limits | 7 |
| 4.2.1.1.2 Conformance | 7 |
| 4.2.1.2 Average power (conducted)..... | 8 |
| 4.2.1.2.1 Limits | 8 |
| 4.2.1.2.2 Conformance | 8 |
| 4.2.1.3 Effective radiated power | 8 |
| 4.2.1.3.1 Limits | 8 |
| 4.2.1.3.2 Conformance | 8 |
| 4.2.1.4 Transient power..... | 8 |
| 4.2.1.4.1 Limits | 8 |
| 4.2.1.4.2 Conformance | 8 |
| 4.2.1.5 Occupied bandwidth..... | 8 |
| 4.2.1.5.1 Limits | 8 |
| 4.2.1.5.2 Conformance | 8 |
| 4.2.1.6 Unwanted emissions in the out-of-band domain | 8 |
| 4.2.1.6.1 Limits | 8 |
| 4.2.1.6.2 Conformance | 9 |
| 4.2.1.7 Unwanted emissions in the spurious domain | 9 |
| 4.2.1.7.1 Limits | 9 |
| 4.2.1.7.2 Conformance | 9 |
| 4.2.1.8 Frequency stability under low-voltage conditions | 9 |
| 4.2.1.8.1 Limits | 9 |
| 4.2.1.8.2 Conformance | 9 |
| 4.2.1.9 Duty cycle | 9 |
| 4.2.1.9.1 Limits | 9 |
| 4.2.1.9.2 Conformance | 9 |
| 4.2.1.10 Automatic/Adaptive Power Control..... | 9 |
| 4.2.1.10.1 Limits | 9 |
| 4.2.1.10.2 Conformance | 9 |
| 4.2.2 Receiver requirements | 10 |
| 4.2.2.1 Receiver sensitivity | 10 |
| 4.2.2.1.1 Limits | 10 |
| 4.2.2.1.2 Conformance | 10 |
| 4.2.2.2 Clear channel assessment threshold | 10 |
| 4.2.2.2.1 Limits | 10 |
| 4.2.2.2.2 Conformance | 10 |

| | | |
|-------------------------------|--|-----------|
| 4.2.2.3 | Blocking | 10 |
| 4.2.2.3.1 | Limits | 10 |
| 4.2.2.3.2 | Conformance | 10 |
| 4.2.2.4 | Receiver spurious radiations | 10 |
| 4.2.2.4.1 | Limits | 10 |
| 4.2.2.4.2 | Conformance | 10 |
| 4.2.3 | Polite spectrum access | 10 |
| 4.2.3.1 | Listen before talk | 10 |
| 4.2.3.1.1 | Limits | 11 |
| 4.2.3.1.2 | Conformance | 11 |
| 4.2.3.2 | Short control signalling transmissions | 11 |
| 4.2.3.2.1 | Limits | 11 |
| 4.2.3.2.2 | Conformance | 11 |
| 4.2.3.3 | Channel adaptivity | 11 |
| 4.2.3.3.1 | Limits | 11 |
| 4.2.3.3.2 | Conformance | 11 |
| 4.2.3.4 | Coordination of network relay points..... | 11 |
| 4.2.3.4.1 | Limits | 11 |
| 4.2.3.4.2 | Conformance | 11 |
| 5 | Testing for compliance with technical requirements..... | 11 |
| 5.1 | Environmental conditions for testing | 11 |
| 5.1.1 | Presentation for testing | 12 |
| 5.1.2 | Test conditions..... | 12 |
| 5.2 | Interpretation of the measurement results | 12 |
| 5.3 | Essential radio test suites..... | 12 |
| 5.3.1 | Transmitter test suites | 12 |
| 5.3.1.1 | Frequency tolerance | 12 |
| 5.3.1.2 | Average power (conducted) | 12 |
| 5.3.1.3 | Effective radiated power | 12 |
| 5.3.1.4 | Transient power..... | 12 |
| 5.3.1.5 | Occupied bandwidth..... | 12 |
| 5.3.1.6 | Unwanted emissions in the out-of-band domain | 12 |
| 5.3.1.7 | Unwanted emissions in the spurious domain | 12 |
| 5.3.1.8 | Frequency stability under low-voltage conditions | 12 |
| 5.3.1.9 | Duty cycle | 12 |
| 5.3.1.10 | Automatic / Adaptive Power Control..... | 13 |
| 5.3.1.11 | Listen before talk | 13 |
| 5.3.1.12 | Channel adaptivity | 13 |
| 5.3.2 | Receiver test suites..... | 13 |
| 5.3.2.1 | Receiver sensitivity | 13 |
| 5.3.2.2 | Clear channel assessment threshold | 13 |
| 5.3.2.3 | Blocking | 13 |
| 5.3.2.4 | Receiver spurious radiation..... | 13 |
| 5.4 | Other test suites | 13 |
| 5.4.1 | Transmitter test suites | 13 |
| 5.4.2 | Receiver test suites..... | 13 |
| 5.4.3 | Polite spectrum access test suites..... | 13 |
| 5.4.3.1 | Short control signalling transmissions | 13 |
| 5.4.3.2 | Coordination of network relay points..... | 13 |
| Annex A (normative): | HS Requirements and conformance Test specifications Table (HS-RTT)..... | 14 |
| Annex B (informative): | Bibliography | 16 |
| History | | 17 |

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to mandates M/284 and M/441 issued from the European Commission under Directive 98/34/EC [i.2] as amended by Directive 98/48/EC [i.3].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.1].

See article 5.1 of Directive 1999/5/EC [i.1] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.1] are summarized in annex A.

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

| National transposition dates | |
|--|-----------------|
| Date of adoption of this EN: | 17 October 2014 |
| Date of latest announcement of this EN (doa): | 31 January 2015 |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 31 July 2015 |
| Date of withdrawal of any conflicting National Standard (dow): | 31 July 2016 |

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**may not**", "**need**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the Radio Equipment Directive [i.1]. The modular structure is shown in EG 201 399 [i.4].

1 Scope

The present document applies to the following following radio equipment types:

- 1) Network Based SRDs which are SRDs intended to operate in association with other SRDs to form network topologies supporting the intended application.
- 2) Network Relay Points which are specific Network Based SRDs supporting interconnection of a network of SRDs with an external network or service.

These radio equipment types are capable of operating in all or any part of the frequency bands given in table 1.

Table 1: Frequency bands designated to Network Based Short Range Devices

| Network Based SRD frequency bands | |
|--|-------------------------|
| Transmit | 870,00 MHz to 875,6 MHz |
| Receive | 870,00 MHz to 875,6 MHz |

The present document is intended to cover the provisions of Directive 1999/5/EC [i.1] (R&TTE Directive), article 3.2, which states that "..... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [i.1] may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 303 204-1 (V1.1.1) (10-2014): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Network Based Short Range Devices (SRD); Radio equipment to be used in the 870 MHz to 876 MHz frequency range with power levels ranging up to 500 mW; Part 1: Technical characteristics and test methods".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).

- [i.2] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.3] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.4] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the R&TTE Directive".

koniec náhľadu – text ďalej pokračuje v platenej verzii STN