STN	Asfalty a asfaltové spojivá. Stanovenie rozpustnosti.	STN EN 12592
		65 7080

Bitumen and bituminous binders - Determination of solubility

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/15

Obsahuje: EN 12592:2014

Oznámením tejto normy sa ruší STN EN 12592 (65 7080) zo septembra 2007 STN EN 12592: 2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 12592

November 2014

ICS 75.140; 91.100.50

Supersedes EN 12592:2007

English Version

Bitumen and bituminous binders - Determination of solubility

Bitumes et liants bitumineux - Détermination de la solubilité

Bitumen und bitumenhaltige Bindemittel - Bestimmung der Löslichkeit

This European Standard was approved by CEN on 16 August 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents Pag Foreword		Page
2	Normative references	4
3	Terms and definitions	4
4	Principle	4
5	Reagents and materials	4
6	Apparatus	5
7	Sampling	5
8 8.1 8.2 8.3	Procedure Test conditions Preparation of crucible Test method	5 6
9	Calculation	6
10	Expression of results	7
11 11.1 11.2	PrecisionRepeatabilityReproducibility	7
12	Test report	7
Biblio	graphygraphy	9

Foreword

This document (EN 12592:2014) has been prepared by Technical Committee CEN/TC 336 "Bituminous binders", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2015 and conflicting national standards shall be withdrawn at the latest by May 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12592:2007.

In comparison with EN 12592:2007, the following significant changes have been made:

- changed/added wording of the Warning in the Scope;
- the function of the powdered glass (subclause 6.1.2) as filter aid has been highlighted in the standard;
- preparation of the test sample according to EN 12594 in subclause 8.3 has been added.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies a method for determining the degree of solubility of bituminous binders having little or no mineral matter other than recovered bituminous binders from asphalt mixes, in a specific solvent. Toluene is used as the solvent for reference tests.

NOTE Bituminous binders will have varying solubility in different solvents.

WARNING — Use of this European Standard can involve hazardous materials, operations and equipment. This European Standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this European Standard to identify the hazards and assess the risks involved in performing this test method and to implement sufficient control measures to protect individual operators (and the environment). This includes appropriate safety and health practices and determination of the applicability of regulatory limitations prior to use.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 58, Bitumen and bituminous binders — Sampling bituminous binders

EN 1425, Bitumen and bituminous binders — Characterization of perceptible properties

EN 12594, Bitumen and bituminous binders — Preparation of test samples

ISO 4793, Laboratory sintered (fritted) filters — Porosity grading, classification and designation

ISO 5272, Toluene for industrial use — Specifications

ISO 5280, Xylene for industrial use — Specification

koniec náhľadu – text ďalej pokračuje v platenej verzii STN