

STN	Vedenie vodných tepelných sietí. Ohybné rúrové systémy s tepelnou izoláciou. Časť 2: Združené rúrové systémy z plastových rúr. Požiadavky a skúšobné metódy.	STN EN 15632-2+A1 38 3378
------------	---	---

District heating pipes - Pre-insulated flexible pipe systems - Part 2: Bonded plastic service pipes - Requirements and test methods

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/15

Obsahuje: EN 15632-2:2010+A1:2014

Oznámením tejto normy sa ruší
STN EN 15632-2 (38 3378) z augusta 2010

120639

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, odbor SÚTN, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 15632-2:2010+A1

December 2014

ICS 23.040.01

Supersedes EN 15632-2:2010

English Version

**District heating pipes - Pre-insulated flexible pipe systems - Part
2: Bonded plastic service pipes - Requirements and test
methods**

Tuyaux de chauffage urbain - Systèmes de tuyaux flexibles
préisolés - Partie 2: Système bloqué avec tube de service
en plastique - Prescriptions et méthodes d'essai

Fernwärmerohre - Werkmäßig gedämmte flexible
Rohrsysteme - Teil 2: Verbundsysteme mit Mediumrohren
aus Kunststoff - Anforderungen und Prüfungen

This European Standard was approved by CEN on 10 December 2009 and includes Amendment 1 approved by CEN on 8 November 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Classification.....	6
4.1 Operating temperatures and service life	6
4.2 Operating pressures.....	6
5 Requirements	7
5.1 General requirements.....	7
5.2 Service pipes and fittings	7
5.2.1 Quality	7
5.2.2 Oxygen tightness.....	7
5.3 Axial shear strength	7
5.4 Linear water tightness.....	7
5.5 Water vapour permeation	7
6 Test procedures	8
6.1 General.....	8
6.2 Temperature cycle test.....	8
6.3 Axial shear stress	8
6.4 Linear water tightness.....	9
Annex A (informative) Application of Miner's Rule	11
Bibliography	12

Foreword

This document (EN 15632-2:2010+A1:2014) has been prepared by Technical Committee CEN/TC 107 “Prefabricated district heating pipe systems”, the secretariat of which is held by DS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2015, and conflicting national standards shall be withdrawn at the latest by June 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15632-2:2010.

This document includes Amendment 1 approved by CEN on 2014-11-08.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document is one of a series of standards which form several parts of EN 15632, *District heating pipes — Pre-insulated flexible pipe systems*:

Part 1: *Classification, general requirements and test methods*;

Part 2: *Bonded system with plastic service pipes; requirements and test methods*;

Part 3: *Non bonded system with plastic service pipes; requirements and test methods*;

Part 4: *Bonded system with metal service pipes; requirements and test methods*.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Pre-insulated flexible bonded pipe systems with plastic service pipes are used in district and local heating networks.

This part of the series of standards for the various types of flexible pipe systems is intended to be used in connection with EN 15632-1 which specifies the basic design criteria for flexible district heating pipes.

1 Scope

This European Standard provides requirements and test methods for flexible, pre-insulated, directly buried heating pipes with plastics service pipes and bonding between the layers of the pipes.

This European Standard is valid for maximum operating temperatures of 95 °C and maximum operating pressures up to 10 bar for a design lifetime of at least 30 years.

This European Standard does not cover surveillance systems.

NOTE For higher temperatures or for the transport of other fluids, for example potable water, additional requirements and testing is needed. Such requirements are not specified in this European Standard.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15632-1:2009+A1:2014 ^{A1}, *District heating pipes — Pre-insulated flexible pipe systems — Part 1: Classification, general requirements and test methods*

EN ISO 15875-1, *Plastics piping systems for hot and cold water installations — Crosslinked polyethylene (PE-X) — Part 1: General (ISO 15875-1:2003)*

EN ISO 15875-2:2003, *Plastics piping systems for hot and cold water installations — Crosslinked polyethylene (PE-X) — Part 2: Pipes (ISO 15875-2:2003)*

EN ISO 15875-3, *Plastics piping systems for hot and cold water installations — Crosslinked polyethylene (PE-X) — Part 3: Fittings (ISO 15875-3:2003)*

EN ISO 15875-5:2003, *Plastics piping systems for hot and cold water installations — Crosslinked polyethylene (PE-X) — Part 5: Fitness for purpose of the system (ISO 15875-5:2003)*

EN ISO 15876-1, *Plastics piping systems for hot and cold water installations — Polybutylene (PB) — Part 1: General (ISO 15876-1:2003)*

EN ISO 15876-2, *Plastics piping systems for hot and cold water installations — Polybutylene (PB) — Part 2: Pipes (ISO 15876-2:2003)*

EN ISO 15876-3, *Plastics piping systems for hot and cold water installations — Polybutylene (PB) — Part 3: Fittings (ISO 15876-3:2003)*

EN ISO 15876-5, *Plastics piping systems for hot and cold water installations — Polybutylene (PB) — Part 5: Fitness for purpose of the system (ISO 15876-5:2003)*

EN ISO 21003-2, *Multilayer piping systems for hot and cold water installations inside buildings — Part 2: Pipes (ISO 21003-2:2008)*

ISO 10147, *Pipes and fittings made of crosslinked polyethylene (PE-X) — Estimation of the degree of crosslinking by determination of the gel content*

ISO 17455, *Plastics piping systems — Multilayer pipes — Determination of the oxygen permeability of the barrier pipe*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN