

Zariadenie a príslušenstvo na LPG. Prenosné plniteľné zvárané oceľové fľaše na LPG. Alternatívny návrh a konštrukcia.

STN EN 14140

07 8547

LPG equipment and accessories - Transportable refillable welded steel cylinders for LPG - Alternative design and construction

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/15

Obsahuje: EN 14140:2014

Oznámením tejto normy sa ruší STN EN 14140+A1 (07 8547) z mája 2007

120818

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 14140

December 2014

ICS 23.020.30

Supersedes EN 14140:2003+A1:2006

English Version

LPG equipment and accessories - Transportable refillable welded steel cylinders for LPG - Alternative design and construction

Équipements pour GPL et leurs accessoires - Bouteilles en acier soudé transportables et rechargeables pour gaz de pétrole liquéfié (GPL) - Autres solutions en matière de conception et construction

Flüssiggas-Geräte und Ausrüstungsteile - Ortsbewegliche, wiederbefüllbare, geschweißte Flaschen aus Stahl für Flüssiggas (LPG) - Alternative Gestaltung und Konstruktion

This European Standard was approved by CEN on 9 August 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents Page

Foreword		4
Introduction		
1	Scope	6
2	Normative references	6
3	Terms, definitions and symbols	7
3.1	Terms and definitions	
3.2	Symbols	
4	Materials	9
5	Design	
5.1	General requirements	
5.2	Calculation of cylindrical shell wall thickness	
5.3	Design of torispherical and semi-ellipsoidal ends concave to pressure	
5.4 5.5	Ends of other shapes	
5.6	Design of openings	
5.6 5.7	Valve protection	
5. <i>1</i> 5.8	Non-pressure containing attachments welded to the cylinder	
5.9	Resistance against external corrosion	
5.10	Over-moulded cylinders	
5.11	Hot air balloon cylinders	
	Construction and workmanship	
6 6.1	GeneralGeneral	
6.2	Environment	
6.3	Welding qualification	
6.4	Plates and pressed parts	
6.5	Welded joints	
6.6	Tolerances	
6.6.1	Out-of-roundness	
6.6.2	Straightness	
6.6.3	Verticality	
6.7	Closure of openings	
6.8	Heat treatment	20
7	Tests and examinations	20
7.1	General	20
7.2	Types of test and evaluation of test results	21
7.3	Test specimens and related tests and examinations	22
7.3.1	All cylinders	22
7.3.2	Two-piece cylinders	22
7.3.3	Three-piece cylinders	
7.3.4	Bung welds	
7.3.5	Tensile test	
7.3.6	Bend test	
7.3.7	Resistance to external corrosion	
7.4	NDT	
7.4.1	Radiographic examination	
7.4.2	Macro examination	33

7.4.3	Visual examination of the surface of the weld	
7.5	Prototype and production batch testing	
7.5.1	Burst test under pressure	
7.5.2	Fatigue test	
7.5.3	Cylinder body integrity impact tests (not required for hot air balloon cylinders)	
7.5.4	Drop tests (all cylinders except hot air balloon cylinders)	39
7.5.5	Drop tests (hot air balloon cylinders only)	40
0	Technical requirements for type approval	44
8 8.1	General	
-		
8.2	Extent of testing	
8.3	Design type variations	
8.3.1	General	
8.3.2	Two piece cylinders	
8.3.3	Three piece cylinders	42
9	Initial inspection and tests	43
9.1	Tests and examinations applicable to all cylinders	
9.2	Radiographic examination	
9.3	Macro examination	
9.4	Examination of bung welding	
9.5	Examination of welding of non-pressure containing attachments	
9.5.1	Macro examinations	
9.5.2	Weld penetration requirement	
9.6	Unacceptable imperfections in radiographic or macro examination	
9.7	Production pressure test	
9.7.1	Procedure	
9.7.1	Requirements	
9.8	Production batch testing (Mechanical / Burst tests)	
9.8.1	Production batch	
9.8.2	Inspection lots	
9.8.3	Rate of sampling	
9.8.4	Verification of conformance with type approval	
9.6. 4 9.9	Failure to meet mechanical and burst test requirements	
9.9 9.9.1	General	
	Mechanical	
9.9.2		
9.9.3	Burst	
9.9.4	Production batch retest	
9.9.5	Resubmission of production batch	_
9.9.6	Additional checks	
9.10	Production adhesion test for over-moulded cylinders	
9.11	Production water absorption test for over-moulded cylinders	49
10	Marking	50
11	Documentation	51
12	Certification	51
Annex	A (normative) Additional manufacturers markings	52
	B (informative) Over-moulded cylinder	
	C (informative) Hot Air Balloon Cylinders	
C.1	Description	
	·	
	D (informative) Environmental checklist	
RIDIIO	yraphy	59

Foreword

This document (EN 14140:2014) has been prepared by Technical Committee CEN/TC 286 "Liquefied petroleum gas equipment and accessories", the secretariat of which is held by NSAI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2015 and conflicting national standards shall be withdrawn at the latest by June 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14140:2003+A1:2006.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This European Standard has been submitted for reference into:

- the RID [11]; and
- the technical annexes of the ADR [12].

NOTE These regulations take precedence over any clause of this European Standard. It is emphasised that RID/ADR/ADN are being revised regularly at intervals of two years which may lead to temporary non-compliances with the clauses of this European Standard.

The major changes to this revision include:

- restructure of standard;
- the addition of requirements for hot air balloon cylinders;
- an update on the terminology;
- the addition of requirements for over-moulded cylinders;
- the addition of the environmental checklist, Annex D.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard calls for the use of substances and procedures that may be injurious to health and/or the environment if adequate precautions are not taken. It refers only to technical suitability: it does not absolve the user from their legal obligations at any stage.

It has been assumed in the drafting of this European Standard that the execution of its provisions is entrusted to appropriately qualified and experienced people.

This European Standard permits the use of new and higher strength steels and has the potential for cylinders to have a wall thickness thinner than the minimum wall thickness related to diameter, when compared with cylinders in accordance with EN 1442. These changes in technology are justified by requiring a series of performance tests, including impact testing, to demonstrate the adequacy of the calculated pressure thickness for service and transport considerations

Reference should also be made to EN 1439 and EN 1440, which requires the cylinder manufacturer to perform additional tests to determine the rejection limits for in-service damage and to include these limits in the documentation for the cylinder.

Protection of the environment is a key political issue in Europe and elsewhere around the world. Protection of the environment in this document is understood in a very broad sense. The phrase is used, for example, in relation to the total life-cycle aspects of a product on the environment, including expenditure of energy, and during all phases of its existence, from mining of raw materials, to fabrication, packaging, distribution, use, scrapping, recycling of materials, etc. Annex D comprises an environmental checklist which highlights the clauses of this European Standard that address environmental aspects.

It is recommended that manufacturers develop an environmental management policy. For guidance see EN ISO 14000 series, [6], [7] and [8]].

Provisions need to be restricted to a general guidance. Limit values are specified in national laws.

All pressures are gauged unless otherwise stated.

NOTE This European Standard requires measurement of material properties, dimensions and pressures. All such measurements are subject to a degree of uncertainty due to tolerances in measuring equipment etc. It may be beneficial to refer to the leaflet "measurement uncertainty leaflet" SP INFO 2000 27 [14].

1 Scope

This European Standard specifies the minimum requirements for the design, construction and testing during manufacture of transportable refillable welded steel Liquefied Petroleum Gas (LPG) cylinders, of water capacity from 0,5 l up to and including 150 l, exposed to temperatures of -20 °C to +65 °C. It allows alternative design and construction methods to those required in EN 1442, including coated cylinders, over-moulded cylinders and cylinders for hot air balloons.

This European Standard applies only to pressure receptacles with a circular cross-section.

This European Standard does not include the equipping of the cylinders with valves and other service equipment.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1439, LPG equipment and accessories - Procedure for checking LPG cylinders before, during and after filling

EN 10028-7, Flat products made of steels for pressure purposes - Part 7: Stainless steels

EN 10120, Steel sheet and strip for welded gas cylinders

EN 10204:2004, Metallic products - Types of inspection documents

EN 10272, Stainless steel bars for pressure purposes

EN 14717, Welding and allied processes - Environmental check list

EN 14894, LPG equipment and accessories - Cylinder and drum marking

EN ISO 643, Steels - Micrographic determination of the apparent grain size (ISO 643)

EN ISO 2409:2013, Paints and varnishes - Cross-cut test (ISO 2409:2013)

EN ISO 2812-2, Paints and varnishes - Determination of resistance to liquids - Part 2: Water immersion method (ISO 2812-2)

EN ISO 3231:1997, Paints and varnishes - Determination of resistance to humid atmospheres containing sulfur dioxide (ISO 3231:1993)

EN ISO 4136, Destructive tests on welds in metallic materials - Transverse tensile test (ISO 4136)

EN ISO 4624, Paints and varnishes - Pull-off test for adhesion (ISO 4624)

EN ISO 5173, Destructive tests on welds in metallic materials - Bend tests (ISO 5173)

EN ISO 6520-1, Welding and allied processes - Classification of geometric imperfections in metallic materials - Part 1: Fusion welding (ISO 6520-1)

EN ISO 6892-1, Metallic materials - Tensile testing - Part 1: Method of test at room temperature (ISO 6892-1)

EN ISO 9227, Corrosion tests in artificial atmospheres - Salt spray tests (ISO 9227)

EN ISO 9606-1, Qualification testing of welders - Fusion welding - Part 1: Steels (ISO 9606-1)

EN ISO 9712:2012, Non-destructive testing - Qualification and certification of NDT personnel (ISO 9712:2012)

EN ISO 11117:2008, Gas cylinders - Valve protection caps and valve guards - Design, construction and tests (ISO 11117:2008)

EN ISO 11997-2, Paints and varnishes - Determination of resistance to cyclic corrosion conditions - Part 2: Wet (salt fog)/dry/humidity/UV light (ISO 11997-2)

EN ISO 14732, Welding personnel - Qualification testing of welding operators and weld setters for mechanized and automatic welding of metallic materials (ISO 14732)

EN ISO 15609-1, Specification and qualification of welding procedures for metallic materials - Welding procedure specification - Part 1: Arc welding (ISO 15609-1)

EN ISO 15613, Specification and qualification of welding procedures for metallic materials - Qualification based on pre-production welding test (ISO 15613)

EN ISO 15614-1, Specification and qualification of welding procedures for metallic materials - Welding procedure test - Part 1: Arc and gas welding of steels and arc welding of nickel and nickel alloys (ISO 15614-1)

EN ISO 17636-1:2013, Non-destructive testing of welds - Radiographic testing - Part 1: X- and gamma-ray techniques with film (ISO 17636-1:2013)

EN ISO 17636-2:2013, Non-destructive testing of welds - Radiographic testing - Part 2: X- and gamma-ray techniques with digital detectors (ISO 17636-2:2013)

EN ISO 17637, Non-destructive testing of welds - Visual testing of fusion-welded joints (ISO 17637)

EN ISO 17639, Destructive tests on welds in metallic materials - Macroscopic and microscopic examination of welds (ISO 17639)

EN ISO 19232-1, Non-destructive testing - Image quality of radiographs - Part 1: Determination of the image quality value using wire-type image quality indicators (ISO 19232-1)

EN ISO 19232-2, Non-destructive testing - Image quality of radiographs - Part 2: Determination of the image quality value using step/hole-type image quality indicators (ISO 19232-2)

koniec náhľadu – text ďalej pokračuje v platenej verzii STN