

Thermal insulation products for buildings - Factory made phenolic foam (PF) products - Specification

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/15

Obsahuje: EN 13166:2012+A1:2015

Oznámením tejto normy sa od 01.12.2016 ruší STN EN 13166 (72 7205) z apríla 2013

120963

STN EN 13166+A1: 2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13166:2012+A1

February 2015

ICS 91.100.60

Supersedes EN 13166:2012

English Version

Thermal insulation products for buildings - Factory made phenolic foam (PF) products - Specification

Produits isolants thermiques pour le bâtiment - Produits manufacturés en mousse phénolique (PF) - Spécification

Wärmedämmstoffe für Gebäude - Werkmäßig hergestellte Produkte aus Phenolharzschaum (PF) - Spezifikation

This European Standard was approved by CEN on 6 October 2012 and includes Amendment 1 approved by CEN on 15 December 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	ents	Page
Forewo	ord	4
1	Scope	6
2	Normative references	6
3	Terms, definitions, symbols, units and abbreviated terms	7
4	Requirements	11
5	Test methods	17
6	Designation code	19
7	Assessment and Verification of the Constancy of Performance (AVCP)	20
8	Marking and labelling	21
Annex	A (normative) Determination of the declared values of thermal resistance and thermal conductivity	22
Annex	B (normative) A Product type determination (A) (A) PTD (A) and factory production control (FPC)	24
Annex	C (normative) Determination of the aged values of thermal resistance and thermal conductivity	28
Annex	D (informative) Additional properties	33
Annex	E (normative) PF multi-layered thermal insulation products	34
Annex	ZA Annex ZA (informative) A Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation 4.	36
Bibliog	graphy	47
Tables		
Table 1	1 — Tolerances for length and width	12
Table 2	2 — Classes for thickness tolerances	12
Table 3	3 — Tolerances for deviation from flatness	13
Table 4	4 — Dimensional stability under specified temperature and humidity conditions	14
Table 8	5 — Levels for compressive strength	14
Table 6	6 — Levels for tensile strength perpendicular to faces	15
Table 7	7 — Levels for short term water absorption by partial immersion	16
Table 8	B — Levels for long term water absorption by partial immersion	16
Table 9	9 — Test methods, specimens and conditions	18
Table /	A.1 — Values for \emph{k} for one side 90 % tolerance interval with a confidence level of 90 %	23
Table I	B.1 — Minimum number of tests for $raket{\mathbb{A}}$ PTD $raket{\mathbb{A}}$ and minimum product testing frequencies	24
Table I	B.2 — Minimum product testing frequencies for the reaction to fire characteristics (1 of 2)	26
Table (C.1 — Test times for product thicknesses	30

Table C.2 — Increments to be added to accelerated aged values of thermal conductivity to obtain the time averaged value over 25 years (W/m.K)	31
Table D.1 — Test methods, test specimens, conditions and minimum testing frequencies	33
Table ZA.1 — Relevant clauses for factory made phenolic foam and intended use	37
Table ZA.2 — Systems of AVCP	38
Table ZA.3.1 — Assignment of AVCP tasks for factory made phenolic foam products under system 1 for reaction to fire and system 3 (see Table ZA.2)	39
Table ZA.3.2 — Assignment of AVCP tasks for factory made phenolic foam products under system 3 (see Table ZA.2)	40
Table ZA.3.3 — Assignment of AVCP tasks for factory made phenolic foam products under combined system 4 for reaction to fire and system 3 (see Table ZA.2)	41
Figures	
Figure ZA.1 — Example CE marking information	44

EN 13166:2012+A1:2015 (E)

Foreword

This document (EN 13166:2012+A1:2015) has been prepared by Technical Committee CEN/TC 88 "Thermal insulation materials and products", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2015, and conflicting national standards shall be withdrawn at the latest by November 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Construction Products Regulation (CPR), see informative Annex ZA, which is an integral part of this standard. (4)

This document supersedes A EN 13166:2012 A.

This document includes Amendment 1 approved by CEN on 2014-12-15.

The start and finish of text introduced or altered by amendment is indicated in the text by tags [A] (A].

Compared with EN 13166:2008, the main changes are:

- a) better harmonisation between the individual standards of the package (EN 13162 to EN 13171) on definitions, requirements, classes and levels;
- b) new normative annex on multi-layered products;
- c) changes on some editorial and technical content. This includes the limiting of the use of the slicing method for ageing in Annex C to unfaced and open-faced products and the clearer definition of how the ageing techniques should be applied to various types of PF products;
- d) addition of links to EN 15715, Thermal insulation products Instructions for mounting and fixing for reaction to fire testing Factory made products;
- e) changes to the Annex ZA.
- Amendment 1 modifies EN 13166:2012 identifying those clauses of the standard which are needed for the compliance of the European Standard with the Construction Products Regulation (CPR).

This amendment introduces

- f) an addition to the foreword;
- g) replacement and additions in 3.2;
- h) a new subclause 4.3.11;
- i) modification of Clause 7;
- j) modification of Clause 8;

- k) modification of Annex B;
- I) modification of Table D.1;
- m) a new Annex ZA. (A1

This standard is one of a series of standards for thermal insulation products used in buildings, but this standard may be used in other areas where appropriate.

In pursuance of Resolution BT20/1993 revised, CEN/TC 88 have proposed defining the standards listed below as a package of documents.

The package of standards comprises the following group of interrelated standards for the specifications of factory made thermal insulation products, all of which come within the scope of CEN/TC 88:

EN 13162, Thermal insulation products for buildings — Factory made mineral wool (MW) products — Specification

EN 13163, Thermal insulation products for buildings — Factory made expanded polystyrene (EPS) products — Specification

EN 13164, Thermal insulation products for buildings — Factory made extruded polystyrene foam (XPS) products — Specification

EN 13165, Thermal insulation products for buildings — Factory made rigid polyurethane foam (PU) products — Specification

EN 13166, Thermal insulation products for buildings — Factory made phenolic foam (PF) products — Specification

EN 13167, Thermal insulation products for buildings — Factory made cellular glass (CG) products — Specification

EN 13168, Thermal insulation products for buildings — Factory made wood wool (WW) products — Specification

EN 13169, Thermal insulation products for buildings — Factory made expanded perlite board (EPB products) — Specification

EN 13170, Thermal insulation products for buildings — Factory made products of expanded cork (ICB) — Specification

EN 13171, Thermal insulation products for buildings — Factory made wood fibre (WF) products — Specification

The reduction in energy used and emissions produced during the installed life of thermal insulation products exceeds by far the energy used and emissions made during the production and disposal processes.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 13166:2012+A1:2015 (E)

1 Scope

This European Standard specifies the requirements for factory made phenolic foam products, with or without facings or coatings, which are used for the thermal insulation of buildings. The products are manufactured in the form of boards and laminates.

Products covered by this standard are also used in prefabricated thermal insulation systems and composite panels; the performance of systems incorporating these products is not covered.

This standard describes product characteristics and includes procedures for testing, evaluation of conformity, marking and labelling.

This standard does not specify the required level of a given property to be achieved by a product to demonstrate fitness for purpose in a particular application. The levels required for a given application are to be found in regulations or non-conflicting standards.

Products with a declared thermal resistance lower than 0,40 m²·K/W or a declared thermal conductivity greater than 0,050 W/(m·K) at 10 °C are not covered by this standard.

This standard does not cover in-situ thermal insulation products, products intended to be used for the thermal insulation of building equipment and industrial installations (covered by EN 14314 [3]).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- EN 822, Thermal insulating products for building applications Determination of length and width
- EN 823, Thermal insulating products for building applications Determination of thickness
- EN 824, Thermal insulating products for building applications Determination of squareness
- EN 825, Thermal insulating products for building applications Determination of flatness
- EN 826, Thermal insulating products for building applications Determination of compression behaviour
- EN 1602, Thermal insulating products for building applications Determination of the apparent density
- EN 1603, Thermal insulating products for building applications Determination of dimensional stability under constant normal laboratory conditions (25 °C/50 % relative humidity)
- EN 1604, Thermal insulating products for building applications Determination of dimensional stability under specified temperature and humidity conditions
- EN 1606, Thermal insulating products for building applications Determination of compressive creep
- EN 1607, Thermal insulating products for building applications Determination of tensile strength perpendicular to faces
- EN 1609, Thermal insulating products for building applications Determination of short term water absorption by partial immersion

EN 13166:2012+A1:2015 (E)

EN 12086:1997, Thermal insulating products for building applications — Determination of water vapour transmission properties

EN 12087, Thermal insulating products for building applications — Determination of long term water absorption by immersion

EN 12089:1997, Thermal insulating products for building applications — Determination of bending behaviour

EN 12429, Thermal insulating products for building applications — Conditioning to moisture equilibrium under specified temperature and humidity conditions

EN 12667:2001, Thermal performance of building materials and products — Determination of thermal resistance by means of guarded hot plate and heat flow meter methods — Products of high and medium thermal resistance

EN 12939, Thermal performance of building materials and products — Determination of thermal resistance by means of guarded hot plate and heat flow meter methods — Thick products of high and medium thermal resistance

EN 13172:2012, Thermal insulation products — Evaluation of conformity

EN 13501-1, Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests

EN 13820, Thermal insulating materials for building applications — Determination of organic content

EN 13823, Reaction to fire tests for building products — Building products excluding floorings exposed to the thermal attack by a single burning item

EN 15715:2009, Thermal insulation products — Instructions for mounting and fixing for reaction to fire testing - Factory made products

EN ISO 1182, Reaction to fire tests for products — Non-combustibility test (ISO 1182)

EN ISO 1716, Reaction to fire tests for products — Determination of the gross heat of combustion (calorific value) (ISO 1716)

EN ISO 4590, Rigid cellular plastics — Determination of the volume percentage of open cells and of closed cells (ISO 4590)

EN ISO 9229:2007, Thermal insulation — Vocabulary (ISO 9229:2007)

EN ISO 11925-2, Reaction to fire tests — Ignitability of products subjected to direct impingement of flame — Part 2: Single-flame source test (ISO 11925-2)

ISO 16269-6:2005, Statistical interpretation of data — Part 6: Determination of statistical tolerance intervals

koniec náhľadu – text ďalej pokračuje v platenej verzii STN