

<b>STN</b>	<b>Kozmická technika. Kozmické prostredie.</b>	<b>STN EN 16603-10-04</b>  31 0543
------------	--	--

Space engineering - Space environment

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/15

Obsahuje: EN 16603-10-04:2015

Oznámením tejto normy sa ruší  
STN EN 14092 (31 0506) z novembra 2002

**121005**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2015  
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy  
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

English version

**Space engineering - Space environment**

Ing?ierie spatiale - Environnement spatial

Raumfahrttechnik - Raumfahrtumweltbedingungen

This European Standard was approved by CEN on 28 December 2013.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



**CEN-CENELEC Management Centre:  
Avenue Marnix 17, B-1000 Brussels**

## Table of contents

---

<b>Foreword</b> .....	<b>12</b>
<b>Introduction</b> .....	<b>13</b>
<b>1 Scope</b> .....	<b>14</b>
<b>2 Normative references</b> .....	<b>15</b>
<b>3 Terms, definitions and abbreviated terms</b> .....	<b>17</b>
3.1 Terms defined in other standards .....	17
3.2 Terms specific to the present standard .....	17
3.3 Abbreviated terms.....	26
<b>4 Gravity</b> .....	<b>29</b>
4.1 Introduction and description .....	29
4.1.1 Introduction .....	29
4.1.2 Gravity model formulation .....	29
4.1.3 Third body gravitation.....	31
4.1.4 Tidal effects.....	31
4.2 Requirements for model selection and application .....	31
4.2.1 General requirements for gravity models.....	31
4.2.2 Selection and application of gravity models.....	32
<b>5 Geomagnetic fields</b> .....	<b>33</b>
5.1 Introduction and description .....	33
5.1.1 The geomagnetic field and its sources .....	33
5.1.2 The internal field .....	33
5.1.3 External field: ionospheric components.....	34
5.1.4 External magnetic field: magnetospheric components.....	34
5.1.5 Models of the internal and external geomagnetic fields .....	34
5.2 Requirements for model selection and application .....	36
5.2.1 The internal field .....	36
5.2.2 The external field .....	36
5.3 Tailoring guidelines.....	37

<b>6 Natural electromagnetic radiation and indices .....</b>	<b>38</b>
6.1 Introduction and description .....	38
6.1.1 Introduction .....	38
6.1.2 Electromagnetic radiation and indices .....	38
6.2 Requirements .....	41
6.2.1 Electromagnetic radiation .....	41
6.2.2 Reference index values .....	42
6.2.3 Tailoring guidelines .....	42
6.3 Tables .....	43
<b>7 Neutral atmospheres .....</b>	<b>45</b>
7.1 Introduction and description .....	45
7.1.1 Introduction .....	45
7.1.2 Structure of the Earth's atmosphere .....	45
7.1.3 Models of the Earth's atmosphere .....	45
7.1.4 Wind model of the Earth's homosphere and heterosphere .....	46
7.2 Requirements for atmosphere and wind model selection .....	47
7.2.1 Earth atmosphere .....	47
7.2.2 Earth wind model .....	48
7.2.3 Models of the atmospheres of the planets and their satellites .....	48
<b>8 Plasmas .....</b>	<b>49</b>
8.1 Introduction and description .....	49
8.1.1 Introduction .....	49
8.1.2 Ionosphere .....	49
8.1.3 Plasmasphere .....	50
8.1.4 Outer magnetosphere .....	50
8.1.5 Solar wind .....	51
8.1.6 Magnetosheath .....	51
8.1.7 Magnetotail .....	51
8.1.8 Planetary environments .....	52
8.1.9 Induced environments .....	52
8.2 Requirements for model selection and application .....	52
8.2.1 General .....	52
8.2.2 Ionosphere .....	53
8.2.3 Auroral charging environment .....	53
8.2.4 Plasmasphere .....	54
8.2.5 Outer magnetosphere .....	54
8.2.6 The solar wind (interplanetary environment) .....	55

8.2.7	Other plasma environments .....	55
8.2.8	Tables .....	56
<b>9</b>	<b>Energetic particle radiation .....</b>	<b>57</b>
9.1	Introduction and description .....	57
9.1.1	Introduction .....	57
9.1.2	Overview of energetic particle radiation environment and effects .....	57
9.2	Requirements for energetic particle radiation environments .....	60
9.2.1	Trapped radiation belt fluxes .....	60
9.2.2	Solar particle event models .....	62
9.2.3	Cosmic ray models .....	63
9.2.4	Geomagnetic shielding .....	63
9.2.5	Neutrons .....	63
9.2.6	Planetary radiation environments .....	64
9.3	Preparation of a radiation environment specification .....	64
9.4	Tables .....	65
<b>10</b>	<b>Space debris and meteoroids .....</b>	<b>66</b>
10.1	Introduction and description .....	66
10.1.1	The particulate environment in near Earth space .....	66
10.1.2	Space debris .....	66
10.1.3	Meteoroids .....	67
10.2	Requirements for impact risk assessment and model selection .....	67
10.2.1	General requirements for meteoroids and space debris .....	67
10.2.2	Model selection and application .....	68
10.2.3	The MASTER space debris and meteoroid model .....	69
10.2.4	The meteoroid model .....	69
10.2.5	Impact risk assessment .....	70
10.2.6	Margins and worst case fluxes .....	71
<b>11</b>	<b>Contamination .....</b>	<b>72</b>
11.1	Introduction and description .....	72
11.1.1	Introduction .....	72
11.1.2	Description of molecular contamination .....	72
11.1.3	Transport mechanisms .....	73
11.1.4	Description of particulate contamination .....	73
11.1.5	Transport mechanisms .....	74
11.2	Requirements for contamination assessment .....	74
<b>Annex A</b>	<b>(normative) Natural electromagnetic radiation and indices .....</b>	<b>75</b>

A.1	Solar activity values for complete solar cycle .....	75
A.2	Tables.....	76
<b>Annex B (normative)</b>	<b>Energetic particle radiation .....</b>	<b>80</b>
B.1	Historical dates of solar maximum and minimum .....	80
B.2	GEO model (IGE-2006) .....	80
B.3	ONERA MEOv2 model .....	80
B.4	FLUMIC model .....	81
B.4.1	Overview.....	81
B.4.2	Outer belt ( $L > 2,5 R_e$ ) .....	81
B.4.3	Inner belt ( $L < 2,5 R_e$ ) .....	82
B.5	NASA worst case GEO spectrum .....	83
B.6	ESP solar proton model specification.....	83
B.7	Solar ions model.....	84
B.8	Geomagnetic shielding (Størmer theory) .....	84
B.9	Tables.....	85
<b>Annex C (normative)</b>	<b>Space debris and meteoroids.....</b>	<b>97</b>
C.1	Flux models .....	97
C.1.1	Meteoroid velocity distribution .....	97
C.1.2	Flux enhancement and altitude dependent velocity distribution.....	97
C.1.3	Earth shielding and flux enhancement from spacecraft motion.....	99
C.1.4	Meteoroid streams .....	100
C.2	Tables.....	102
<b>Annex D (informative)</b>	<b>Gravitation .....</b>	<b>105</b>
D.1	Gravity models: background .....	105
D.2	Guidelines for use.....	106
D.3	Availability of models .....	108
D.4	Tables.....	108
D.5	Figures .....	109
<b>Annex E (informative)</b>	<b>Geomagnetic fields.....</b>	<b>110</b>
E.1	Overview of the effects of the geomagnetic field.....	110
E.2	Models of the internal geomagnetic field.....	110
E.3	Models of the external geomagnetic field.....	111
E.4	Magnetopause boundary .....	112
E.5	Geomagnetic coordinate system – $B$ and $L$ .....	112
E.6	Tables.....	115
E.7	Figures .....	117

<b>Annex F (informative) Natural electromagnetic radiation and indices .....</b>	<b>119</b>
F.1 Solar spectrum .....	119
F.2 Solar and geomagnetic indices – additional information .....	119
F.2.1 E10.7 .....	119
F.2.2 F10.7.....	119
F.2.3 S10.7 .....	120
F.2.4 M10.7.....	120
F.3 Additional information on short-term variation.....	120
F.4 Useful internet references for indices.....	121
F.5 Earth electromagnetic radiation .....	121
F.5.1 Earth albedo.....	121
F.5.2 Earth infrared .....	122
F.6 Electromagnetic radiation from other planets .....	123
F.6.1 Planetary albedo .....	123
F.6.2 Planetary infrared.....	123
F.7 Activity indices information.....	123
F.8 Tables.....	123
F.9 Figures .....	124
<b>Annex G (informative) Neutral atmospheres.....</b>	<b>127</b>
G.1 Structure of the Earth’s atmosphere .....	127
G.2 Development of models of the Earth’s atmosphere.....	127
G.3 NRLMSISE-00 and JB-2006 - additional information .....	128
G.4 The GRAM series of atmosphere models. ....	129
G.5 Atmosphere model uncertainties and limitations .....	129
G.6 HWM93 additional information.....	129
G.7 Planetary atmospheres models.....	130
G.7.1 Jupiter .....	130
G.7.2 Venus.....	130
G.7.3 Mars.....	131
G.7.4 Saturn .....	131
G.7.5 Titan.....	131
G.7.6 Neptune .....	131
G.7.7 Mercury.....	131
G.8 Reference data .....	132
G.9 Tables.....	133
G.10 Figures .....	138
<b>Annex H (informative) Plasmas.....</b>	<b>142</b>

H.1	Identification of plasma regions.....	142
H.2	Plasma effects on spacecraft.....	142
H.3	Reference data.....	143
H.3.1	Introduction.....	143
H.3.2	Ionosphere.....	143
H.3.3	Plasmasphere.....	143
H.3.4	Outer magnetosphere.....	144
H.3.5	Magnetosheath.....	144
H.3.6	Magnetotail and distant magnetosheath.....	144
H.3.7	Planetary environments.....	145
H.3.8	Induced environments.....	145
H.4	Tables.....	146
H.5	Figures.....	149
<b>Annex I (informative) Energetic particle radiation.....</b>		<b>150</b>
I.1	Trapped radiation belts.....	150
I.1.1	Basic data.....	150
I.1.2	Tailoring guidelines: orbital and mission regimes.....	150
I.1.3	Existing trapped radiation models.....	151
I.1.4	The South Atlantic Anomaly.....	153
I.1.5	Dynamics of the outer radiation belt.....	154
I.1.6	Internal charging.....	154
I.2	Solar particle event models.....	154
I.2.1	Overview.....	154
I.2.2	ESP model.....	155
I.2.3	JPL models.....	155
I.2.4	Spectrum of individual events.....	156
I.2.5	Event probabilities.....	157
I.2.6	Other SEP models.....	157
I.3	Cosmic ray environment and effects models.....	158
I.4	Geomagnetic shielding.....	158
I.5	Atmospheric albedo neutron model.....	158
I.6	Planetary environments.....	159
I.6.1	Overview.....	159
I.6.2	Existing models.....	159
I.7	Interplanetary environments.....	160
I.8	Tables.....	160
I.9	Figures.....	162



<b>Annex J (informative) Space debris and meteoroids .....</b>	<b>168</b>
J.1 Reference data .....	168
J.1.1 Trackable space debris .....	168
J.1.2 Reference flux data for space debris and meteoroids.....	168
J.2 Additional information on flux models.....	169
J.2.1 Meteoroids .....	169
J.2.2 Space debris flux models .....	170
J.2.3 Model uncertainties .....	172
J.3 Impact risk assessment .....	172
J.3.1 Impact risk analysis procedure .....	172
J.3.2 Analysis complexity.....	173
J.3.3 Damage assessment .....	173
J.4 Analysis tools.....	174
J.4.1 General.....	174
J.4.2 Deterministic analysis .....	174
J.4.3 Statistical analysis.....	174
J.5 Tables.....	175
J.6 Figures .....	179
<b>Annex K (informative) Contamination modelling and tools.....</b>	<b>182</b>
K.1 Models.....	182
K.1.1 Overview.....	182
K.1.2 Sources.....	182
K.1.3 Transport of molecular contaminants .....	184
K.2 Contamination tools .....	186
K.2.1 Overview.....	186
K.2.2 COMOVA: COnTamination MOdelling and Vent Analysis .....	186
K.2.3 ESABASE: OUTGASSING, PLUME-PLUMFLOW and CONTAMINE modules .....	186
K.2.4 TRICONTAM.....	187

## Figures

Figure D-1 : Graphical representation of the EIGEN-GLO4C geoid (note: geoid heights are exaggerated by a factor 10 000).....	109
Figure E-1 : The IGRF-10 field strength (nT, contour level = 4 000nT, at 2005) and secular variation (nT yr <sup>-1</sup> , contour level = 20 nT yr <sup>-1</sup> , valid for 2005), at geodetic altitude 400 km with respect to the WGS-84 reference ellipsoid).....	117
Figure E-2 : The general morphology of model magnetospheric field lines, according to the Tsyganenko 1989 model, showing the seasonal variation, dependent on rotation axis tilt .....	118

Figure F-1 : Solar spectral irradiance (in red, AM0 (Air Mass 0) is the radiation level outside of the Earth's atmosphere (extraterrestrial), in blue, AM1,5 is the radiation level after passing through the atmosphere 1,5 times, which is about the level at solar zenith angle 48,19°s, an average level at the Earth's surface (terrestrial)).....	124
Figure F-2 : Daily solar and geomagnetic activity indices over the last two solar cycles .....	125
Figure F-3 : Monthly mean solar and geomagnetic activity indices over the last two solar cycles .....	126
Figure G-1 : Temperature profile of the Earth's atmosphere.....	138
Figure G-2 : Variation of the JB-2006 mean air density with altitude for low, moderate, high long and high short term solar and geomagnetic activities .....	139
Figure G-3 : Variation of the NRLMSISE-00 mean atomic oxygen with altitude for low, moderate and high long solar and geomagnetic activities .....	140
Figure G-4 : Variation of the NRLMSISE-00 mean concentration profile of the atmosphere constituents $N_2$ , $O$ , $O_2$ , $He$ , $Ar$ , $H$ , $N$ and anomalous $O$ with altitude for moderate solar and geomagnetic activities ( $F_{10.7} = F_{10.7_{avg}} = 140$ , $A_p = 15$ ).....	141
Figure H-1 : Profile of electron density for solar magnetic local time = 18hr, solar magnetic latitude=0, $K_p = 0$ and 9 from the GCPM for 1/1/1999.....	149
Figure I-1 : Contour plots of the proton and electron radiation belts.....	162
Figure I-2 : Electron (a) and proton (b) omnidirectional fluxes, integral in energy, on the geomagnetic equator for various energy thresholds .....	163
Figure I-3 : Integral omnidirectional fluxes of protons (>10 MeV) and electrons (>10 MeV) at 400 km altitude showing the inner radiation belt's "South Atlantic anomaly" and, in the case of electrons, the outer radiation belt encountered at high latitudes .....	164
Figure I-4 : Comparison of POLE with AE8 (flux vs. Energy) for 15 year mission (with worst case and best case included).....	165
Figure I-5 : Comparison of ONERA/GNSS model from 0,28 MeV up to 1,12 MeV (best case, mean case and worst case) with AE8 (flux vs. Energy) for 15 yr mission (with worst case & best case).....	165
Figure I-6 : Albedo neutron spectra at 100 km altitude at solar maximum.....	166
Figure I-7 : Albedo neutron spectra at 100 km altitude at solar minimum.....	166
Figure I-8 : Jupiter environment model (proton & electron versions).....	167
Figure J-1 : Time evolution of the number of trackable objects in orbit (as of September 2008).....	179
Figure J-2 : Semi-major axis distribution of trackable objects in LEO orbits (as of September 2008) .....	180
Figure J-3 : Distribution of trackable objects as function of their inclination (as of September 2008) .....	180
Figure J-4 : The HRMP velocity distribution for different altitudes from the Earth surface. ....	181

## Tables

Table 6-1: Conversion from $K_p$ to $a_p$ .....	43
Table 6-2: Electromagnetic radiation values .....	43
Table 6-3: Reference fixed index values .....	43
Table 6-4: Reference index values for variations of $a_p$ .....	43
Table 8-1: Worst-case bi-Maxwellian environment .....	56
Table 8-2: Solar wind parameters .....	56
Table 9-1: Standard field models to be used with AE8 and AP8 .....	65
Table A-1 : Solar cycle 23 solar activity indices averaged over 30-day (1 month) intervals .....	76
Table B-1 : Minima and maxima of sunspot number cycles .....	85
Table B-2 : IGE 2006 GEO average model – electron flux ( $\text{kev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$ ) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. ....	86
Table B-3 IGE 2006 GEO upper case model - maximum electron flux ( $\text{kev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$ ) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. ....	87
Table B-4 : MEOv2 average case model - average electron flux ( $\text{Mev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$ ) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. ....	89
Table B-5 : MEOv2 upper case model - maximum electron flux ( $\text{Mev}^{-1}\text{cm}^{-2}\text{s}^{-1}\text{sr}^{-1}$ ) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. ....	89
Table B-6 : Worst case spectrum for geostationary orbits .....	90
Table B-7 : Values of the parameters for the ESP model .....	90
Table B-8 : Values to scale fluence from >100 MeV to >300 MeV .....	91
Table B-9 : CREME-96 solar ion worst 5-minute fluxes in an interplanetary environment .....	91
Table B-10 : CREME-96 solar ion worst day fluxes in an interplanetary environment .....	93
Table B-11 : CREME-96 solar ion worst week fluxes in an interplanetary environment .....	95
Table C-1 : Normalized meteoroid velocity distribution .....	102
Table C-2 : The annual meteor streams .....	103
Table D-1 : Degree power attenuation for an orbit at 25 000 km altitude .....	108
Table D-2 : Coefficients of the EIGEN-GL04C model up to degree and order $8 \times 8$ .....	109
Table E-1 : IGRF-10 data for epoch 1960-2010 .....	115
Table E-2 : Sibeck et al. Magnetopause model .....	116
Table F-1 : Reference values for average planetary albedo and infra-red radiation .....	123
Table G-1 : Altitude profiles of the atmosphere constituents $\text{N}_2$ , O, $\text{O}_2$ , He, Ar, H, N and anomalous O for low solar and geomagnetic activities (NRLMSISE-00 model - $F_{10.7} = F_{10.7_{avg}} = 65$ , $A_p = 0$ ) .....	133

Table G-2 : Altitude profiles of the atmosphere constituents N <sub>2</sub> , O, O <sub>2</sub> , He, Ar, H, N and anomalous O for mean solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 140$ , $A_p = 15$ ).....	134
Table G-3 : Altitude profiles of the atmosphere constituents N <sub>2</sub> , O, O <sub>2</sub> , He, Ar, H, N and anomalous O for high long term solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 250$ , $A_p = 45$ ) .....	135
Table G-4 : Altitude profiles of total density $\rho$ [kg m <sup>-3</sup> ] for low, moderate, high long and high short term solar and geomagnetic activities (JB-2006 model).....	136
Table H-1 : Regions encountered by different mission types .....	146
Table H-2 : Main engineering concerns due to space plasmas.....	147
Table H-3 : Ionospheric electron density profiles derived from IRI-2007 for date 01/01/2000, lat=0, long=0.....	147
Table H-4 : Profile of densities for solar magnetic local time = 18hr, solar magnetic latitude=0, Kp = 5,0 from the GCPM for 1/1/1999.....	148
Table H-5 : Typical plasma parameters at geostationary orbit .....	148
Table H-6 : Typical magnetosheath plasma parameters .....	148
Table H-7 : Typical plasma parameters around L2 .....	148
Table H-8 : Worst-case environments for eclipse charging near Jupiter and Saturn .....	149
Table H-9 : Photoelectron sheath parameters .....	149
Table H-10 : Some solar UV photoionization rates at 1 AU .....	149
Table I-1 : Characteristics of typical radiation belt particles .....	160
Table I-2 : Recommended updated values of the parameters of the JPL model .....	160
Table I-3 : Proton fluence levels for energy, mission duration and confidence levels from the ESP model with the NASA parameters from Table B-7. ....	161
Table I-4 : Parameters for the fit to the peak fluxes from the October 1989 events.....	161
Table J-1 : Approximate flux ratios for meteoroids for 400 km and 800 km altitudes.....	175
Table J-2 : Cumulative number of impacts, $N$ , to a randomly oriented plate for a range of minimum particle sizes using the MASTER-2005 model.....	175
Table J-3 : Cumulative number of impacts, $N$ , to a randomly oriented plate for a range of minimum particle sizes using the MASTER-2005 model.....	176
Table J-4 : Cumulative number of impacts, $N$ , to a randomly oriented plate for a range of minimum particle sizes using the MASTER-2005 model.....	177
Table J-5 : Cumulative number of impacts, $N$ , to a randomly oriented plate for a range of minimum particle masses .....	178
Table J-6 : Parameters (appearing in Eq. (C-15) to account for modified meteoroid fluxes encountered by spacecraft in circular Earth orbits at various altitudes ...	179

## Foreword

---

This document (EN 16603-10-04:2015) has been prepared by Technical Committee CEN/CLC/TC 5 “Space”, the secretariat of which is held by DIN.

This standard (EN 16603-10-04:2015) originates from ECSS-E-ST-10-04C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2015, and conflicting national standards shall be withdrawn at the latest by July 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document supersedes EN 14092:2002.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

---

This standard forms part of the System Engineering branch (ECSS-E-10) of the Engineering area of the ECSS system. As such it is intended to assist in the consistent application of space environment engineering to space products through specification of required or recommended methods, data and models to the problem of ensuring best performance, problem avoidance or survivability of a product in the space environment.

The space environment can cause severe problems for space systems. Proper assessment of the potential effects is part of the system engineering process as defined in ECSS-E-ST-10. This is performed in the early phases of a mission when consideration is given to e.g. orbit selection, mass budget, thermal protection, and component selection policy. As the design of a space system is developed, further engineering iteration is normally necessary with more detailed analysis.

In this Standard, each component of the space environment is treated separately, although synergies and cross-linking of models are specified. Informative annexes are provided as explanatory background information associated with each clause.

# 1

## Scope

---

This standard applies to all product types which exist or operate in space and defines the natural environment for all space regimes. It also defines general models and rules for determining the local induced environment.

Project-specific or project-class-specific acceptance criteria, analysis methods or procedures are not defined.

The natural space environment of a given item is that set of environmental conditions defined by the external physical world for the given mission (e.g. atmosphere, meteoroids and energetic particle radiation). The induced space environment is that set of environmental conditions created or modified by the presence or operation of the item and its mission (e.g. contamination, secondary radiations and spacecraft charging). The space environment also contains elements which are induced by the execution of other space activities (e.g. debris and contamination).

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-ST-00.

## 2

## Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply, However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system – Glossary of terms

- [RN.1] C. Förste, F. Flechtner, R. Schmidt, R. König, U. Meyer, R. Stubenvoll, M. Rothacher, F. Barthelmes, H. Neumayer, R. Biancale, S. Bruinsma, J.-M. Lemoine, and S. Loyer, A Mean Global Gravity Field Model from the Combination of Satellite Mission and Altimetry/Gravimetry Surface Data – EIGEN-GL04C, Geophysical Research Abstracts, Vol.8, 03462, 2006
- [RN.2] D.D. McCarthy and Gerard Petit (editors), IERS Conventions (2003), IERS Technical Note 32, Verlag des Bundesamtes für Kartographie und Geodäsie, Frankfurt am Main, 2004
- [RN.3] E.M. Standish, JPL Planetary and Lunar Ephemerides DE405/LE405, JPL Inter-Office Memorandum IOM 312F-98-048, Aug.25, 1998
- [RN.4] Picone, J. M., A. E. Hedin, D. P. Drob and Aikin, A. C., “NRLMSISE-00 Empirical Model of the Atmosphere: Statistical Comparisons and Scientific Issues”, J. Geophys. Res., 107(A12), doi 10.1029/2002JA009430. 2002, p. 1468.
- [RN.5] Bowman, B. R., Tobiska, W. K., Marcos, F. A., Valladares, “The JB2006 Empirical Thermospheric Density Model”, Journal of Atmospheric and Solar-Terrestrial Physics, Vol. 70, Issue 5, pp. 774-793, 2008, doi:10.1016/j.jastp.2007.10.002.
- [RN.6] Hedin, A.E., E.L. Fleming, A.H. Manson, F.J. Scmidlin, S.K. Avery, R.R. Clark, S.J. Franke, G.J. Fraser, T. Tsunda, F. Vial and R.A. Vincent, Empirical Wind Model for the Upper, Middle, and Lower Atmosphere, J. Atmos. Terr. Phys., 58, 1421-1447, 1996.
- [RN.7] Lewis S. R., Collins M., Read P.L., Forget F., Hourdin F., Fournier R., Hourdin C., Talagrand O., Huot, J.-P.,, “A Climate Database for Mars”, J. Geophys. Res. Vol. 104, No. E10, p. 24,177-24,194, 1999.
- [RN.8] Gallagher D.L., P.D. Craven, and R.H. Comfort. Global Core Plasma model. J. Geophys. Res., 105, A8, 18819-18833, 2000.
- [RN.9] Bilitza, D. and B. Reinisch, International Reference Ionosphere 2007: Improvements and New Parameters, Advances in Space Research,, 42, Issue 4, pp. 599-609, 2008.
- [RN.10] Vette J.I., “The AE-8 Trapped Electron Model Environment”, NSSDC/WDC-A-R&S Report 91-24, NASA-GSFC, 1991.
- [RN.11] Sawyer D.M. and J.I. Vette, “AP8 Trapped Proton Environment For Solar Maximum and Solar Minimum”, NSSDC WDC-A-R&S 76-06, NASA-GSFC, 1976.
- [RN.12] A Sicard-Piet, S. A.Bourdarie, D. M. Boscher, R. H. W. Friedel, M. Thomsen, T. Goka, H.Matsumoto, H. Koshiishi, “A new international geostationary electron model: IGE-2006, from 1 keV to 5.2 MeV”, Space Weather, 6, S07003, doi:10.1029/2007SW000368, 2008.



- [RN.13] Sicard-Piet A., S. Bourdarie, D. Boscher, R. Friedel, T. Cayton, Solar Cycle Electron Radiation Environment at GNSS Like Altitude, session D5.5-04, Proceedings 57th International Astronautical Congress, Valencia, Sept 2006
- [RN.14] Rodgers D.J, Hunter K.A and Wrenn G.L, The Flumic Electron Environment Model, Proceedings 8th Spacecraft Charging Technology Conference, Huntsville Alabama, 2003
- [RN.15] Xapsos, M. A., G.P. Summers, J.L. Barth, E. G. Stassinopoulos and E.A. Burke, “Probability Model for Cumulative Solar Proton Event Fluences”, IEEE Trans. Nucl. Sci., vol. 47, no. 3, June 2000, pp 486-490
- [RN.16] Lario et al., Radial and Longitudinal Dependence of solar 4-13 MeV and 27-37 MeV Proton Peak Intensities and Fluences: HELIOS and IMP8 Observations, Astrophys Journal, 653:1531-1544, Dec 20, 2006.
- [RN.17] Bourdarie, S., A. Sicard-Piet, “Jupiter environment modelling”, ONERA Technical note 120 Issue 1.2, ESA contract 19735/NL/HB, FR 1/11189 DESP, October 2006
- [RN.18] CREME96: <https://creme96.nrl.navy.mil/>
- [RN.19] ISO Model 15390
- [RN.20] Adams J.H., R. Silberberg and C.H. Tsao, “Cosmic Ray Effects on Microelectronics, Part I: The Near-Earth Particle Environment”, NRL Memorandum Report 4506, Naval Research Laboratory, Washington DC 20375-5000, USA, 1981.
- [RN.21] Desorgher, L., MAGNETOCOSMICS User Manual 2003, <http://reat.space.qinetiq.com/septimes/magcos/>
- [RN.22] Smart, D. F., Shea, M.A., Calculated cosmic ray cut-off rigidities at 450 km for epoch 1990, Proc. 25th ICRC, 2, 397-400, 1997.
- [RN.23] Stassinopoulos E.G. and J.H. King, “Empirical Solar Proton Model For Orbiting Spacecraft Applications”, IEEE Trans. on Aerosp. and Elect. Systems AES-10, 442, 1973
- [RN.24] D. C. Jensen and J. C. Cain, An Interim Geomagnetic Field, J. Geophys.Res. 67, 3568, 1962.
- [RN.25] J. C. Cain, S. J. Hendricks, R. A. Langel, and W. V. Hudson, A Proposed Model for the International Geomagnetic Reference Field, 1965, J. Geomag. Geoelectr. 19, 335, 1967.
- [RN.26] MASTER-2005 CD, Release 1.0, April 2006
- [RN.27] NOAA/SEC source of dates for solar maxima and minima: [ftp://ftp.ngdc.noaa.gov/STP/SOLAR\\_DATA/SUNSPOT\\_NUMBERS/maxmin.new](ftp://ftp.ngdc.noaa.gov/STP/SOLAR_DATA/SUNSPOT_NUMBERS/maxmin.new)
- [RN.28] Roberts C.S., “Co-ordinates for the Study of Particles Trapped in the Earth’s Magnetic Field: A Method of Converting from B,L to R, $\lambda$  Co-ordinates”, J. Geophys. Res. 69, 5 089, 1964.
- [RN.29] IGRF-10, the list of coefficients is given at the IGRF web page on the IAGA web site: <http://www.ngdc.noaa.gov/IAGA/vmod/igrf.html>
- [RN.30] Alexeev I.I., Kalegaev V.V., Belenkaya E.S., Bobrovnikov S.Yu., Feldstein Ya.I., Gromova L.I. (2001), J. Geophys. Res., V.106, No A11, P. 25,683-25,694
- [RN.31] Tsyganenko, N.A., and D.P. Stern, Modeling the global magnetic field of the large-scale Birkeland current systems, J. Geophys. Res., V. 101, 27187-27198, 1996.

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**