

STN	Námorná navigácia a rádiokomunikačné zariadenia a systémy. Automatický identifikačný systém (AIS). Časť 1: Základňové stanice AIS. Minimálne prevádzkové a výkonnostné požiadavky, metódy skúšania a požadované výsledky skúšok.	STN EN 62320-1 32 6793
------------	---	--

Maritime navigation and radiocommunication equipment and systems - Automatic identification system (AIS) - Part 1: AIS Base Stations - Minimum operational and performance requirements, methods of testing and required test results

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/15

Obsahuje: EN 62320-1:2015, IEC 62320-1:2015

Oznámením tejto normy sa od 24.02.2018 ruší
STN EN 62320-1 (32 6793) z decembra 2007

121085

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

EN 62320-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2015

ICS 47.020.70

Supersedes EN 62320-1:2007

English Version

Maritime navigation and radiocommunication equipment and systems - Automatic identification system (AIS) - Part 1: AIS Base Stations - Minimum operational and performance requirements, methods of testing and required test results (IEC 62320-1:2015)

Equipements et systèmes de navigation et de radiocommunication maritimes - Systèmes d'identification automatique (AIS) - Partie 1: Stations de base AIS - Exigences minimales opérationnelles et de performance, méthodes de mesure et résultats de test minimum attendus (IEC 62320-1:2015)

Navigations- und Funkkommunikationsgeräte und -systeme für die Seeschifffahrt - Automatische Identifikationssysteme (AIS) - Teil 1: AIS-Basisstationen - Mindest-Betriebs- und -Leistungsanforderungen, Prüfverfahren und geforderte Prüfergebnisse (IEC 62320-1:2015)

This European Standard was approved by CENELEC on 2015-02-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 80/736/CDV, future edition 2 of IEC 62320-1, prepared by IEC/TC 80 "Maritime navigation and radiocommunication equipment and systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62320-1:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-11-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-02-24

This document supersedes EN 62320-1:2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62320-1:2015 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61108-1	-	Maritime navigation radiocommunication equipment and systems - Global navigation satellite systems (GNSS) -- Part 1: Global positioning system (GPS) - Receiver equipment - Performance standards, methods of testing and required test results	andEN 61108-1	-
IEC 61162-1	2010	Maritime navigation radiocommunication equipment and systems - Digital interfaces -- Part 1: Single talker and multiple listeners	andEN 61162-1	2011
IEC 61993-2	-	Maritime navigation radiocommunication equipment and systems - Automatic Identification Systems (AIS) -- Part 2: Class A shipborne equipment of the automatic identification system (AIS) - Operational and performance requirements, methods of test and required test results	andEN 61993-2	-
IEC 62287-1	2010	Maritime navigation radiocommunication equipment and systems - Class B shipborne equipment of the automatic identification system (AIS) -- Part 1: Carrier-sense time division multiple access (CSTDMA) techniques	andEN 62287-1	2011
IEC 62320-2	-	Maritime navigation radiocommunication equipment and systems - Automatic identification system (AIS) -- Part 2: AIS AtoN stations - Operational and performance requirements, methods of testing and required test results	andEN 62320-2	-
IALA Recommendation A-124	-	On Automatic Identification System (AIS)-Shore Station networking aspects relating to the AIS Service		-
IMO Resolution- MSC.74(69)	-	Performance standards for an Universal-shipborne automatic identification systems (AIS)		-
ITU-R Recommendation M.1084-4	-	Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service		-

EN 62320-1:2015

ITU-R	-	Technical characteristics for a universal-	-
Recommendation		shipborne automatic identification system	
M.1371-1		using time division multiple access in the	
		VHF maritime mobile band	
RTCM	10402-	RTCM Recommended Standards for-	-
version 2.4		Differential GNSS (Global Navigation	
		Satellite Systems) Service	



INTERNATIONAL STANDARD



**Maritime navigation and radiocommunication equipment and systems – Automatic identification system (AIS) –
Part 1: AIS Base Stations – Minimum operational and performance requirements, methods of testing and required test results**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
 3, rue de Varembe
 CH-1211 Geneva 20
 Switzerland

Tel.: +41 22 919 02 11
 Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



INTERNATIONAL STANDARD



**Maritime navigation and radiocommunication equipment and systems – Automatic identification system (AIS) –
Part 1: AIS Base Stations – Minimum operational and performance requirements, methods of testing and required test results**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 47.020.70

ISBN 978-2-8322-2205-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	7
INTRODUCTION	9
1 Scope	10
2 Normative references	10
3 Abbreviations	11
4 Functional layout of an AIS Base Station	12
4.1 General.....	12
4.2 Functional block diagram of an AIS Base Station	12
4.3 General VDL requirements.....	13
4.3.1 Sources of VDL messages for transmission	13
4.3.2 Use of access schemes	14
4.4 Functional diagram for operation of a Base Station	14
4.5 Base Station input/output sentence formatters	15
5 Functional definition of the radio interface of the AIS Base Station	17
5.1 General requirements of the physical layer	17
5.2 Required parameter settings for the physical layer of the AIS Base Station.....	18
5.3 Minimum requirements for the TDMA transmitter of the AIS Base Station	19
5.4 Minimum requirements for the TDMA receivers of the AIS Base Station	21
5.5 Shutdown procedure for an AIS Base Station.....	21
6 Requirements for AIS Base Station.....	21
6.1 General.....	21
6.2 Dependent Base Station requirements	22
6.2.1 General rules.....	22
6.2.2 General processing diagram	22
6.2.3 AIS Base Station response to PI input	23
6.2.4 AIS Base Station response to VDL input.....	23
6.3 Independent Base Station requirements.....	23
6.3.1 General rules.....	23
6.3.2 General processing diagram	24
6.3.3 AIS Base Station response to PI input	24
6.3.4 AIS Base Station interaction on the VDL.....	25
6.3.5 Autonomous channel management	29
6.4 BIIT conditions.....	30
6.5 Default settings after reset.....	30
6.6 Further requirements for optional features	31
6.6.1 General	31
6.6.2 External synchronisation source option.....	31
6.6.3 DGNSS dedicated port option	32
7 Functional definition of the presentation interface of the AIS Base Station.....	32
7.1 Physical requirements for the presentation interface	32
7.2 Presentation interface data exchange	32
7.2.1 General	32
7.2.2 Base Station presentation interface output.....	32
7.2.3 Base Station presentation interface input.....	32
7.2.4 TAG blocks on presentation interface	32

8	Tests of AIS Base Stations – Method of measurement and required results	33
8.1	General.....	33
8.2	Test conditions	33
8.2.1	Normal test conditions	33
8.2.2	Extreme test conditions	33
8.2.3	Standard test environment.....	33
8.2.4	Test signals	34
8.2.5	Arrangements for test signals applied to the receiver input	35
8.2.6	Encoder for receiver measurements	35
8.2.7	Waiver for receivers.....	35
8.2.8	Impedance.....	35
8.2.9	Artificial antenna (dummy load)	35
8.2.10	Facilities for access	35
8.2.11	Operation of the transmitter	35
8.2.12	Measurement uncertainties.....	36
9	Physical radio tests	36
9.1	Remark.....	36
9.2	General transceiver tests	36
9.2.1	Transceiver protection test	36
9.2.2	Transmitter shutdown procedure.....	37
9.3	TDMA transmitter.....	37
9.3.1	General	37
9.3.2	Frequency error.....	37
9.3.3	Carrier power.....	38
9.3.4	Modulation spectrum slotted transmission.....	38
9.3.5	Transmitter test sequence and modulation accuracy verification	39
9.3.6	Transmitter output power versus time function	40
9.3.7	Intermodulation attenuation	40
9.4	TDMA receivers	42
9.4.1	Sensitivity.....	42
9.4.2	Error behaviour at high input levels.....	42
9.4.3	Co-channel rejection.....	43
9.4.4	Adjacent channel selectivity.....	44
9.4.5	Spurious response rejection	44
9.4.6	Intermodulation response rejection	47
9.4.7	Blocking or desensitisation	48
9.5	Conducted spurious emissions at the antenna	49
9.5.1	Spurious emissions from the receiver	49
9.5.2	Spurious emissions from the transmitter	49
10	Functional tests for Base Station	49
10.1	Pre-set-up.....	49
10.1.1	Basic initialisation.....	49
10.1.2	Pre-setup of dependent base station	50
10.1.3	Pre-setup for independent mode.....	50
10.2	Normal operation	51
10.2.1	Base Station configuration and services	51
10.2.2	Addressed and broadcast messaging	66
10.2.3	Interrogations and interrogation response.....	69
10.2.4	Addressed operation.....	70

10.2.5	Slot phase and frame synchronisation – Base Station operation	71
10.2.6	Position source	75
10.2.7	Alarm messages	76
10.3	Selection of transmission slots	77
10.3.1	RATDMA Transmission	77
10.3.2	Intentional slot reuse (link congestion)	77
10.4	Legacy support	78
10.4.1	Purpose	78
10.4.2	Method of measurement	78
10.4.3	Required results	79
10.5	TAG Block encapsulation	79
10.5.1	Application	79
10.5.2	TAG Block capabilities	80
10.5.3	Activation of Source identification for output	80
10.5.4	Activation of Destination identification	81
10.5.5	Activation of Source identification for input	82
10.5.6	Use of multiple Source identifications for input	82
10.5.7	Test of grouping by TAG blocks for output	83
10.5.8	Test of UNIX time output	85
10.5.9	Test of Line-count output	85
10.6	Test of optional functions	86
10.6.1	Test of external synchronization source	86
10.6.2	Test of Message 17 based on RTCM 10402 input	87
Annex A (normative) AIS Base Station sentences		88
A.1	General	88
A.2	ACM – AIS Base Station addressed channel management command	88
A.3	ADS – Automatic device status	89
A.4	AGA – AIS Base Station broadcast of a group assignment command	90
A.5	ASN – AIS Base Station broadcast of assignment command	92
A.6	BCG – Base Station configuration, general command	93
A.7	BCL – Base Station configuration, location command	94
A.8	DLM – Data link management slot allocations for Base Station command	95
A.9	ECB – Configure broadcast schedules for Base Station messages, command	97
A.10	FSR – Frame summary of AIS reception	98
A.11	RST – Equipment Reset Command	99
A.12	SID – Set an equipment's identification and command	100
A.13	SPO – Select AIS device's processing and output command	101
A.14	TFR – Transmit feed-back report	102
A.15	TPC – Transmit slot prohibit command	103
A.16	TSA – Transmit slot assignment	104
A.17	TSR – Transmit slot prohibit status report	105
A.18	VSI – VDL signal information	106
Annex B (normative) Legacy AIS Base Station sentences		107
B.1	Legacy sentences	107
B.1.1	BCE – Extended general Base Station configuration	107
B.1.2	BCF – General Base Station configuration	107
B.1.3	CAB – Control AIS Base Station	109
B.1.4	TSP – Transmit slot prohibit	109
B.2	Comment block	110

B.3	Comment block parameters for AIS.....	111
B.3.1	General	111
B.3.2	Comment block parameter format	111
B.3.3	Comment block “hexadecimal checksum” (*hh).....	111
B.3.4	Line (either a comment block, or comment block and sentence)	111
B.3.5	Group (associated lines).....	112
B.3.6	Parameter-code dictionary.....	112
B.3.7	Line linking (sentence linking).....	112
B.3.8	Comment block used with query sentences.....	113
Annex C	(normative) IEC 61162-1 sentences modified for use with AIS Base Station	115
C.1	General.....	115
C.2	CBR – Configure broadcast rates for AIS AtoN Station message command.....	115
C.3	MEB – Message Input for broadcast command.....	116
C.4	NAK – Negative acknowledgement.....	118
Annex D	(normative) AIS Base Station TAG block sentences	120
D.1	General.....	120
D.2	CPC – Configure parameter-code for UNIX time parameter (c)	120
D.3	CPD – Configure parameter-code for Destination identification parameter (d).....	121
D.4	CPG – Configure parameter-code for the sentence-grouping parameter (g)	121
D.5	CPN – Configure parameter-code for the line-count parameter (n)	123
D.6	CPS – Configure parameter-code for the Source identification parameter(s)	125
D.7	TBR – TAG block report request	125
D.8	TBS – TAG block listener Source identification configuration command	126
Bibliography	128
Figure 1	– Functional block diagram of an AIS Base Station	13
Figure 2	– Functional block diagram dependent and independent operation.....	15
Figure 3	– Modulation spectrum for slotted transmission.....	20
Figure 4	– Power versus time mask	20
Figure 5	– General processing diagram.....	23
Figure 6	– General processing diagram.....	24
Figure 7	– Flow diagram for AIS Base Station response to VDM input.....	28
Figure 8	– Format for repeating four-packet cluster.....	34
Figure 9	– Measurement arrangement for frequency error.....	37
Figure 10	– Measurement arrangement for carrier power	38
Figure 11	– Measurement arrangement for modulation accuracy.....	39
Figure 12	– Measurement arrangement for intermodulation attenuation	41
Figure 13	– Measurement arrangement for sensitivity	42
Figure 14	– Measurement arrangement for error behaviour.....	42
Figure 15	– Measurement arrangement for co-channel rejection	43
Figure 16	– Measurement arrangement for adjacent channel selectivity.....	44
Figure 17	– PER/BER or SINAD measuring equipment	45
Figure 18	– Measurement arrangement for inter-modulation	47
Figure 19	– Measurement arrangement for blocking or de-sensitisation	48
Figure A.1	– Frame summary timing	98

Table 1 – Base Station input/output sentence formatters	16
Table 2 – Required parameter settings for an AIS Base Station	18
Table 3 – Required settings of physical layer constants	18
Table 4 – Bandwidth related parameters of the physical layer of the AIS Base Station	18
Table 5 – Minimum required TDMA transmitter characteristics	19
Table 6 – Definition of timings for Figure 4	20
Table 7 – Minimum TDMA receiver characteristics	21
Table 8 – Base Station response to input messages from the VDL	23
Table 9 – Base Station response to input messages from the VDL	25
Table 10 – Required content of FSR and VSI output	26
Table 11 – Base Station response to ABM, BBM and AIR input on the PI	27
Table 12 – BIIT alarm conditions monitored by an AIS Base Station	30
Table 13 – Settings after reset command	30
Table 14 – Required TAG block functions	32
Table 15 – Content of first two packets	34
Table 16 – Fixed PRS data derived from ITU-T O.153	35
Table 17 – Maximum values of absolute measurement uncertainties	36
Table 18 – Frequencies for inter-modulation tests	48
Table 19 – Calculation of parameters in Message 16	63

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION
EQUIPMENT AND SYSTEMS –
AUTOMATIC IDENTIFICATION SYSTEM (AIS) –****Part 1: AIS Base Stations –
Minimum operational and performance requirements,
methods of testing and required test results**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62320-1 has been prepared by IEC technical Committee 80: Maritime navigation and radiocommunication equipment and systems.

This second edition cancels and replaces the first edition published in 2007 and its Amendment 1:2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- incorporation of the technical characteristics included in Recommendation ITU-R M.1371-5;
- the BCE, BCF and CAB sentences replaced with BCG, BCL and RST;

- comment blocks replaced with TAG blocks;
- scheduled broadcast of Message 26 added;
- Message 27 control added;
- transmitter intermodulation attenuation harmonised with ITU;
- 12,5 kHz channel operation removed;
- transmission of Message 24A, Message 25 and Message 26 added;
- 90 % channel load test with VSI and TAG blocks enabled added.

The text of this standard is based on the following documents:

CDV	Report on voting
80/736/CDV	80/746/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Chapter V of the International Convention for the Safety of Life at Sea 1974 (SOLAS) requires mandatory carriage of Automatic Identification System (AIS) equipment on all vessels constructed on or after 01 July 2002. Carriage for other types and sizes of SOLAS Convention vessels was required to be completed not later than 31 December 2004.

SOLAS Chapter V, Regulation 19, states that AIS shall:

- a) provide automatically to appropriate equipped shore stations, other ships and aircraft information, including ship's identity, type, position, course, speed, navigational status and other safety-related information;
- b) receive automatically such information from similarly fitted ships;
- c) monitor and track ships; and
- d) exchange data with shore-based facilities.

In addition, the IMO performance standards for AIS state that:

- The AIS should improve the safety of navigation by assisting in the efficient navigation of ships, protection of the environment, and operation of Vessel Traffic Services (VTS), by satisfying the following functional requirements:
 - 1) in a ship-to-ship mode for collision avoidance;
 - 2) as a means for littoral States to obtain information about a ship and its cargo; and
 - 3) as a VTS tool, i.e. ship-to-shore (traffic management).
- The AIS should be capable of providing to ships and to competent authorities, information from the ship, automatically and with the required accuracy and frequency, to facilitate accurate tracking. Transmission of the data should be with the minimum involvement of ship's personnel and with a high level of availability.

The provision of Shore Based AIS is necessary to attain the full benefit of the SOLAS Convention requirements.

This part of IEC 62320 provides the minimum operational and performance requirements, methods of test and the required test results for AIS Base Stations. The testing is divided into three sections, the transceiver tests, the logical tests and the Presentation Interface tests. These are captured in Clauses 8, 9 and 10 respectively. The method used for testing is that the EUT should meet all the tests requirements of Clause 8 before proceeding to Clause 9. Likewise, the unit should meet all of the test requirements before proceeding to Clause 10. Clause 10 has also been prioritised so that the tests are progressive.

Clauses 5 to 7 provide functional requirement information and Clause 8 provides the general test environment for the EUT.

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – AUTOMATIC IDENTIFICATION SYSTEM (AIS) –

Part 1: AIS Base Stations – Minimum operational and performance requirements, methods of testing and required test results

1 Scope

This part of IEC 62320 specifies the minimum operational and performance requirements, methods of testing and required test results for AIS Base Stations, compatible with the performance standards adopted by IMO Resolution MSC.74 (69), Annex 3, Universal AIS. It incorporates the technical characteristics of non-shipborne, fixed station AIS equipment, included in recommendation ITU-R M.1371 and IALA Recommendation A-124. Where applicable, it also takes into account the ITU Radio Regulations. This standard takes into account other associated IEC international standards and existing national standards, as applicable.

This standard is applicable for AIS Base Stations. It does not include specifications for the display of AIS data on shore.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61108-1, *Maritime navigation and radiocommunication equipment and systems – Global navigation satellite systems (GNSS) – Part 1: Global positioning system (GPS) – Receiver equipment – Performance standards, methods of testing and required test results*

IEC 61162-1:2010, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 61993-2, *Maritime navigation and radiocommunication equipment and systems – Automatic identification systems (AIS) – Part 2: Class A shipborne equipment of the automatic identification system (AIS) – Operational and performance requirements, methods of test and required test results*

IEC 62287-1:2010, *Maritime navigation and radiocommunication equipment and systems – Class B shipborne equipment of the automatic identification system (AIS) – Part 1: Carrier-sense time division multiple access (CSTDMA) techniques*
IEC 62287-1:2010/AMD1:2013

IEC 62320-2, *Maritime navigation and radiocommunication equipment and systems – Automatic identification system (AIS) – Part 2: AIS AtoN Stations – Operational and performance requirements, methods of testing and required test results*

IMO Resolution MSC.74 (69), Annex 3, *Recommendation on performance standards for an universal shipborne automatic identification system (AIS)*

ITU-R Recommendation M.1084-4, *Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service*

ITU-R Recommendation M.1371, *Technical characteristics for an automatic identification system using time division multiple access in the VHF maritime mobile band*

RTCM 10402 – *RTCM Recommended Standards for Differential GNSS (Global Navigation Satellite Systems) Service*

IALA Recommendation A-124 *on Automatic Identification System (AIS). Shore Station and networking aspects relating to the AIS Service*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN