

| | | |
|------------|--|--|
| STN | Elektroakustika. Audiometrické zariadenia. Časť 1: Zariadenia pre audiometriu čistého tónu. | STN EN 60645-1 36 4805 |
|------------|--|--|

Electroacoustics - Audiometric equipment - Part 1: Equipment for pure-tone audiometry

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/15

Obsahuje: EN 60645-1:2015, IEC 60645-1:2012

Oznámením tejto normy sa od 05.11.2017 ruší
STN EN 60645-1 (36 4805) z decembra 2002

STN EN 60645-4 (36 8811) z januára 2002

121129

EUROPEAN STANDARD

EN 60645-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2015

ICS 17.140.50

Supersedes EN 60645-1:2001, EN 60645-4:1995

English Version

**Electroacoustics - Audiometric equipment -
Part 1: Equipment for pure-tone audiometry
(IEC 60645-1:2012)**

Électroacoustique - Appareils audiométriques -
Partie 1: Appareils pour l'audiométrie tonale
(IEC 60645-1:2012)

Akustik - Audiometer -
Teil 1: Reinton-Audiometer
(IEC 60645-1:2012)

This European Standard was approved by CENELEC on 2014-11-05. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 29/754/FDIS, future edition 3 of IEC 60645-1, prepared by IEC/TC 29 "Electroacoustics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60645-1:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-08-05
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-11-05

This document supersedes EN 60645-1:2001 and EN 60645-4:1995.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

Endorsement notice

The text of the International Standard IEC 60645-1:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

| | | |
|-----------|------|-----------------------------|
| IEC 61260 | NOTE | Harmonized as EN 61260. |
| ISO 389-9 | NOTE | Harmonized as EN ISO 389-9. |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|---|--------------|-------------|
| IEC 60268-3 | - | Sound system equipment - Part 3: Amplifiers | EN 60268-3 | - |
| IEC 60318-1 | - | Electroacoustics - Simulators of human head and ear - Part 1: Ear simulator for the measurement of supra-aural and circumaural earphones | EN 60318-1 | - |
| IEC 60318-3 | - | Electroacoustics - Simulators of human head and ear - Part 3: Acoustic coupler for the calibration of supra-aural earphones used in audiometry | EN 60318-3 | - |
| IEC 60318-4 | - | Electroacoustics - Simulators of human head and ear - Part 4: Occluded-ear simulator for the measurement of earphones coupled to the ear by means of ear inserts | EN 60318-4 | - |
| IEC 60318-5 | - | Electroacoustics - Simulators of human head and ear - Part 5: 2 cm ³ coupler for the measurement of hearing aids and earphones coupled to the ear by means of ear inserts | EN 60318-5 | - |
| IEC 60318-6 | - | Electroacoustics - Simulators of human head and ear - Part 6: Mechanical coupler for the measurements on bone vibrators | EN 60318-6 | - |
| IEC 60601-1 | - | Medical electrical equipment - Part 1: General requirements for basic safety and essential performance | EN 60601-1 | - |
| IEC 60601-1-2 | - | Medical electrical equipment - Part 1-2: General requirements for basic safety and essential performance - Collateral standard: Electromagnetic disturbances - Requirements and tests | EN 60601-1-2 | - |
| IEC 60645-2 | - | Audiometers - Part 2: Equipment for speech audiometry | EN 60645-2 | - |
| IEC 61672-1 | - | Electroacoustics - Sound level meters - Part 1: Specifications | EN 61672-1 | - |

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|---------------|-------------|
| ISO 266 | - | Acoustics - Preferred frequencies | EN ISO 266 | - |
| ISO 389-1 | - | Acoustics - Reference zero for the calibration of audiometric equipment - Part 1: Reference equivalent threshold sound pressure levels for pure tones and supra-aural earphones | EN ISO 389-1 | - |
| ISO 389-2 | - | Acoustics - Reference zero for the calibration of audiometric equipment - Part 2: Reference equivalent threshold sound pressure levels for pure tones and insert earphones | EN ISO 389-2 | - |
| ISO 389-3 | - | Acoustics - Reference zero for the calibration of audiometric equipment - Part 3: Reference equivalent threshold force levels for pure tones and bone vibrators | EN ISO 389-3 | - |
| ISO 389-4 | 1994 | Acoustics - Reference zero for the calibration of audiometric equipment - Part 4: Reference levels for narrow-band masking noise | EN ISO 389-4 | 1998 |
| ISO 389-5 | - | Acoustics - Reference zero for the calibration of audiometric equipment - Part 5: Reference equivalent threshold sound pressure levels for pure tones in the frequency range 8 kHz to 16 kHz | EN ISO 389-5 | - |
| ISO 389-7 | - | Acoustics - Reference zero for the calibration of audiometric equipment - Part 7: Reference threshold of hearing under free-field and diffuse-field listening conditions | EN ISO 389-7 | - |
| ISO 389-8 | - | Acoustics - Reference zero for the calibration of audiometric equipment - Part 8: Reference equivalent threshold sound pressure levels for pure tones and circumaural earphones | EN ISO 389-8 | - |
| ISO 4869-1 | - | Acoustics - Hearing protectors - Part 1: Subjective method for the measurement of sound attenuation | EN 24869-1 | - |
| ISO 8253-1 | 2010 | Acoustics - Audiometric test methods - Part 1: Pure-tone air and bone conduction audiometry | EN ISO 8253-1 | 2010 |
| ISO 8253-2 | - | Acoustics - Audiometric test methods - Part 2: Sound field audiometry with pure-tone and narrow-band test signals | EN ISO 8253-2 | - |
| ISO 8253-3 | - | Acoustics - Audiometric test methods - Part 3: Speech audiometry | EN ISO 8253-3 | - |



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Electroacoustics – Audiometric equipment –
Part 1: Equipment for pure-tone audiometry**

**Électroacoustique – Appareils audiométriques –
Partie 1: Appareils pour l’audiométrie tonale**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
 3, rue de Varembe
 CH-1211 Geneva 20
 Switzerland

Tel.: +41 22 919 02 11
 Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60645-1

Edition 3.0 2012-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Electroacoustics – Audiometric equipment –
Part 1: Equipment for pure-tone audiometry**

**Électroacoustique – Appareils audiométriques –
Partie 1: Appareils pour l’audiométrie tonale**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 17.140.50

ISBN 978-2-88912-915-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|--|----|
| FOREWORD..... | 5 |
| INTRODUCTION..... | 7 |
| 1 Scope..... | 8 |
| 2 Normative references | 8 |
| 3 Terms and definitions | 9 |
| 4 Requirements for specific types of fixed frequency audiometer..... | 12 |
| 5 General requirements..... | 13 |
| 5.1 General safety requirements | 13 |
| 5.2 Acoustic safety requirements..... | 13 |
| 5.3 Environmental conditions | 13 |
| 5.4 Warm-up time..... | 13 |
| 5.5 Power supply variation | 13 |
| 5.5.1 Interruption of power supply | 13 |
| 5.5.2 Mains operation..... | 14 |
| 5.5.3 Battery operation..... | 14 |
| 5.5.4 Other power supplies..... | 14 |
| 5.6 Electromagnetic compatibility | 14 |
| 5.7 Unwanted sound | 14 |
| 5.7.1 General | 14 |
| 5.7.2 Unwanted sound from an earphone | 14 |
| 5.7.3 Unwanted sound from a bone vibrator | 14 |
| 5.7.4 Unwanted sound radiated by an audiometer | 15 |
| 5.8 Testing of automatic-recording audiometers | 15 |
| 5.9 Interface connections | 15 |
| 6 Test signals..... | 15 |
| 6.1 Pure tones..... | 15 |
| 6.1.1 Frequency range and hearing level range | 15 |
| 6.1.2 Frequency accuracy | 16 |
| 6.1.3 Total harmonic distortion | 16 |
| 6.1.4 Rate of frequency change..... | 17 |
| 6.2 Frequency modulation | 17 |
| 6.3 External signal source | 17 |
| 6.3.1 Signals | 17 |
| 6.3.2 Frequency response | 17 |
| 6.3.3 Electrical sensitivity..... | 18 |
| 6.3.4 Reference level for external signal source | 18 |
| 6.3.5 Operator to subject speech communication | 18 |
| 6.3.6 Subject to operator speech communication..... | 18 |
| 6.4 Masking sound | 18 |
| 6.4.1 General | 18 |
| 6.4.2 Narrow-band noise | 18 |
| 6.4.3 Other masking sound..... | 20 |
| 7 Transducers | 20 |
| 7.1 Type of transducers..... | 20 |
| 7.2 Headband..... | 20 |

| | | |
|--------|--|----|
| 7.3 | Loudspeaker | 20 |
| 8 | Signal level control | 20 |
| 8.1 | Marking | 20 |
| 8.2 | Signal indicator | 20 |
| 8.3 | Accuracy of sound pressure level and vibratory force level..... | 21 |
| 8.4 | Hearing level control | 21 |
| 8.4.1 | Manual audiometers | 21 |
| 8.4.2 | Automatic-recording audiometers | 21 |
| 8.4.3 | Accuracy of control | 21 |
| 8.5 | Masking level control..... | 22 |
| 8.5.1 | General | 22 |
| 8.5.2 | Masking level | 22 |
| 8.5.3 | Accuracy of masking levels..... | 22 |
| 8.5.4 | Masking level range..... | 22 |
| 8.6 | Tone switching | 22 |
| 8.6.1 | Tone switch for manual audiometers | 22 |
| 8.6.2 | On/off ratio for manual audiometers..... | 22 |
| 8.6.3 | Rise/fall times for manual audiometers | 23 |
| 8.6.4 | Automatic pulsed presentation..... | 23 |
| 8.6.5 | Subject's response time for automated test procedures | 24 |
| 8.6.6 | Subject's response system | 24 |
| 9 | Reference tone..... | 24 |
| 9.1 | General | 24 |
| 9.2 | Frequencies | 24 |
| 9.3 | Reference tone level control..... | 25 |
| 9.3.1 | Range | 25 |
| 9.3.2 | Intervals | 25 |
| 9.3.3 | Marking | 25 |
| 9.3.4 | Accuracy | 25 |
| 9.3.5 | Operation | 25 |
| 10 | Calibration..... | 25 |
| 11 | Electrical output of test signals | 26 |
| 12 | Audiogram format | 26 |
| 13 | Test requirements to demonstrate conformity | 27 |
| 13.1 | General | 27 |
| 13.2 | Environmental conditions and power supply variation | 27 |
| 13.3 | Electromagnetic compatibility | 27 |
| 13.4 | Unwanted sound | 28 |
| 13.4.1 | Unwanted sound from an earphone | 28 |
| 13.4.2 | Unwanted sound from a bone vibrator | 28 |
| 13.4.3 | Unwanted sound radiated by an audiometer | 29 |
| 13.5 | Total harmonic distortion of test signals | 29 |
| 13.6 | Signal accuracy..... | 29 |
| 13.6.1 | Accuracy of sound pressure level and vibratory force level | 29 |
| 13.6.2 | Accuracy of hearing level control | 29 |
| 13.7 | Masking sound | 29 |
| 13.7.1 | Narrow-band noise | 29 |
| 13.7.2 | Masking level | 30 |

| | | |
|--------|---|----|
| 13.8 | Headbands | 30 |
| 13.8.1 | General | 30 |
| 13.8.2 | Supra-aural and circumaural earphone headband | 30 |
| 13.8.3 | Bone vibrator headband | 30 |
| 14 | Maximum permitted expanded uncertainty of measurements U_{\max} | 30 |
| 15 | Marking and instruction manual | 31 |
| 15.1 | Marking | 31 |
| 15.2 | Instruction manual | 31 |
| | Bibliography | 33 |
| | Figure 1 – Rise/fall envelope of test tones | 24 |
| | Table 1 – Minimum facilities for fixed-frequency audiometers | 12 |
| | Table 2 – Minimum number of frequencies to be provided and the minimum range of values of hearing level for fixed frequency audiometers | 15 |
| | Table 3 – Minimum range of values of hearing level for EHF audiometers | 16 |
| | Table 4 – Maximum permissible acoustic total harmonic distortion, for supra-aural, circumaural, insert earphones and bone vibrators | 17 |
| | Table 5 – Narrow-band masking noise: upper and lower cut-off frequencies for a sound pressure spectrum density level of –3 dB referred to the level at the centre frequency of the band | 19 |
| | Table 6 – Reference standards for obtaining audiometric zero | 26 |
| | Table 7 – Symbols for the graphical presentation of hearing threshold levels | 26 |
| | Table 8 – Values of U_{\max} for basic measurements | 31 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTROACOUSTICS –
AUDIOMETRIC EQUIPMENT –**
Part 1: Equipment for pure-tone audiometry**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60645-1 has been prepared by IEC technical committee 29: Electroacoustics.

This third edition cancels and replaces the second edition, published in 2001, and IEC 60645-4 published in 1994. It constitutes an editorial revision.

The text of this standard is based on the following documents:

| | |
|-------------|------------------|
| FDIS | Report on voting |
| 29/754/FDIS | 29/757/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60645 series can be found, under the general title *Electroacoustics*, on the IEC website.

Future standard in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Developments in the field of hearing measurements for diagnostic, hearing conservation and rehabilitation purposes have resulted in the availability of a wide range of audiometers. In addition it is possible to consider the audiometer in terms of a set of functional units which can be specified independently. By specifying these functional units it is then possible to specify the performance of other audiometric equipment which use these units. IEC 60645 series consists of a number of parts. IEC 60645-1 is the first in the series and covers the requirements for pure tone audiometers.

This standard describes equipment which is designed for the measurement of hearing in the frequency range from 125 Hz to 16 000 Hz.

Due to the development of the later parts of IEC 60645, no reference is now made in part 1 to the use of broad-band noise for masking. Requirements for broad-band masking noise now only relate to its use with speech signals as described in IEC 60645-2.

The test requirements to demonstrate conformity are now specified separately. Conformance to the specifications in this standard is demonstrated only when the result of a measurement, extended by the actual expanded uncertainty of measurement of the testing laboratory, lies fully within the tolerances specified in this standard. The tolerances that are to be met by the manufacturer of an audiometer are essentially the same as in the first edition of IEC 60645-1, while the tolerances as applicable to the testing of the audiometer are increased by U_{\max} compared with those of the previous edition.

IEC 60645 series consists of the following parts:

IEC 60645-1, *Electroacoustics – Audiometric equipment – Part 1: Equipment for pure-tone audiometry*

IEC 60645-2, *Audiometers – Part 2: Equipment for speech audiometry*

IEC 60645-3, *Electroacoustics – Audiometric equipment – Part 3: Test signals of short duration*

IEC 60645-4, *Audiometers – Part 4: Equipment for extended high-frequency audiometry*

IEC 60645-5, *Electroacoustics – Audiometric equipment – Part 5: Instruments for the measurement of aural acoustic impedance/admittance*

IEC 60645-6, *Electroacoustics – Audiometric equipment – Part 6: Instruments for the measurement of otoacoustic emissions*

IEC 60645-7, *Electroacoustics – Audiometric equipment – Part 7: Instruments for the measurement of auditory brainstem responses*

ELECTROACOUSTICS – AUDIOMETRIC EQUIPMENT –

Part 1: Equipment for pure-tone audiometry

1 Scope

This part of IEC 60645 specifies general requirements for audiometers and particular requirements for pure-tone audiometers designed for use in determining hearing threshold levels, relative to standard reference threshold levels established by means of psychoacoustic test methods.

The object of this standard is to ensure:

- a) that tests of hearing in the frequency range 125 Hz to 16 000 Hz on a given human ear, performed with different audiometers which comply with this standard shall give substantially the same results;
- b) that the results obtained represent a valid comparison between the hearing of the ear tested and the reference threshold of hearing;
- c) that audiometers are classified according to the range of test signals they generate, according to the mode of operation or according to the complexity of the range of auditory functions they test.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60268-3, *Sound system equipment – Part 3: Amplifiers*

IEC 60318-1, *Electroacoustics – Simulators of human head and ear – Part 1: Ear simulator for the measurement of supra-aural and circumaural earphones*

IEC 60318-3, *Electroacoustics – Simulators of human head and ear – Part 3: Acoustic coupler for the calibration of supra-aural earphones used in audiometry*

IEC 60318-4, *Electroacoustics – Simulators of human head and ear – Part 4: Occluded-ear simulator for the measurement of earphones coupled to the ear by means of ear inserts*

IEC 60318-5, *Electroacoustics – Simulators of human head and ear – Part 5: 2 cm³ coupler for the measurement of hearing aids and earphones coupled to the ear by means of ear inserts*

IEC 60318-6, *Electroacoustics – Simulators of human head and ear – Part 6: Mechanical coupler for the measurement of bone vibrators*

IEC 60601-1, *Medical electrical equipment – Part 1: General requirements for basic safety and essential performance*

IEC 60601-1-2, *Medical electrical equipment – Part 1-2: General requirements for basic safety and essential performance – Collateral standard: Electromagnetic compatibility – Requirements and tests*

IEC 60645-2, *Audiometers – Part 2: Equipment for speech audiometry*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

ISO 266, *Acoustics – Preferred frequencies*

ISO 389-1, *Acoustics – Reference zero for the calibration of audiometric equipment – Part 1: Reference equivalent threshold sound pressure levels for pure tones and supra-aural earphones*

ISO 389-2, *Acoustics – Reference zero for the calibration of audiometric equipment – Part 2: Reference equivalent threshold sound pressure levels for pure tones and insert earphones*

ISO 389-3, *Acoustics – Reference zero for the calibration of audiometric equipment – Part 3: Reference equivalent threshold force levels for pure tones and bone vibrators*

ISO 389-4:1994, *Acoustics – Reference zero for the calibration of audiometric equipment – Part 4: Reference levels for narrow-band masking noise*

ISO 389-5, *Acoustics – Reference zero for the calibration of audiometric equipment – Part 5: Reference equivalent threshold sound pressure levels for pure tones in the frequency range 8 kHz to 16 kHz*

ISO 389-7, *Acoustics – Reference zero for the calibration of audiometric equipment – Part 7: Reference threshold of hearing under free-field and diffuse-field listening conditions*

ISO 389-8, *Acoustics – Reference zero for the calibration of audiometric equipment – Part 8: Reference equivalent threshold sound pressure levels for pure tones and circumaural earphones*

ISO 4869-1, *Acoustics – Hearing protectors – Part 1: Subjective method for the measurement of sound attenuation*

ISO 8253-1:2010, *Acoustics – Audiometric test methods – Part 1: Pure-tone air and bone conduction audiometry*

ISO 8253-2, *Acoustics – Audiometric test methods – Part 2: Sound field audiometry with pure-tone and narrow-band test signals*

ISO 8253-3, *Acoustics – Audiometric test methods – Part 3: Speech audiometry*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN