

Skúšobné metódy na zisťovanie zvýšenia požiarnej odolnosti konštrukčných prvkov. Časť 3: Ochrana aplikovaná na betónové prvky.

STN EN 13381-3

92 0814

Test methods for determining the contribution to the fire resistance of structural members - Part 3: Applied protection to concrete members

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/15

Obsahuje: EN 13381-3:2015

Oznámením tejto normy sa ruší STN P ENV 13381-3 (92 0814) z augusta 2005 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 13381-3

April 2015

ICS 13.220.50; 91.080.40

Supersedes ENV 13381-3:2002

#### **English Version**

# Test methods for determining the contribution to the fire resistance of structural members - Part 3: Applied protection to concrete members

Méthodes d'essai pour déterminer la contribution à la résistance au feu des éléments de construction - Partie 3: Protection appliquée aux éléments en béton

Prüfverfahren zur Bestimmung des Beitrages zum Feuerwiderstand von tragenden Bauteilen - Teil 3: Brandschutzmaßnahmen für Betonbauteile

This European Standard was approved by CEN on 8 November 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## **Contents** Page

Forewo	ord	5
1	Scope	7
2	Normative references	7
3 3.1 3.2	Terms and definitions, symbols and units  Terms and definitions	8
4 4.1 4.2 4.3	Test equipment	10 10
5 5.1 5.2 5.2.1 5.2.2 5.3	Test conditions  General  Support and restraint conditions  Standard support and restraint conditions  Other support and restraint conditions  Loading conditions	10 11 11 11
6 6.1 6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.3 6.3.1 6.3.2 6.3.3 6.3.4	Test specimens Type and number of test specimens Type of test specimens Number of test specimens Size of test specimens Concrete slabs Concrete beams Construction of concrete test specimens Concrete slab test members Concrete beam test members Fabrication of concrete test members	
6.3.4 6.3.5 6.4 6.4.1 6.4.2 6.4.3 6.5 6.5.1 6.5.2 6.5.3 6.5.4 6.6	Application of fire protection material (except ceiling) to concrete test member	
7 7.1 7.2 7.3	Installation of the test construction	18 18 18

9	Application of instrumentation	
9.1	General Instrumentation for measurement of furnace temperature	
9.2 9.2.1	Slab specimens	
9.2.1 9.2.2	Beam specimens	
9.3	Instrumentation for the measurement of test specimen temperature	
9.3.1	General	
9.3.2	Large and small concrete slab test specimens	
9.3.3	Beams	
9.3.4	Equivalent locations as referred to in 11.2 are:	
9.4	Instrumentation for the measurement of pressure	
9.5	Instrumentation for the measurement of deformation	
9.6	Instrumentation for the measurement of applied load	
10	Test procedure	
10.1	General	
10.2	Furnace temperature and pressure	
10.3	Application and control of load	
10.4 10.5	Temperature of test specimen  Deformation	
10.5 10.6	Observations	
10.7	Termination of test	
11	Test results	
11.1 11.2	Acceptability of test results  Presentation of test results	
11.2		
12	Test report	25
13	Assessment	25
13.1	General	
13.2	Concrete slabs	
13.3	Concrete beams	
13.4	Insulation	
13.5	Stickability	
13.6	Equivalent thickness of concrete	
14	Report of the assessment	27
15	Limits of applicability of the results of the assessment	28
	• • • • • • • • • • • • • • • • • • • •	
16	Additional limits of applicability of the results of the assessment for suspended ceilings used as protection system	30
16.1	Height of the cavity	
16.2	Exposed width of test specimen	
16.3	Properties of the horizontal protective membrane	
16.4	Size of panels within the horizontal protective membrane	
16.5	Fixtures and fittings	
16.6	Gaps between grid members and test frame or walls	31
Annex	A (normative) Test method to the smouldering fire or slow heating curve	44
<b>A</b> .1	Introduction	44
<b>A.2</b>	Evaluation of the results	44
Annex	B (normative) Measurement of properties of fire protection materials	46
B.1	General	46
B.2	Thickness of fire protection materials	46
B.3	Density of applied fire protection materials	47

### EN 13381-3:2015 (E)

B.3.1	General	47
B.4	Moisture content of applied fire protection materials	48
Annex	C (normative) Equivalent thickness of concrete	49
C.1	General	49
C.1.1	General	49
C.1.2	Equivalent thickness of concrete slabs - preliminary data collection	49
C.1.3	Equivalent thickness of concrete beams - preliminary data collection	49
C.2	Equivalent thickness of concrete slabs and beams - assessment methodology	50
Annex	D (normative) Calculation of stresses in standard concrete structures	58
D.1	General	58
D.2	Relevant concrete structures	58
D.3	Distribution of stresses across the section of the concrete structures	58
D.4	Mechanical study	59
D.4.1	Equilibrium of external forces	59
D.4.2	Determination of the position of the neutral axis (x)	59
D.4.3	Determination of the quadratic modulus	60
D.4.4	Determination of stresses in reinforcement bars and concrete	60
Annex	E (informative) Calculation of the load to apply on concrete member	63
E.1	Remind and scheme	63
E.2	Calculation of the force of the spring for a loaded beam	63
E.3	Calculation of the force of the spring for a loaded large slab	64
Bibliog	raphy	66

#### **Foreword**

This document (EN 13381-3:2015) has been prepared by Technical Committee CEN/TC 127 "Fire safety in buildings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2015 and conflicting national standards shall be withdrawn at the latest by October 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes ENV 13381-3:2002.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of 89/106/EEC.

The dimension tolerances regarding the manufacturing of the specimen indicated in the ENV 13381-3:2002 led to tensile stress values of 290 +/- 30 N/mm² in the reinforcement bars depending on the type of structural member. In order to harmonize the mechanical constraint applied on the structural member, the bending moment has been modified to produce the same tensile stress on reinforcement bars equal to 300 N/mm². This value is corresponding to 60 % of the grade of the steel to be used. Due to this approach, the result of tests carried out according to ENV 13381-3:2002 can be taken into account for assessment according to the present document.

In comparison with ENV 13381-3:2002, the following significant changes have been made:

- the bending moment has been modified to be adapted to the thickness of the slab;
- the location of thermocouple used within beams for the calculation of equivalent thickness of concrete is now at 25 mm away from the beam bottom corner instead of 55 mm;
- the graphs to be used for the determination of equivalent concrete thickness for slabs has been improved and extended and is directly available in the standard.

This European Standard is one of a series of standards for evaluating the contribution to the fire resistance of structural members by applied fire protection materials. The other parts of this standard are:

- Part 1: Horizontal protective membranes
- Part 2: Vertical protective membranes
- Part 4: Applied protection to steel members
- Part 5: Applied protection to concrete/profiled sheet steel composite members
- Part 6: Applied protection to concrete filled hollow steel columns
- Part 7: Applied protection to timber members
- Part 8: Applied reactive protection to steel members

Annexes A, B and C are normative.

#### EN 13381-3:2015 (E)

**Caution**: The attention of all persons concerned with managing and carrying out this fire resistance test is drawn to the fact that fire testing can be hazardous and that there is a possibility that toxic and/or harmful smoke and gases can be evolved during the test. Mechanical and operational hazards can also arise during the construction of test elements or structures, their testing and the disposal of test residues.

An assessment of all potential hazards and risks to health should be made and safety precautions should be identified and provided. Written safety instructions should be issued. Appropriate training should be given to relevant personnel. Laboratory personnel should ensure that they follow written safety instructions at all times.

The specific health and safety instructions contained within this standard should be followed.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### 1 Scope

This European Standard specifies a test method for determining the contribution of fire protection systems to the fire resistance of structural concrete members, for instance slabs, floors, roofs and walls and which can include integral beams and columns. The concrete can be lightweight, normal weight or heavyweight concrete and of all strength classes (e.g. 20/25 to 50/60 for normal strength concrete and for high strength concrete 55/67 to 90/105). The member is to contain steel reinforcing bars.

The test method is applicable to all fire protection materials used for the protection of concrete members and includes sprayed materials, reactive coatings, cladding protection systems and multi-layer or composite fire protection materials, with or without a gap between the fire protection material and the concrete member

This European Standard specifies the tests which are to be carried out to determine the ability of the fire protection material to remain coherent and fixed to the concrete and to provide data on the temperature distribution throughout the protected concrete member, when exposed to the standard temperature time curve.

In special circumstances, where specified in national building regulations, there can be a need to subject the protection material to a smouldering curve. The test for this and the special circumstances for its use are detailed in Annex A.

The fire test methodology makes provision for the collection and presentation of data which can be used as direct input to the calculation of fire resistance of concrete members in accordance with the procedures given in EN 1992-1-2.

This European Standard also contains the assessment which prescribes how the analysis of the test data is to be made and gives guidance to the procedures by which interpolation is to be undertaken.

The limits of applicability of the results of the assessment arising from the fire test are defined together with permitted direct application of the results to different concrete structures, densities, strengths, thicknesses and production techniques over the range of thicknesses of the applied fire protection system tested.

The test method, the test results and the assessment method are not applicable to structural hollow concrete members.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 206, Concrete - Specification, performance, production and conformity

EN 823, Thermal insulating products for building applications - Determination of thickness

EN 1363-1, Fire resistance tests - Part 1: General Requirements

EN 1363-2, Fire resistance tests - Part 2: Alternative and additional procedures

EN 1992-1-1, Eurocode 2: Design of concrete structures - Part 1-1: General rules and rules for buildings

EN 1992-1-2, Eurocode 2: Design of concrete structures - Part 1-2: General rules - Structural fire design

EN 10080, Steel for the reinforcement of concrete - Weldable reinforcing steel - General

EN 12467, Fibre-cement flat sheets - Product specification and test methods

EN ISO 13943, Fire safety - Vocabulary (ISO 13943)

ISO 8421-2, Fire protection - Vocabulary - Part 2: Structural fire protection

koniec náhľadu – text ďalej pokračuje v platenej verzii STN