

STN	Inteligentné dopravné systémy. Elektronická bezpečnosť. Aplikačné protokoly vysokej úrovne (HLAP) eCall používajúce siete spínané obvodmi GSM/UMTS.	STN EN 16062 01 8590
------------	--	--

Intelligent transport systems - ESafety - eCall high level application requirements (HLAP) using GSM/UMTS circuit switched networks

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/15

Obsahuje: EN 16062:2015

Oznámením tejto normy sa ruší
STN EN 16062 (01 8590) z marca 2012

121490

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 16062

April 2015

ICS 35.240.60

Supersedes EN 16062:2011

English Version

**Intelligent transport systems - ESafety - eCall high level
application requirements (HLAP) using GSM/UMTS circuit
switched networks**

Systèmes de transport intelligents - ESafety - Exigences de
protocole d'application de haut niveau (HLAP) relatives à
l'eCall via des réseaux commutés de circuits GSM/UMTS

Intelligente Transportsysteme - ESicherheit - Allgemeine
eCall Anforderungen (HLAP) unter Verwendung von
geschalteten GSM/UTMS Netzwerken

This European Standard was approved by CEN on 1 February 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
Introduction	5
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
4 Symbols and abbreviations	11
5 Conformance.....	12
6 General overview of the eCall transaction for Pan European eCall	13
7 Requirements	17
7.1 Procedures following power-up of the in-vehicle system	17
7.1.1 General.....	17
7.1.2 Enabled IVS	17
7.1.3 Enabled PSAP	17
7.1.4 IVS configured only for eCall.....	18
7.1.5 Self-test.....	18
7.1.6 Standby mode applicable to IVS configured for eCall only	18
7.2 Activation.....	19
7.2.1 Activation of pan-European eCall	19
7.2.2 Activation of a test eCall	19
7.3 Call set-up.....	19
7.3.1 General.....	19
7.3.2 IVS network access device (NAD) already registered on PLMN.....	20
7.3.3 eCall in progress.....	20
7.3.4 Network selection and registration.....	20
7.3.5 Authentication of the subscriber	20
7.3.6 eCall establishment	21
7.3.7 Cell localisation (by network).....	21
7.3.8 Manual termination of eCall by vehicle occupants before trigger confirmation.....	21
7.4 MSD transfer.....	21
7.4.1 General.....	21
7.4.2 Send initiation signal from IVS eCall modem to PSAP	22
7.4.3 eCall modem synchronization.....	23
7.4.4 Request MSD by PSAP eCall modem to IVS eCall modem	23
7.4.5 Send MSD from vehicle IVS to PSAP eCall modem	23
7.4.6 Link layer error check	23
7.4.7 Link layer ACK from PSAP eCall modem to IVS eCall modem	23
7.5 Application layer acknowledgement (AL- ACK)	24
7.5.1 Following transmission of the MSD to the eCall PSAP application	24
7.5.2 PSAP acknowledges the MSD	24
7.5.3 No receipt of application layer ACK.....	25
7.5.4 Form of presentation of the AL-ACK	25
7.6 PSAP request "SEND MSD"	26
7.6.1 General.....	26
7.6.2 Before call clear-down	26
7.6.3 After call clear-down	28
7.7 PSAP application features	28
7.7.1 General requirements.....	28

7.7.2	MSD display to the PSAP operator	29
7.7.3	PSAP operator user interface	29
7.8	Audio link to vehicle occupants	29
7.9	eCall clear-down	29
7.10	PSAP call back.....	30
7.11	Rerouting to another PSAP/emergency control centre.....	30
7.12	Handling non equipped situations / error cases	31
7.12.1	MSD not transmitted correctly	31
7.12.2	Network registration fails	31
7.12.3	Call failure before the MSD is sent and acknowledged.....	31
7.12.4	Mobile network not supporting eCall flag or not provided with routing tables	31
7.12.5	PSAP modem failure	32
7.12.6	PSAP network/ICT failure	32
7.12.7	PSAP application failure.....	32
7.12.8	PSAP operator does not respond.....	33
7.12.9	No response if line engaged	33
7.12.10	MSD not sent.....	33
7.12.11	MSD not received	33
7.12.12	Audio link not established.....	34
7.12.13	Audio link established but subsequently fails	34
7.12.14	Re-attempt in case of interrupted call.....	34
7.12.15	Automatic repeat attempts	34
7.12.16	IVS NAD does not receive call clear-down	34
8	Third party services supported eCall (TPS-eCall).....	34
8.1	Overview.....	34
9	Defences against attack (Security provisions)	35
10	Quality of service requirements.....	35
11	Test and conformance requirements	35
12	Marking, labelling and packaging.....	35
13	Declaration of patents and intellectual property.....	35
	Annex A (normative) Table of timings	36
	Annex B (informative) Summary abstracts of normative referenced documents.....	38
B.1	Objective	38
B.2	Summary abstracts	38
	Annex C (informative) Test system strategies	50
C.1	General	50
C.2	Vehicle and PSAP equipment life cycle	50
C.3	Laboratory environment	51
C.4	OEM or third party test systems	51
	Bibliography.....	52

Foreword

This document (EN 16062:2015) has been prepared by Technical Committee CEN/TC 278 “Intelligent transport systems”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2015, and conflicting national standards shall be withdrawn at the latest by October 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16062:2011.

The following changes have been introduced in this revision:

- Improvements in the precision of technical description and update of references;
- 7.4.2 (initiation sequence) has been revised to enable faster connections;
- Timer values have been changed;
- Some Notes have been removed;
- Grammar/presentation has been improved;
- An optional network echo cancellation suppression tone has been added;
- SIM and SIM/USIM have been replaced by USIM throughout for consistency with ETSI *eCall* standards deliverables;
- IVS has been replaced by ‘IVS responsible for the *eCall* system’ for clarity, throughout;
- 7.3.8, 7.4.2, 7.5.4, 7.6.1 reworded for clarity and some rearrangement between 7.5.4 and 7.6.1;
- 7.9 Cleardown clarified;
- Table of timings revised;
- Annex C truncated as CEN/TS 16454 (*eCall* Conformance Tests) now exists.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

An *eCall* is an emergency call generated either automatically via activation of in-vehicle sensors or manually by the vehicle occupants; when activated, to provide notification and relevant location information to the most appropriate Public Safety Answering Points (PSAP), by means of mobile wireless communications networks and carries a defined standardized minimum set of data, notifying that there has been an incident that requires response from the emergency services and establishes an audio channel between the occupants of the vehicle and the most appropriate PSAP.

EN 15722 specifies a standardized MSD for *eCall*, and EN 16072 specifies pan-European *eCall* operating requirements. (For third party systems, EN 16102 specifies third party services supporting *eCall* operating requirements. See EC Communication on *eCall* Implementation 2009 [COM(2009) 434 final] and Official Journal *eCall* Recommendation C_2011_6269, for more information).

The operating requirements for pan-European *eCall* are made using Public Land Mobile Networks (PLMN) (such as GSM and 3G), as specified in a number of ETSI standards and technical specifications.

In order to provide the *eCall* service across a wireless network, high level application protocols are required as an important essential element to effect this service provision. This European Standard specifies the protocols to put into effect the pan-European *eCall* operating requirements using PLMNs, and also identifies common elements that can be used in the link between third party services supporting *eCall* and PSAPs.

NOTE The term PSAP, which is most widely used in the *eCall* documentation, European Commission documents etc., is used throughout this document and equates to the term emergency call response centre used in the ITS Implementation Directive.

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this European Standard may involve the use of patents concerning *eCall* given in this European Standard.

The patents held may refer to the implementation of *eCall* in general using the specifications in this European Standard, but do not specifically directly refer to specifications of any of the clauses defined herein.

CEN takes no position concerning the evidence, validity and scope of these patent rights.

The holder of these patent rights has assured to CEN that they are willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of these patent rights is registered with CEN. Information may be obtained from:

Mr. Thomas R. Rouse VP QTL Patent Counsel QUALCOMM Incorporated

5775 Morehouse Drive

San Diego, California 92121. USA

Phone: +1-858-587-1121

Fax: +1-858-658-2503

Email: trouse@qualcomm.com

URL: www.qualcomm.com

and:

Mr. Thomas W. Davis Jr. General Council AIRBIQUITY Incorporated

1011 Western Avenue, Suite 600

Seattle, Washington 98104. USA

Phone: +1.206.219.2700

Fax: +1.206.842.9259

Toll-Free: +1.888.334.7741

Email: tdavis@airbiquity.com

URL: www.airbiquity.com

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

1 Scope

In respect of pan-European *eCall* (operating requirements defined in EN 16072), this European Standard defines the high level application protocols, procedures and processes required to provide the *eCall* service using a TS12 emergency call over a mobile communications network.

NOTE 1 The objective of implementing the pan-European in-vehicle emergency call system (*eCall*) is to automate the notification of a traffic accident, wherever in Europe, with the same technical standards and the same quality of services objectives by using a PLMN (such as ETSI prime medium) which supports the European harmonized 112/E112 emergency number (TS12 ETSI/TS 122 003) and to provide a means of manually triggering the notification of an emergency incident.

NOTE 2 HLAP requirements for third party services supporting *eCall* can be found in EN 16102, and have been developed in conjunction with the development of this work item, and is consistent in respect of the interface to the PSAP. This deliverable makes reference to those provisions but does not duplicate them.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15722:2011, *Intelligent transport systems — eSafety — eCall minimum set of data (MSD)*

EN 16072:2011, *Intelligent transport systems — eSafety — Pan-European eCall operating requirements*

EN 16102:2011, *Intelligent transport systems — eCall — Operating requirements for third party support*

CEN/TS 16454:2013, *Intelligent transport systems — ESafety — ECall end to end conformance testing*

ETSI/TS 122 101, *Universal Mobile Telecommunications System (UMTS); LTE; Service aspects; Service principles (3GPP TS 22.101 [Release 8 or later])*

ETSI/TS 124 008, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 [Release 8 or later]*

ETSI/TS 126 267, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; General description [Release 8 or later]*

ETSI/TS 126 268, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; ANSI-C reference code [Release 8 or later]*

ETSI/TS 126 269, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; Conformance testing [Release 8 or later]*

ETSI/TS 122 003, *Digital cellular communications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Circuit Teleservices supported by a Public Land Mobile Network (PLMN) (Teleservice 12/TC12) /E12 [Release 8 or later]*

ETSI/TS 122 011, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Service accessibility [Release 8 or later]*

ETSI/TS 127 007, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); AT command set for user equipment [Release 8 or later]*

ETSI/TS 102 164, *Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Emergency Location Protocols (version 1.3.1)*

ETSI/TS 151 010-1, *Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 8.1.0) [Release 8 or later]*

ETSI/TS 121 133, *Universal Mobile Telecommunications System (UMTS); 3G Security; Security Threats and Requirements; (3GPP TS 21.133 version 4.1.0) [Release 4 or later]*

ETSI/TS 122 071, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Location Services (LCS); Service description; Stage 1 [Release 8 or later]*

ISO/IEC 9646 (all parts), *Information technology — Open Systems Interconnection — Conformance testing methodology and framework*

ITU-T:2009, Recommendation G.168 “Digital network echo cancellers”

koniec náhľadu – text ďalej pokračuje v platenej verzii STN