

| | | |
|------------|--|---------------------------|
| STN | Priemyselné komunikačné siete. Rádiové komunikačné siete. Časť 2: Manažment koexistencie. | STN EN 62657-2 |
| | | 18 4020 |

Industrial communication networks - Wireless communication networks - Part 2: Coexistence management

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/15

Obsahuje: EN 62657-2:2015, IEC 62657-2:2013

121572

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2015

Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

EN 62657-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2015

ICS 25.040.40; 33.040; 35.110

English Version

**Industrial communication networks - Wireless communication
networks - Part 2: Coexistence management
(IEC 62657-2:2013 , modified)**

Réseaux de communication industriels - Réseaux de communication sans fil - Partie 2: Gestion de coexistence
(IEC 62657-2:2013 , modifiée)

Industrielle Kommunikationsnetze - Funk-Kommunikationsnetze - Teil 2: Koexistenz-Management
(IEC 62657-2:2013 , modifiziert)

This European Standard was approved by CENELEC on 2015-03-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN 62657-2:2015) consists of the text of IEC 62657-2:2013 prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation", together with the common modifications prepared by CLC/TC 65X "Industrial-process measurement, control and automation".

The following dates are fixed:

- latest date by which the document has to be implemented at national level
by publication of an identical national standard or by endorsement (dop) 2016-03-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-03-16

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62657-2:2013 was approved by CENELEC as a European Standard with agreed common modifications.

COMMON MODIFICATIONS

1 Scope

Delete Examples 1 and 2.

3 Terms, definitions, abbreviated terms and conventions

In 3.2, **delete** the term 'R&TTE'.

4 Coexistence concept in industrial automation

In 4.2, **replace** the first paragraph by the following:

This part of EN 62657 gives guidance to manufacturers of wireless automation devices on how to fulfill requirements of applicable regional and local regulations.

7 Coexistence management process

In 7.1.1, **replace** the last paragraph by the following:

In all phases, the local and regional legal and regulatory issues shall be considered and shall be fulfilled.

Bibliography

Add the following notes for the standards indicated:

| | | |
|------------------|------|---|
| IEC 61360 Series | NOTE | Harmonized in EN 61360 Series (not modified). |
| IEC 61784-1 | NOTE | Harmonized as EN 61784-1. |
| IEC 61784-2 | NOTE | Harmonized as EN 61784-2. |
| IEC 62591 | NOTE | Harmonized as EN 62591. |

Replace the text of entries [20] and [21] by 'Void'.



INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Wireless communication networks –
Part 2: Coexistence management**

**Réseaux de communication industriels – Réseaux de communication sans fil –
Partie 2: Gestion de coexistence**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électriques et électroniques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Wireless communication networks –
Part 2: Coexistence management**

**Réseaux de communication industriels – Réseaux de communication sans fil –
Partie 2: Gestion de coexistence**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX
XC

ICS 25.040.40; 33.040; 35.110

ISBN 978-2-8322-1048-2

| |
|---|
| Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé. |
|---|

CONTENTS

| | |
|---|----|
| FOREWORD | 6 |
| INTRODUCTION | 8 |
| 1 Scope | 10 |
| 2 Normative references | 10 |
| 3 Terms, definitions, abbreviated terms and conventions | 10 |
| 3.1 Terms and definitions | 10 |
| 3.2 Abbreviated terms | 15 |
| 3.3 Conventions | 16 |
| 4 Coexistence concept in industrial automation | 16 |
| 4.1 Overview | 16 |
| 4.1.1 General | 16 |
| 4.1.2 Manual coexistence management | 18 |
| 4.1.3 Automated non-collaborative metrics-based coexistence management..... | 18 |
| 4.1.4 Automated collaborative metrics-based coexistence management | 18 |
| 4.2 Objective | 18 |
| 4.3 Necessity to implement a coexistence management | 20 |
| 4.4 Interference potential | 22 |
| 4.5 Ancillary conditions | 24 |
| 4.6 Best practices to achieve coexistence | 24 |
| 4.7 Coexistence conceptual model | 27 |
| 4.8 Coexistence management and selection of a wireless communication solution | 29 |
| 4.9 Coexistence management system | 31 |
| 5 Coexistence management parameters | 31 |
| 5.1 General | 31 |
| 5.2 Explanation of coexistence parameters | 31 |
| 5.2.1 Adjacent channel selectivity..... | 31 |
| 5.2.2 Antenna gain | 31 |
| 5.2.3 Antenna radiation pattern | 32 |
| 5.2.4 Bandwidth | 32 |
| 5.2.5 Bit rate of physical link | 32 |
| 5.2.6 Centre frequency..... | 32 |
| 5.2.7 Characteristic of the area of operation | 32 |
| 5.2.8 Communication load | 32 |
| 5.2.9 Cut-off frequency..... | 33 |
| 5.2.10 Data throughput..... | 34 |
| 5.2.11 Duty cycle | 34 |
| 5.2.12 Effective radiated power (EIRP, ERP)..... | 35 |
| 5.2.13 Frequency hopping procedure | 36 |
| 5.2.14 Future expansion plan | 36 |
| 5.2.15 Geographical dimension of the plant..... | 36 |
| 5.2.16 Infrastructure components | 36 |
| 5.2.17 Initiation of data transmission | 36 |
| 5.2.18 Length of user data per transmission interval | 36 |
| 5.2.19 Limitation from neighbors of the plant..... | 36 |
| 5.2.20 Maximum dwell time | 37 |

| | | |
|--------|---|----|
| 5.2.21 | Maximum number of retransmissions | 37 |
| 5.2.22 | Maximum transmitter sequence | 37 |
| 5.2.23 | Mechanisms for adaptivity | 38 |
| 5.2.24 | Medium access control mechanism..... | 39 |
| 5.2.25 | Modulation..... | 39 |
| 5.2.26 | Natural environmental conditions | 39 |
| 5.2.27 | Device characterization parameters | 39 |
| 5.2.28 | Other frequency users | 39 |
| 5.2.29 | Packet loss rate (PLR)..... | 39 |
| 5.2.30 | Physical links | 40 |
| 5.2.31 | Positions of wireless devices and distances between them | 40 |
| 5.2.32 | Power spectral density (PSD) | 40 |
| 5.2.33 | Purpose of the automation application | 41 |
| 5.2.34 | Radio channel | 41 |
| 5.2.35 | Radio propagation conditions | 41 |
| 5.2.36 | Receiver blocking | 42 |
| 5.2.37 | Receiver maximum input level | 42 |
| 5.2.38 | Receiver sensitivity..... | 42 |
| 5.2.39 | Regional radio regulations | 42 |
| 5.2.40 | Relative movement..... | 42 |
| 5.2.41 | Reliability required..... | 42 |
| 5.2.42 | Response time | 43 |
| 5.2.43 | Security level required | 43 |
| 5.2.44 | Spatial coverage of the wireless communication network | 43 |
| 5.2.45 | Spurious response..... | 43 |
| 5.2.46 | Topology | 44 |
| 5.2.47 | Total radiated power (TRP)..... | 44 |
| 5.2.48 | Transmission gap | 44 |
| 5.2.49 | Transmission interval..... | 45 |
| 5.2.50 | Transmission time | 45 |
| 5.2.51 | Transmitter spectral mask | 47 |
| 5.2.52 | Type of antenna | 48 |
| 5.2.53 | Update time..... | 48 |
| 5.2.54 | Used frequency bands | 49 |
| 5.2.55 | Wireless devices | 49 |
| 5.2.56 | Wireless communication networks | 49 |
| 5.2.57 | Wireless technology or standard..... | 50 |
| 6 | Coexistence management information structures | 50 |
| 6.1 | General | 50 |
| 6.2 | General plant characteristic..... | 51 |
| 6.3 | Application communication requirements | 52 |
| 6.3.1 | Overview | 52 |
| 6.3.2 | Requirements influencing the characteristic of wireless solutions | 52 |
| 6.3.3 | Performance requirements | 53 |
| 6.4 | Characteristic of wireless system type and wireless device type | 53 |
| 6.4.1 | Overview | 53 |
| 6.4.2 | Characteristic of wireless system type | 54 |
| 6.4.3 | Characteristic of wireless devices type | 55 |
| 6.5 | Characteristic of wireless communication solution | 57 |

| | | |
|-------|---|----|
| 6.5.1 | Overview | 57 |
| 6.5.2 | Characteristic of a wireless network solution | 58 |
| 6.5.3 | Characteristic of wireless devices solution..... | 58 |
| 7 | Coexistence management process | 59 |
| 7.1 | General | 59 |
| 7.1.1 | Overview | 59 |
| 7.1.2 | Documentation | 60 |
| 7.1.3 | Suitable documentation method..... | 62 |
| 7.1.4 | Application of tools | 63 |
| 7.2 | Establishment of a coexistence management system | 63 |
| 7.2.1 | Nomination of a coexistence manager | 63 |
| 7.2.2 | Responsibility of a coexistence manager | 64 |
| 7.2.3 | Support by radio experts..... | 64 |
| 7.2.4 | Training | 64 |
| 7.3 | Maintaining coexistence management system | 65 |
| 7.4 | Phases of a coexistence management process | 65 |
| 7.4.1 | Investigation phase | 65 |
| 7.4.2 | Planning phase..... | 68 |
| 7.4.3 | Implementation phase | 70 |
| 7.4.4 | Operation phase | 71 |
| 8 | Coexistence parameter templates..... | 73 |
| | Bibliography..... | 77 |
| | Figure 1 – Area of consideration | 20 |
| | Figure 2 – Examples of wireless equipment in industrial environments..... | 21 |
| | Figure 3 – Progression of expense to achieve coexistence corresponding to the application classes | 24 |
| | Figure 4 – Separation of wireless communication systems according to frequency and time | 25 |
| | Figure 5 – Coexistence conceptual model..... | 28 |
| | Figure 6 – Flow chart of the coexistence conceptual model..... | 29 |
| | Figure 7 – Selection of a wireless communication system in the coexistence management process..... | 30 |
| | Figure 8 – Communication load in case of two wireless devices..... | 33 |
| | Figure 9 – Communication load in the case of several wireless devices | 33 |
| | Figure 10 – Cut-off frequencies derived from maximum power level..... | 34 |
| | Figure 11 – Duty cycle | 35 |
| | Figure 12 – Maximum dwell time | 37 |
| | Figure 13 – Maximum transmitter sequence | 38 |
| | Figure 14 – Distance of the radio components | 40 |
| | Figure 15 – Power spectral density of an IEEE 802.15.4 system | 41 |
| | Figure 16 – Minimum transmission gap | 44 |
| | Figure 17 – Communication cycle, application event interval and machine cycle..... | 45 |
| | Figure 18 – Example of the density functions of transmission time | 46 |
| | Figure 19 – Example of the distribution functions of transmission time | 47 |
| | Figure 20 – Transmitter spectral mask of an IEEE 802.15.4 system | 48 |

| | |
|--|----|
| Figure 21 – Example of distribution functions of the update time | 49 |
| Figure 22 – Principle for use of coexistence parameters | 50 |
| Figure 23 – Parameters to describe the general plant characteristic | 51 |
| Figure 24 – Parameters to describe application communication requirements | 52 |
| Figure 25 – Parameters to describe wireless network type and device type | 54 |
| Figure 26 – Power spectral density and transmitter spectral mask of a DECT system | 56 |
| Figure 27 – Medium utilization in time and frequency of a DECT system..... | 56 |
| Figure 28 – Parameters to describe a wireless communication solution | 58 |
| Figure 29 – Relations of the documents in a coexistence management system specification | 62 |
| Figure 30 – Planning of a wireless communication system in the coexistence management process..... | 69 |
| Figure 31 – Implementation and operation of a wireless communication system in the coexistence management process | 72 |
| | |
| Table 1 – Classification of application communication requirements | 19 |
| Table 2 – Application profile dependent observation time values..... | 35 |
| Table 3 – List of parameters used to describe the general plant characteristic | 51 |
| Table 4 – List of parameters used to describe the requirements influencing the characteristic of wireless solutions..... | 53 |
| Table 5 – List of parameters used to describe performance requirements | 53 |
| Table 6 – List of parameters used to describe the wireless system type..... | 55 |
| Table 7 – List of parameters used to describe the transmitter of a wireless device type | 57 |
| Table 8 – List of parameters used to describe the receiver of a wireless device type | 57 |
| Table 9 – List of parameters used to describe a wireless network solution | 58 |
| Table 10 – List of parameters used to describe the transmitter of a wireless device solution | 59 |
| Table 11 – List of parameters used to describe the receiver of a wireless device solution..... | 59 |
| Table 12 – Template used to describe the general plant characteristic..... | 73 |
| Table 13 – Template used to describe the application communication requirements | 74 |
| Table 14 – Template used to describe the wireless system type | 74 |
| Table 15 – Template used to describe a wireless device type | 75 |
| Table 16 – Template used to describe the wireless network solution..... | 75 |
| Table 17 – Template used to describe a wireless device solution | 76 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
WIRELESS COMMUNICATION NETWORKS –****Part 2: Coexistence management****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62657-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this standard is based on the following documents:

| | |
|--------------|------------------|
| FDIS | Report on voting |
| 65C/736/FDIS | 65C/740/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This first edition cancels and replaces IEC/TS 62657-2, published in 2011.

The main changes with respect to the TS are:

- a) updated the normative references, terms, definitions, symbols, abbreviations;
- b) corrected spelling;
- c) changed figures to make them consistent with the text and vice versa;
- d) added and modified text to make the text more readable.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62657 series, under the general title *Industrial communication networks – Wireless communication networks*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The market is in need of network solutions, each with different performance characteristics and functional capabilities, matching diverse application requirements. Industrial automation applications cover different industrial application domains like:

- process automation, covering for example the following industry branches
 - oil & gas, refining,
 - chemical,
 - pharmaceutical,
 - mining,
 - pulp & paper,
 - water & wastewater,
 - steel
- electric power like
 - power generation (for example wind turbine),
 - power distribution (grid),
- factory automation, covering for example the following industry branches
 - food & beverage,
 - automotive,
 - machinery,
 - semiconductor.

Industrial automation applications require behaviors of wireless communication networks that are different from those that are used for example in telecommunications or for commercial like a remote control or toy. These industrial automation requirements are identified and provided in IEC/TS 62657-1.

In industrial automation, many different wireless communication networks may operate in the same premises. Examples of these networks are IEC 62591 [6]¹ (WirelessHART[®]²), IEC 62601 [7] (WIA-PA) and IEC/PAS 62734 [9] (ISA100.11a); all these networks use IEEE 802.15.4 [18] for the process automation applications. Other examples of wireless networks are specified in IEC 61784-1 [3] and IEC 61784-2 [4] CPs that use IEEE 802.11 [14] and IEEE 802.15.1 [16] for factory automation applications. Different to wired fieldbuses, the wireless communication interfaces can interfere with others on the same premises or environment, disturbing each other. Therefore, without a predictable assuredness of coexistence, it could be problematic to have multiple wireless communication networks in the same facility or environment, especially because the time-criticality, the safety and the security of the operation may not be ensured in such an environment.

This part of the IEC 62657 addresses the coexistence management for a predictable assuredness of coexistence.

1 Figures in square brackets refer to the Bibliography.

2 WirelessHART is the registered trade name of the HART Communication Foundation. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

The IEC 62657 series has two parts:

- Part 1: Wireless communication requirements and spectrum considerations
- Part 2: Coexistence management

IEC/TS 62657-1 [8] provides general requirements of industrial automation and spectrum considerations that are the basis for industrial communication solutions. This second part of IEC 62657 specifies the coexistence management with a predictable assuredness of coexistence. It is intended to facilitate harmonization of future adjustments to international, national, and local regulations.

This Part 2 of IEC 62657 provides the coexistence management concept and process. Based on the coexistence management process, a predictable assuredness of coexistence can be achieved for a given spectrum with certain application requirements.

This Part 2 of IEC 62657 provides guidance to the users of wireless communication networks on selection and proper use of wireless communication networks. To provide suitable wireless devices to the market, it also serves vendors in describing the behaviors of wireless devices to build wireless communication networks matching the application requirements.

This Part 2 of IEC 62657 is based on analyses of a number of International Standards, which focus on specific technologies. The intention of this standard is not to invent new parameters but to use already defined ones and to be technology independent.

INDUSTRIAL COMMUNICATION NETWORKS – WIRELESS COMMUNICATION NETWORKS –

Part 2: Coexistence management

1 Scope

This Part 2 of IEC 62657

- specifies the fundamental assumptions, concepts, parameters, and procedure for wireless communication coexistence;
- specifies coexistence parameters and how they are used in an application requiring wireless coexistence;
- provides guidelines, requirements, and best practices for wireless communication's availability and performance in an industrial automation plant; it covers the life cycle of wireless communication coexistence;
- helps the work of all persons involved with the relevant responsibilities to cope with the critical aspects at each phase of life cycle of the wireless communication coexistence management in an industrial automation plant. Life cycle aspects include: planning, design, installation implementation, operation, maintenance, administration and training;
- provides a common point of reference for wireless communication coexistence for industrial automation sites as a homogeneous guideline to help the users assess and gauge their plant efforts;
- deals with the operational aspects of wireless communication coexistence regarding both the static human/tool-organization and the dynamic network self-organization.

This Part 2 of IEC 62657 will provide a major contribution to national and regional regulations. It does not exempt devices to conform to all requirements of national and regional regulations.

EXAMPLE 1 This Part 2 of IEC 62657 could be listed as a harmonized standard in the Official Journal of the European Union (OJEU) to address the requirements of the European R&TTE directive, Article 3.2 [20], in addition to other applicable harmonized standards.

EXAMPLE 2 This Part 2 of IEC 62657 could be listed in the Korean Enforcement Decree of the Radio Regulation Law, Article 18 [21].

2 Normative references

None

koniec náhľadu – text d'alej pokračuje v platenej verzii STN