

<b>STN</b>	<b>Stomatológia. Dentálny amalgám (ISO 24234:2015).</b>	<b>STN EN ISO 24234</b>  85 6342
------------	---	--

Dentistry - Dental amalgam (ISO 24234:2015)

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/15

Obsahuje: EN ISO 24234:2015, ISO 24234:2015

Oznámením tejto normy sa ruší  
STN EN ISO 24234 (85 6342) zo septembra 2005

**121624**

English Version

**Dentistry - Dental amalgam (ISO 24234:2015)**Médecine bucco-dentaire - Amalgame dentaire (ISO  
24234:2015)

Zahnheilkunde - Dentale Amalgame (ISO 24234:2015)

This European Standard was approved by CEN on 3 January 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**Contents**

Page

Foreword.....3

## **Foreword**

This document (EN ISO 24234:2015) has been prepared by Technical Committee ISO/TC 106 "Dentistry" in collaboration with Technical Committee CEN/TC 55 "Dentistry" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2015, and conflicting national standards shall be withdrawn at the latest by November 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 24234:2004.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **Endorsement notice**

The text of ISO 24234:2015 has been approved by CEN as EN ISO 24234:2015 without any modification.

STN EN ISO 24234: 2015  
**INTERNATIONAL  
STANDARD**

**ISO  
24234**

Second edition  
2015-05-01

---

---

## **Dentistry — Dental amalgam**

*Médecine bucco-dentaire — Amalgame dentaire*



Reference number  
ISO 24234:2015(E)

© ISO 2015



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Requirements</b> .....	<b>2</b>
4.1 Chemical composition and purity of the dental amalgam alloy.....	2
4.2 Foreign material and large particles in the dental amalgam alloy powder.....	3
4.3 Accuracy and variability of pre-proportioned masses.....	3
4.4 Properties of the dental amalgam.....	4
4.5 Appearance of the mixed dental amalgam before setting.....	4
<b>5 Sampling</b> .....	<b>4</b>
<b>6 Test methods</b> .....	<b>5</b>
6.1 Chemical composition and purity of the dental amalgam alloy.....	5
6.2 Foreign material and large particles in the dental amalgam alloy powder.....	5
6.3 Determination of the accuracy and variability of pre-proportioned masses.....	5
6.4 Preparation of test-pieces to determine compliance with the requirements for creep, dimensional change during hardening, and compressive strength.....	7
6.5 Determination of creep.....	12
6.6 Determination of dimensional change during hardening.....	12
6.7 Determination of compressive strength.....	13
6.8 Appearance of the mixed dental amalgam before setting.....	14
<b>7 Marking, labelling, and packaging</b> .....	<b>15</b>
7.1 Packaging.....	15
7.2 Marking.....	15
7.3 Manufacturer's instructions.....	17
<b>Bibliography</b> .....	<b>19</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 106, *Dentistry*, Subcommittee SC 1, *Filling and Restorative Materials*.

This second edition cancels and replaces the first edition (ISO 24234:2004), which has been technically revised. It also incorporates the amendment ISO 24234:2004/Amd, 1. The following changes have been made.

- The title of this International Standard has been changed to reflect the content and requirements more accurately.
- The supply of dental mercury in units of greater mass (bulk dental mercury) is no longer within the scope of this International Standard. Through this restriction on the supply of dental mercury for a product to comply with this International Standard (introduced by ISO/TC 106 SC1), a general concern about the environmental impact from the sale of mercury in bulk volumes (for all applications) is addressed.
- As a consequence of the removal of dental mercury supplied in bulk quantities from the scope of this International Standard, requirements for freedom from contamination (by water, oil and foreign bodies) and free pouring of dental mercury are no longer present in this International Standard.
- The values for the requirements on the dimensional change during hardening and the compressive strength at 1 h and 24 h have been revised. "Permitted dimensional change during hardening" is changed from (- 0,10 to +0,20) % to (-0,10 to +0,15) %. Furthermore, the "Minimum compressive strength at 1h" is increased from 80 to 100 MPa, and the "Minimum compressive strength at 24 h" is increased from 300 to 350 MPa.
- Provisions for packaging and marking have been revised.
- Markings required for mercury safety warnings and precautions have been revised.
- Normative annexes on procedures for corrosion testing have been removed from this International Standard and are now contained in a new International Technical Specification, ISO/TS 17988: *Dentistry — Corrosion test methods for dental amalgam*.



## Introduction

Dental amalgam alloy and dental mercury are the essential and only components of dental amalgam restorative material. This International Standard specifies the requirements and the test methods for dental amalgam alloy that is suitable for the preparation of dental amalgam, together with those for the set dental amalgam and the requirements for packaging and marking (including those for dental mercury), of which this International Standard is the second edition.

Specific qualitative and quantitative test methods for demonstrating freedom from unacceptable biological hazard are not included in this International Standard but it is recommended that, for the assessment of possible biological hazards, reference should be made to ISO 10993 and ISO 7405.

To enhance the safety of dentists and support staff, and minimize the consequence that might result from the accidental damage to containers during shipping, the scope is limited solely to dental mercury that is supplied pre-capsulated or in pre-dosed sachets. Both are limited to a mass sufficient for one mix.

Safety precautions relating to marking, labelling, and packaging have been strengthened in this revision.

Restricting the scope to dental amalgam alloys with copper contents above 12 % by mass (i.e. "high copper" dental amalgam alloy) was considered, because it is reported that restorations made with such alloys, as a group, have a better long term survival rate than those made with traditional alloys (i.e. "low copper" dental amalgam alloy). This was rejected since there are a few products with a low copper content that produce restorations that are as durable as those produced using some of the high copper products. (Factors other than the percentage of copper are important.) Also, it was felt that excluding products from compliance should not be done by a change to the composition requirement; it should be on the basis of a revision to the requirements for the properties that determine performance.

Inclusion of a requirement for corrosion resistance was considered. However, it was agreed that the data available were insufficient to set a corrosion requirement in this edition of this International Standard. A requirement for the corrosion resistance will be set and incorporated at the earliest possible date. It is recommended that, in assessing corrosion resistance of a dental amalgam product (relative to other dental amalgam products) reference should be made to ISO/TS 17988.

In the first edition of this International Standard (and before that in ISO 1559) a compression strength test was used to determine the resistance to fracture of dental amalgam. Such a test, with a compressive strength requirement, continues to be used in this edition. However, the Working Group recognizes that dental amalgam, is in effect, a brittle material and it is evaluating a suitable test procedure that produces tensile forces to initiate fracture in a way that replicates the clinical process. At this time, the work has not reached the point at which this test (with a requirement) can be included in this revision of the International Standard. When evaluation is completed, consideration will be given to adding a requirement for fracture resistance that utilizes this test. This will be in the form of a Technical Amendment.

Requirements and test methods for the capsules used for pre-capsulated products are contained in ISO 13897.



# Dentistry — Dental amalgam

## 1 Scope

This International Standard specifies the requirements and test methods for dental amalgam alloys that are suitable for the preparation of dental amalgam, together with the requirements and test methods for that dental amalgam and the requirements for packaging and marking (including those for dental mercury).

It is applicable to dental amalgam alloys supplied in the form of a free-flowing powder in bulk, or a powder compressed to form a tablet, or a powder in a capsule (i.e. pre-capsulated).

With respect to dental mercury, the scope is limited solely to dental mercury which is supplied pre-capsulated or in pre-dosed sachets. Both are limited to a mass sufficient for one mix. The mass of dental mercury in one capsule or sachet shall be sufficient to produce a homogeneous plastic mix, appropriate for a small or medium sized restoration in a single tooth. This International Standard is not applicable to mercury supplied in masses greater than this in a single primary container (i.e. dental mercury in bulk). Dental mercury supplied in bulk volumes will not conform to this International Standard.

This International Standard does not exclude the supply of dental amalgam alloy or dental mercury separately.

This International Standard is not applicable to metallic materials in which an alloy powder reacts with an alloy that is liquid at ambient temperature to produce a solid metallic material intended for dental restoration.

NOTE Dental mercury is at least 99,99 % pure, and as such, it is a metallic element of high commercial purity, and not an alloy

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 286-2, *Geometrical product specifications (GPS) — ISO code system for tolerances on linear sizes — Part 2: Tables of standard tolerance classes and limit deviations for holes and shafts*

ISO 1942, *Dentistry — Vocabulary*

ISO 3310-1, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ISO 3864-2, *Graphical symbols — Safety colours and safety signs — Part 2: Design principles for product safety labels*

ISO 6344-1, *Coated abrasives — Grain size analysis — Part 1: Grain size distribution test*

ISO 7488, *Dental amalgamators*

ISO 13565-2, *Geometrical Product Specifications (GPS) — Surface texture: Profile method; Surfaces having stratified functional properties — Part 2: Height characterization using the linear material ratio curve*

ISO 13897, *Dentistry — Amalgam capsules*

ISO 15223-1, *Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements*

## ISO 24234:2015(E)

*Globally Harmonized System of Classification and Labelling of Chemicals (GHS)*. United Nations, New York and Geneva, 5th Edition, 2010, ISBN 92-1-116840-6

*UN Recommendations on the Transport of Dangerous Goods, Model Regulations*. United Nations, New York and Geneva, 18th Edition 2013. ISBN 978-9211931466

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**