

STN	Zubné lekárstvo. Keramické materiály (ISO 6872:2015).	STN EN ISO 6872 85 6354
------------	--	---

Dentistry - Ceramic materials (ISO 6872:2015)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/15

Obsahuje: EN ISO 6872:2015, ISO 6872:2015

Oznámením tejto normy sa ruší
STN EN ISO 6872 (85 6354) z decembra 2008

121628

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2015
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnžovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

English Version

Dentistry - Ceramic materials (ISO 6872:2015)Médecine bucco-dentaire - Matériaux céramiques (ISO
6872:2015)

Zahnheilkunde - Keramische Werkstoffe (ISO 6872:2015)

This European Standard was approved by CEN on 23 April 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword	3

Foreword

This document (EN ISO 6872:2015) has been prepared by Technical Committee ISO/TC 106 “Dentistry” in collaboration with Technical Committee CEN/TC 55 “Dentistry” the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2015, and conflicting national standards shall be withdrawn at the latest by December 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 6872:2008.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 6872:2015 has been approved by CEN as EN ISO 6872:2015 without any modification.

Dentistry — Ceramic materials

Médecine bucco-dentaire — Matériaux céramiques



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Material	1
3.2 Processing	3
3.3 Properties	4
4 Types, classes, and their identification	4
5 Requirements	6
5.1 Uniformity	6
5.2 Freedom from extraneous materials	6
5.3 Mixing and condensation properties of type I ceramics	6
5.4 Physical and chemical properties	6
5.5 Biocompatibility	6
5.6 Shrinkage factor	6
6 Sampling	6
6.1 Type I ceramics	6
6.2 Type II ceramics	7
7 Test methods	7
7.1 Preparation of test specimens	7
7.1.1 Components of test specimens (type I ceramics)	7
7.1.2 Apparatus for mixing	7
7.1.3 Method of mixing	7
7.1.4 Procedure for specimen fabrication	7
7.1.5 Firing	8
7.2 Radioactivity of dental ceramic	8
7.2.1 Preparation of samples	8
7.2.2 Counting procedure	8
7.2.3 Assessment of results	8
7.3 Flexural strength	8
7.3.1 Three-point and four-point bending tests	8
7.3.2 Biaxial flexure test (piston-on-three-ball test)	12
7.4 Linear thermal expansion coefficient	14
7.4.1 Apparatus	14
7.4.2 Preparing of test specimens (type I and type II ceramics)	14
7.4.3 Dilatometric measurement	14
7.4.4 Assessment of results	14
7.5 Glass transition temperature	14
7.5.1 Operating procedure	14
7.5.2 Assessment of results	15
7.6 Chemical solubility	15
7.6.1 Reagent	15
7.6.2 Apparatus	15
7.6.3 Preparation of test specimens	16
7.6.4 Procedure	16
7.6.5 Calculation and assessment of results	16
8 Information and instructions	16
8.1 Information	16
8.1.1 General	16
8.1.2 Type I Ceramics	16

8.1.3	Type II ceramics	16
8.2	Instructions for use	17
9	Packaging, marking, and labelling	17
9.1	Packaging	17
9.2	Marking and labelling	17
Annex A	(informative) Fracture toughness	19
Annex B	(informative) Weibull statistics	26
Bibliography	28

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 106, *Dentistry*, Subcommittee SC 2, *Prosthodontic materials*.

This fourth edition cancels and replaces the third edition (ISO 6872:2008), which has been technically revised with the following changes:

- new edition of ISO 23146:2012 for fracture toughness by SEVNB has been added as an alternative in [Annex A](#). It has a rigorous procedure developed by ISO/TC 206, *Fine ceramics*;
- a restriction on the use of the SEVNB method for fracture toughness determination for 3Y-TZP has been added. In most cases, the notch cannot be made sharp enough with a razor blade;
- maximum chamfer size on bend bars has been reduced for the case of the thin specimens;
- recommendations to grind lengthwise were added to the bend bar preparation step in [7.3.1.2.2](#);
- the Y equations for SEVNB fracture toughness in 3-point have been refined and expanded to cover more configurations;
- modification to [Table 1](#) changing “aesthetic” to “monolithic”.

Introduction

Specific qualitative and quantitative requirements for freedom from biological hazard are not included in this International Standard, but it is recommended that in assessing possible biological or toxicological hazards, reference be made to ISO 10993-1 and ISO 7405.

Dentistry — Ceramic materials

1 Scope

This International Standard specifies the requirements and the corresponding test methods for dental ceramic materials for fixed all-ceramic and metal-ceramic restorations and prostheses.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 1942, *Dentistry — Vocabulary*

ISO 13078, *Dentistry — Dental furnace — Test method for temperature measurement with separate thermocouple*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN