

Sorpčné plynové spotrebiče na vykurovanie a(alebo) chladenie s tepelným príkonom najviac 70 kW. Časť 2: Bezpečnosť.

STN EN 12309-2

06 1520

Gas-fired sorption appliances for heating and/or cooling with a net heat input not exceeding 70 kW - Part 2: Safety

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/15

Obsahuje: EN 12309-2:2015

Oznámením tejto normy sa ruší STN EN 12309-2 (06 1520) zo septembra 2001

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 12309-2

May 2015

ICS 27.080; 91.140.30

Supersedes EN 12309-1:1999

#### **English Version**

# Gas-fired sorption appliances for heating and/or cooling with a net heat input not exceeding 70 kW - Part 2: Safety

Appareils à sorption fonctionnant au gaz pour le chauffage et/ou le refroidissement de débit calorifique sur PCI inférieur à 70 kW - Partie 2 : Sécurité

Gasbefeuerte Sorptions-Geräte für Heizung und/oder Kühlung mit einer Nennwärmebelastung nicht über 70 kW -Teil 2: Sicherheit

This European Standard was approved by CEN on 14 February 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	Contents	
Forewo	ord	6
1	Scope	8
1.1	Scope of EN 12309 series	
1.2	Scope of this Part 2 to EN 12309	
2	Normative references	
3	Terms and definitions	10
4	Classification	40
4 4.1	Classification of appliances	
4.1.1	Classification of gases	
4.1.2	Classification according to the mode of air supply and evacuation of the combustion	
	products	
4.1.3	Classification according to the temperatures of the heat transfer media	
4.1.4	Classification according to denomination	11
5	Construction and design requirements	12
5.1	General	
5.1.1	Conversion to different gases	
5.1.2	Materials and method of construction	
5.1.3	Accessibility for maintenance and use	13
5.1.4	Thermal insulation	13
5.1.5	Gas connection	14
5.1.6	Soundness	14
5.1.7	Air proving	15
5.1.8	Air proving device	15
5.1.9	Gas/air ratio controls	
5.1.10	Supply of combustion air and evacuation of combustion products	17
5.1.11	Checking the state of operation	
5.1.12	Electrical equipment	19
5.1.13	Operational safety in the event of fluctuation, interruption and restoration of the auxiliary energy	20
5.1.14	•	
5.1.15	Pressurized parts of the appliance	
5.2	Requirements for adjusting, control and safety devices	
5.2.1	General	
5.2.2	Gas rate adjusters and range-rating device	
5.2.3	Aeration adjusters	
5.2.4	Automatic gas/air ratio controls	22
5.2.5	Gas pressure regulators	22
5.2.6	Multifunctional controls	
5.2.7	Automatic shut-off valves	
5.2.8	Automatic burner control systems	
5.2.9	Gas strainers	
5.3	Ignition devices	
5.3.1	General	
5.3.2	Ignition device for the main burner	
5.3.3	Ignition burners	
5.4	Transportation of combustion air and/or flue gases	
5.4.1	Combustion air	
5.4.2	Pre-purge and post-purge	
5.5	Flame supervision system	74

5.6 5.7	Flame ignition and safety time $T_{SA}$	
5.7.1	Establishment by means of an ignition flame	
5.7.2	Direct establishment of the main flame	
5.8	Main burner	
5.9	Facility for remote control	
5.10	Thermostats and control of air temperature	
5.10.1	General requirements	
	Overheat cut-off device	
5.10.3	Sensors	
5.11	Gas pressure test points	
5.12	Pressure relief devices	
5.13	Additional requirements for appliances designed for outdoor installation	
5.13.1	General	
	Access panels and doors	
	Dimensions of openings	
	Fixing screws	
	Frost protection	
5.14	Materials in contact with condensate	
5.15	Condensate	
5.15.1	Discharge of condensate	
	Control of the combustion products temperature	
	Chemical composition of the condensate	
5.15.4	Additional requirements for indoor installations	
5.16	Electrical safety	29
6	Operational requirements	30
6.1	Soundness	
U. I	OUIIUIIC33	00
6.1.1		
-	Soundness of the gas circuit	30
6.1.1	Soundness of the gas circuit	30 30
6.1.1 6.1.2	Soundness of the gas circuit Soundness of the combustion circuit and correct evacuation of combustion products	30 30 31
6.1.1 6.1.2 6.2	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs	30 30 31
6.1.1 6.1.2 6.2 6.2.1	Soundness of the gas circuit	30 31 31 31
6.1.1 6.1.2 6.2 6.2.1 6.2.2	Soundness of the gas circuit	30 31 31 31
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3	Soundness of the gas circuit	30 31 31 31 31
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4	Soundness of the gas circuit	30 31 31 31 31
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5	Soundness of the gas circuit	30 31 31 31 31 31
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures	30 31 31 31 31 31
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3 6.3.1	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use	30 31 31 31 31 32 32
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperatures of the outer case of the appliance	30 31 31 31 31 32 32
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperature of the floor, walls and worktop/ceiling	3031313131323232
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperature of the floor, walls and worktop/ceiling  Component temperatures	3031313131323232
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperature of the floor, walls and worktop/ceiling  Component temperatures  Motor temperatures (motor windings)	303131313132323232
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperature of the floor, walls and worktop/ceiling  Component temperatures  Motor temperatures (motor windings)  Ignition, cross lighting, flame stability	303131313132323232
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4 6.4.1	Soundness of the gas circuit	303131313132323232
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4 6.4.1 6.4.2	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperature of the floor, walls and worktop/ceiling  Component temperatures  Motor temperatures (motor windings)  Ignition, cross lighting, flame stability  Ignition and cross-lighting  Flame stability	30313131313232323232
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4.1 6.4.1 6.4.2 6.5 6.5.1	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperature of the floor, walls and worktop/ceiling  Component temperatures  Motor temperatures (motor windings)  Ignition, cross lighting, flame stability  Ignition and cross-lighting  Flame stability  Combustion	3031313131323232323232
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4 6.4.1 6.4.2 6.5.1 6.5.1 6.5.2 6.5.3	Soundness of the gas circuit	303131313232323232323434
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4 6.4.1 6.4.2 6.5.1 6.5.2 6.5.3 6.5.4	Soundness of the gas circuit	303131313232323232323434
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4.1 6.4.1 6.5.2 6.5.1 6.5.2 6.5.3 6.5.4 6.5.5	Soundness of the gas circuit	303131313232323232323434
6.1.1 6.1.2 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4 6.4.1 6.4.2 6.5.1 6.5.2 6.5.3 6.5.4	Soundness of the gas circuit	30313131313232323232323434
6.1.1 6.1.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4.1 6.4.2 6.5.1 6.5.2 6.5.3 6.5.4 6.5.5 6.5.6 6.6	Soundness of the gas circuit	30313131323232323232343434
6.1.1 6.1.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4.1 6.4.2 6.5.1 6.5.2 6.5.3 6.5.4 6.5.5 6.5.6 6.6	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperatures of the floor, walls and worktop/ceiling  Component temperatures  Motor temperatures (motor windings)  Ignition, cross lighting, flame stability  Ignition and cross-lighting  Flame stability  Combustion  General  Limit conditions  Special conditions  Special conditions  Supplementary requirement for condensing appliances  Supplementary requirements for B <sub>12</sub> and B <sub>13</sub> appliances  Safety of operation in various temperature environments  Temperature operating range	30313131323232323234343434
6.1.1 6.1.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.4.1 6.4.2 6.5.1 6.5.2 6.5.3 6.5.4 6.5.5 6.5.5	Soundness of the gas circuit  Soundness of the combustion circuit and correct evacuation of combustion products  Heat inputs  Nominal heat input  Ignition heat input  Effectiveness of gas rate adjusters  Effectiveness of the gas pressure regulator  Effectiveness of the range-rating device  Limiting temperatures  Temperature of parts of the appliance which have to be touched during normal use  Temperature of the floor, walls and worktop/ceiling  Component temperatures  Motor temperatures (motor windings)  Ignition, cross lighting, flame stability  Ignition and cross-lighting  Flame stability  Combustion  General  Limit conditions  Special conditions  Special conditions  Sooting  Supplementary requirement for condensing appliances  Supplementary requirements for B <sub>12</sub> and B <sub>13</sub> appliances  Safety of operation in various temperature environments	3031313132323232323434343434

### EN 12309-2:2015 (E)

6.8	Maximum working pressure of pressurized vessels	
6.9	Pressure relief devices	
6.9.1	Pressure activated pressure relief devices	
6.9.2	Temperature activated pressure relief devices	
6.10	Effectiveness of the pre-purge	
6.11	Weather resistance	36
6.12	Formation of condensate	36
6.13	NOx	37
6.14	Combustion products temperature	37
_	Test methods	^-
7		_
7.1	General	
7.1.1	Characteristics of test gases: reference and limit gases	
7.1.2	Conditions for preparation of the test gases	
7.1.3	Practical application of test gases	
7.1.4	Test pressures	
7.1.5	Test procedures - Tests requiring the use of limit gases	
7.1.6	General test conditions	
7.1.7	Modulating and high/low operation	
7.1.8	Tolerances of measurements	
7.2	Construction and design	
7.2.1	Manually operated devices (see 5.2.8.2)	
7.2.2	Extinction safety time (see 5.5)	
7.2.3	Safety time (see 5.6)	
7.3	Safety of operation	43
7.3.1	Soundness	
7.3.2	Heat inputs	
7.3.3	Limiting temperatures	48
7.3.4	Ignition, Cross-lighting, Flame stability	49
7.3.5	Combustion	56
7.3.6	Safety of operation in various temperature environments	59
7.3.7	Overheat cut-off device	61
7.3.8	Maximum working pressure of pressurized vessels	62
7.3.9	Pressure relief devices	64
7.3.10	Effectiveness of the pre-purge for all appliances	66
7.3.11	Weather resistance	67
7.3.12	NO <sub>x</sub> Measurement	67
7.3.13	Combustion product temperature	72
7.3.14	Supervision of the combustion air rate or the combustion products rate	72
7.3.15	Leakage of control tubes	73
7.3.16	Adjustment of the gas/air ratio	73
7.3.17	Flame ignition and safety time $T_{SA}$	73
7.3.18	Discharge of condensate	73
•	Manking and instructions	70
8	Marking and instructions	
8.1	Appliance marking	
8.1.1	Data plate	
8.1.2	Supplementary markings	
8.1.3	Packaging	
8.1.4	Warnings on the appliance and the packaging	
8.1.5	Other information	
8.2	Instructions	
8.2.1	Technical instructions	
8.2.2	User's instructions	
8.2.3	Conversion instructions	
8.3	Presentation	79
8.4	Supplementary marking and instructions in the case of appliances to be installed outdoor	_
	or in partially protected places	79

8.4.1	General information	79
8.4.2	Warning on the appliance and the packaging	
8.4.3	Technical instructions	
9	Figures	80
Annex	A (informative) Alternative method for the determination of the nominal heat input or the maximum and minimum heat input for appliances using a pneumatic gas/air ratio control system	91
Annex	B (informative) Calculation of conversions of NO <sub>x</sub>	93
Annex	C (informative) Example of calculation of weighting factors NO <sub>x</sub>	94
Annex	D (informative) Ratio of calorific value Gross to Net and Net to Gross for Gas Families 1, 2 and 3	96
Annex	ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2009/142/EC relating to appliances burning gaseous fuels (codified version)	97
Annex	ZB (informative) Relationship between this European Standard and the requirements of Commission Regulation (EC) No 813/2013	100
Annex	ZC (informative) Relationship between this European Standard and the requirements of Commission Regulation (EC) N° 811/2013	101
Bibliod	yraphy	102

#### **Foreword**

This document (EN 12309-2:2015) has been prepared by Technical Committee CEN/TC 299 "Gas-fired sorption appliances, indirect fired sorption appliances, gas-fired endothermic engine heat pumps and domestic gas-fired washing and drying appliances", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2015, and conflicting national standards shall be withdrawn at the latest by November 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12309-1:1999.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, Annex ZB and Annex ZC, which are integral parts of this document.

EN 12309 comprises the following parts under the general title, *Gas-fired sorption appliances for heating and/or cooling with a net heat input not exceeding 70 kW*:

- Part 1: Terms and definitions;
- Part 2: Safety;
- Part 3: Test conditions;
- Part 4: Test methods;
- Part 5: Requirements;
- Part 6: Calculation of seasonal performances;
- Part 7: Specific provisions for hybrid heating appliances;
- Part 8: Environmental aspects.

EN 12309-1 and EN 12309-2 supersede EN 12309-1:1999, whereas EN 12309-1 and EN 12309-3, EN 12309-4, EN 12309-5, EN 12309-6 and EN 12309-7 supersede EN 12309-2:2000. EN 12309-1, EN 12309-2, EN 12309-3, EN 12309-4, EN 12309-5, EN 12309-6 and EN 12309-7 have been prepared to address the essential requirements of the European Directive 2009/142/EC relating to appliances burning gaseous fuels (see EN 12309-2:2015, Annex ZA, for safety aspects and EN 12309-5:2014, Annex ZA, for rational use of energy aspects).

These documents are linked to the following European Directives:

 Energy Related Products Directive (2009/125/EC) in terms of tests conditions, tests methods and seasonal performances calculation methods under Mandate M/495 (see EN 12309-5:2014, Annex ZB);

For the relationship with EU Directive(s), see EN 12309-2:2015, Annex ZA, and EN 12309-5:2014, Annex ZA, Annex ZB and Annex ZC. These documents will be reviewed whenever new mandates could apply.

EN 12309-8, Environmental aspects, deals with the incorporation of the Resolution BT 27/2008 regarding CEN approach on addressing environmental issues in product and service standards.

This document deals particularly with the operational safety of the appliance.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### 1 Scope

#### 1.1 Scope of EN 12309 series

Appliances covered by this European Standard include one or a combination of the following:

- gas fired sorption chiller;
- gas fired sorption chiller/heater;
- gas fired sorption heat pump.

This European Standard applies to appliances only when used for space heating and cooling with or without heat recovery.

This European Standard applies to appliances having flue gas systems of type B and C (according to CEN/TR 1749) and to appliances designed for outdoor installations. EN 12309 does not apply to air conditioners, it only applies to appliances having:

- integral burners under the control of fully automatic burner control systems;
- closed system refrigerant circuits in which the refrigerant does not come into direct contact with the water or air to be cooled or heated;
- mechanical means to assist transportation of the combustion air and/or the flue gas.

The above appliances can have one or more primary or secondary functions (i.e. heat recovery - see definitions in EN 12309-1:2014). In the case of packaged units (consisting of several parts), the standard applies only to those designed and supplied as a complete package.

The appliances having their condenser cooled by air and by the evaporation of external additional water are not covered by this European Standard.

Installations used for heating and/or cooling of industrial processes are not within the scope of these standards.

NOTE All the symbols given in this text are used regardless of the language used.

#### 1.2 Scope of this Part 2 to EN 12309

This part of EN 12309 deals with the safety of gas-driven sorption heat pumps as defined in EN 12309-1. Only types B12 for outdoor installations, B13 for outdoor installations, B22 for outdoor installations, B23 for outdoor installations, C12 and C13, C32 and C33 are covered in this European Standard.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 88-1:2011, Pressure regulators and associated safety devices for gas appliances - Part 1: Pressure regulators for inlet pressures up to and including 50 kPa

EN 88-2:2007, Pressure regulators and associated safety devices for gas appliances - Part 2: Pressure regulators for inlet pressures above 500 mbar up to and including 5 bar

EN 126:2012, Multifunctional controls for gas burning appliances

EN 161:2011+A3:2013, Automatic shut-off valves for gas burners and gas appliances

EN 257:2010, Mechanical thermostats for gas-burning appliances

EN 298:2012, Automatic burner control systems for burners and appliances burning gaseous or liquid fuels

EN 378-2:2008+A2:2012, Refrigerating systems and heat pumps - Safety and environmental requirements - Part 2: Design, construction, testing, marking and documentation

EN 378-3:2008+A1:2012, Refrigerating systems and heat pumps - Safety and environmental requirements - Part 3: Installation site and personal protection

EN 437:2003+A1:2009, Test gases - Test pressures - Appliance categories

EN 1057:2006+A1:2010, Copper and copper alloys - Seamless, round copper tubes for water and gas in sanitary and heating applications

EN 1092-1:2007+A1:2013, Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 1: Steel flanges

EN 1092-2:1997, Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 2: Cast iron flanges

EN 1092-3:2003, Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 3: Copper alloy flanges

EN 1254-2:1998, Copper and copper alloys - Plumbing fittings - Part 2: Fittings with compression ends for use with copper tubes

CR 1404, Determination of emissions from appliances burning gaseous fuels during type-testing

CEN/TR 1749, European scheme for the classification of gas appliances according to the method of evacuation of the combustion products (types)

EN 12067-2:2004, Gas/air ratio controls for gas burners and gas burning appliances - Part 2: Electronic types

EN 12309-1:2014, Gas-fired sorption appliances for heating and/or cooling with a net heat input not exceeding 70 kW - Part 1: Terms and definitions

EN 12309-3:2014, Gas-fired sorption appliances for heating and/or cooling with a net heat input not exceeding 70 kW - Part 3: Test conditions

EN 12309-4:2014, Gas-fired sorption appliances for heating and/or cooling with a net heat input not exceeding 70 kW - Part 4: Test methods

EN 12309-5:2014, Gas-fired sorption appliances for heating and/or cooling with a net heat input not exceeding 70 kW - Part 5: Requirements

EN 14459:2007, Control functions in electronic systems for gas burners and gas burning appliances - Methods for classification and assessment

EN 60335-1:2012, Household and similar electrical appliances - Safety - Part 1: General requirements (IEC 60335-1:2010, modified)

#### EN 12309-2:2015 (E)

EN 60335-2-102:2006, Household and similar electrical appliances - Safety - Part 2-102: Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections (IEC 60335-2-102:2004, modified)

EN 60529:1991, Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)

EN 60730-2-9:2010, Automatic electrical controls for household and similar use - Part 2-9: Particular requirements for temperature sensing controls (IEC 60730-2-9:2008, modified)

EN ISO 228-1:2003, Pipe threads where pressure-tight joints are not made on the threads - Part 1: Dimensions, tolerances and designation (ISO 228-1:2000)

EN ISO 3166-1:2014, Codes for the representation of names of countries and their subdivisions - Part 1: Country codes (ISO 3166-1:2013)

ISO 7-1:1994, Pipe threads where pressure-tight joints are made on the threads — Part 1: Dimensions, tolerances and designation

ISO 1182:2010, Reaction to fire tests for products — Non-combustibility test

ISO 3864-2:2004, Graphical symbols — Safety colours and safety signs — Part 2: Design principles for product safety labels

## koniec náhľadu – text ďalej pokračuje v platenej verzii STN