

|            |  |   |
|------------|--|---|
| <b>STN</b> | <b>Zdravotnícke elektrické prístroje. Časť 2-64:<br/>Osobitné požiadavky na základnú bezpečnosť a<br/>nevyhnutné prevádzkové vlastnosti<br/>zdravotníckych prístrojov na ožarovanie ľahkými<br/>iónmi.</b> | <b>STN<br/>EN 60601-2-64</b><br><br>36 4800 |
|------------|--|---|

Medical electrical equipment - Part 2-64: Particular requirements for the basic safety and essential performance of light ion beam medical electrical equipment

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/15

Obsahuje: EN 60601-2-64:2015, IEC 60601-2-64:2014

**121854**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2015  
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy  
rozmnžovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.



EUROPEAN STANDARD

**EN 60601-2-64**

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2015

ICS 11.040.60

English Version

**Medical electrical equipment - Part 2-64: Particular requirements  
for the basic safety and essential performance of light ion beam  
medical electrical equipment  
(IEC 60601-2-64:2014)**

Appareils électromédicaux - Partie 2-64: Exigences  
particulières pour la sécurité de base et les performances  
essentielles des appareils électromédicaux par faisceau  
d'ions légers  
(IEC 60601-2-64:2014)

Medizinische elektrische Geräte - Teil 2-64: Besondere  
Festlegungen für die Sicherheit einschließlich der  
wesentlichen Leistungsmerkmale von Leichtionen-  
Bestrahlungseinrichtungen  
(IEC 60601-2-64:2014)

This European Standard was approved by CENELEC on 2014-10-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**Foreword**

The text of document 62C/594/FDIS, future edition 1 of IEC 60601-2-64 prepared by SC 62C "Equipment for radiotherapy, nuclear medicine and radiation dosimetry" of IEC/TC 62 "Electrical equipment in medical practice" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60601-2-64:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-11-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-05-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For the relationship with EU Directive 93/42/EEC, see informative Annex ZZ, which is an integral part of this document.

**Endorsement notice**

The text of the International Standard IEC 60601-2-64:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60601-2-68      NOTE      Harmonized as EN 60601-2-68.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu)

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--------------|--------------|-------------|
|--------------------|-------------|--------------|--------------|-------------|

**Annex ZA of EN 60601-1:2006 applies except as follows:**

**Replacement:**

|               |      |   |              |      |
|---------------|------|---|--------------|------|
| IEC 60601-1-2 | 2014 | Medical electrical equipment - Part 1-2: General requirements for basic safety and essential performance - Collateral standard: Electromagnetic disturbances - Requirements and tests | EN 60601-1-2 | 2014 |
|---------------|------|---|--------------|------|

**Addition:**

|                   |      |   |                             |              |
|-------------------|------|---|-----------------------------|--------------|
| IEC 60601-1       | 2005 | Medical electrical equipment - Part 1: General requirements for basic safety and essential performance  | EN 60601-1<br>+ corr. March | 2006<br>2010 |
| +A1               | 2012 |   | + A1<br>+ A1/AC             | 2013<br>2014 |
|                   |      |   | +A12                        | 2014         |
| IEC 60601-2-1     | 2009 | Medical electrical equipment - Part 2-1: Particular requirements for the basic safety and essential performance of electron accelerators in the range 1 MeV to 50 MeV | -                           | -            |
| IEC 60601-2-11    | 2013 | Medical electrical equipment - Part 2-11: Particular requirements for the basic safety and essential performance of gamma beam therapy equipment                      | EN 60601-2-11               | 2015         |
| IEC/TR 60788      | 2004 | Medical electrical equipment - Glossary of defined terms  | -                           | -            |
| IEC 61217         | 2011 | Radiotherapy equipment - Coordinates, movements and scales  | EN 61217                    | 2012         |
| ISO/IEC 14165-321 | 2009 | Information technology - Fibre Channel - Part 321: Audio-Video (FC-AV)  | -                           | -            |

**Annex ZZ**  
(informative)

**Coverage of Essential Requirements of EU Directives**

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and within its scope the Standard covers all relevant essential requirements given in Annex I of EU Directive 93/42/EEC of 14 June 1993 concerning medical devices.

Compliance with this standard provides one means of conformity with the specified essential requirements of the Directive concerned.

**WARNING:** Other requirements and other EU Directives can be applied to the products falling within the scope of this standard.



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Medical electrical equipment –  
Part 2-64: Particular requirements for the basic safety and essential  
performance of light ion beam medical electrical equipment**

**Appareils électromédicaux –  
Partie 2-64: Exigences particulières pour la sécurité de base et  
les performances essentielles des appareils électromédicaux par faisceau  
d'ions légers**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2014 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
 3, rue de Varembe  
 CH-1211 Geneva 20  
 Switzerland

Tel.: +41 22 919 02 11  
 Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Medical electrical equipment –  
Part 2-64: Particular requirements for the basic safety and essential  
performance of light ion beam medical electrical equipment**

**Appareils électromédicaux –  
Partie 2-64: Exigences particulières pour la sécurité de base et  
les performances essentielles des appareils électromédicaux par faisceau  
d'ions légers**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE **XA**  
CODE PRIX

---

ICS 11.040.60

ISBN 978-2-8322-1825-9

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|  |    |
|--|----|
| FOREWORD.....  | 3  |
| INTRODUCTION.....  | 5  |
| 201.1 Scope, object and related standards.....   | 6  |
| 201.2 Normative references .....   | 8  |
| 201.3 Terms and definitions .....  | 9  |
| 201.4 General requirements .....   | 14 |
| 201.5 General requirements for testing of ME EQUIPMENT .....   | 14 |
| 201.6 Classification of ME EQUIPMENT and ME SYSTEMS.....   | 15 |
| 201.7 ME EQUIPMENT identification, marking and documents .....   | 15 |
| 201.8 Protection against electrical HAZARDS from ME EQUIPMENT .....  | 18 |
| 201.9 Protection against MECHANICAL HAZARDS of ME EQUIPMENT and ME SYSTEMS .....   | 19 |
| 201.10 Protection against unwanted and excessive radiation HAZARDS .....   | 24 |
| 201.11 Protection against excessive temperatures and other HAZARDS .....   | 45 |
| 201.12 Accuracy of controls and instruments and protection against hazardous outputs .....   | 45 |
| 201.13 HAZARDOUS SITUATIONS and fault conditions for ME EQUIPMENT.....   | 46 |
| 201.14 PROGRAMMABLE ELECTRICAL MEDICAL SYSTEMS (PEMS).....   | 46 |
| 201.15 Construction of ME EQUIPMENT.....   | 46 |
| 201.16 ME SYSTEMS .....  | 46 |
| 201.17 ELECTROMAGNETIC COMPATIBILITY of ME EQUIPMENT and ME SYSTEMS .....  | 46 |
| 201.101 ELECTRONIC IMAGING DEVICES (EID).....  | 47 |
| 206 Usability .....  | 47 |
| Annexes .....  | 50 |
| Annex B (informative) Sequence of testing .....  | 50 |
| Annex I (informative) ME SYSTEMS aspects.....  | 50 |
| Bibliography.....  | 51 |
| Index of defined terms used in this particular standard.....   | 52 |
| Figure 201.101 – PATIENT SUPPORT movements.....  | 48 |
| Figure 201.102 – Diagram illustrating example RADIATION HEAD components and possible PATIENT position for NON-PRIMARY RADIATION REQUIREMENTS ..... | 49 |
| Figure 201.103 – Diagram illustrating distance along PATIENT plane to measure NON-PRIMARY RADIATION ABSORBED DOSE .....                            | 49 |
| Table 201.101 – Data required in the technical description to support Clause 201.10 SITE TEST compliance .....                                     | 17 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MEDICAL ELECTRICAL EQUIPMENT –****Particular requirements for the basic safety  
and essential performance of LIGHT ION BEAM ME EQUIPMENT**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60601-2-64 has been prepared by subcommittee 62C: Equipment for radiotherapy, nuclear medicine and radiation dosimetry, of IEC technical committee 62: Electrical equipment in medical practice.

The text of this standard is based on the following documents:

|              |                  |
|--------------|------------------|
| FDIS         | Report on voting |
| 62C/594/FDIS | 62C/600/RVD      |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- Requirements and definitions: roman type.
- *Test specifications: italic type.*
- Informative material appearing outside of tables, such as notes, examples and references: in smaller type. Normative text of tables is also in a smaller type.
- TERMS DEFINED IN CLAUSE 3 OF THE GENERAL STANDARD, IN THIS PARTICULAR STANDARD OR AS NOTED: SMALL CAPITALS.

In referring to the structure of this standard, the term

- “clause” means one of the numbered divisions within the table of contents, inclusive of all subdivisions (e.g. Clause 7 includes subclauses 7.1, 7.2, etc.);
- “subclause” means a numbered subdivision of a clause (e.g. 7.1, 7.2 and 7.2.1 are all subclauses of Clause 7).

References to clauses within this standard are preceded by the term “Clause” followed by the clause number. References to subclauses within this particular standard are by number only.

In this standard, the conjunctive “or” is used as an “inclusive or” so a statement is true if any combination of the conditions is true.

The verbal forms used in this standard conform to usage described in Annex H of the ISO/IEC Directives, Part 2. For the purposes of this standard, the auxiliary verb:

- “shall” means that compliance with a requirement or a test is mandatory for compliance with this standard;
- “should” means that compliance with a requirement or a test is recommended but is not mandatory for compliance with this standard;
- “may” is used to describe a permissible way to achieve compliance with a requirement or test.

A list of all parts of the IEC 60601 series, published under the general title *Medical electrical equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The use of LIGHT ION BEAM ME EQUIPMENT for RADIOTHERAPY purposes may expose PATIENTS to danger if the ME EQUIPMENT fails to deliver the required dose to the PATIENT, or if the ME EQUIPMENT design does not satisfy standards of electrical and mechanical safety. The ME EQUIPMENT may also cause danger to persons in the vicinity if the ME EQUIPMENT itself fails to contain the RADIATION adequately or if there are inadequacies in the design of the TREATMENT ROOM.

This particular standard establishes requirements to be complied with by MANUFACTURERS in the design and construction of LIGHT ION BEAM ME EQUIPMENT for use in RADIOTHERAPY; it does not attempt to define their optimum performance requirements. Its purpose is to identify those features of design that are regarded, at the present time, as essential for the safe operation of such ME EQUIPMENT; it places limits on the degradation of ME EQUIPMENT performance beyond which it can be presumed that a fault condition exists and where an INTERLOCK then operates to prevent continued operation of the ME EQUIPMENT.

Clause 201.10 contains limits beyond which INTERLOCKS prevent, INTERRUPT or TERMINATE IRRADIATION in order to insure that ESSENTIAL PERFORMANCE is maintained and to avoid an unsafe condition. TYPE TESTS that are performed by the MANUFACTURER, or SITE TESTS, which are not necessarily performed by the MANUFACTURER, are SPECIFIED for each requirement. It should be understood that, before installation, a MANUFACTURER can provide a compliance certificate relating only to TYPE TESTS. Data available from SITE TESTS should be incorporated in the ACCOMPANYING DOCUMENTS, in the form of a SITE TEST report, by those who test the ME EQUIPMENT at installation.

Closely related to this standard is IEC 62667 which is currently being developed. It specifies test methods and reporting formats for performance tests of LIGHT ION BEAM ME EQUIPMENT for use in RADIOTHERAPY, with the aim of providing uniform methods of doing so. The annex of IEC 62667 provides forms for presenting performance values, measured per the methods SPECIFIED.

## **MEDICAL ELECTRICAL EQUIPMENT –**

### **Particular requirements for the basic safety and essential performance of LIGHT ION BEAM ME EQUIPMENT**

#### **201.1 Scope, object and related standards**

Clause 1 of the general standard<sup>1</sup> applies, except as follows:

##### **201.1.1 Scope**

*Replacement:*

This International Standard applies to the BASIC SAFETY and ESSENTIAL PERFORMANCE of LIGHT ION BEAM ME EQUIPMENT, hereafter referred to as ME EQUIPMENT, used for treatment of PATIENTS.

If a clause or subclause is specifically intended to be applicable to ME EQUIPMENT only, or to ME SYSTEMS only, the title and content of that clause or subclause will say so. If that is not the case, the clause or subclause applies both to ME EQUIPMENT and to ME SYSTEMS, as relevant.

This particular standard, with the inclusion of TYPE TESTS and SITE TESTS, applies respectively to the manufacture and some installation aspects of LIGHT ION BEAM ME EQUIPMENT

- intended for RADIOTHERAPY in human medical practice, including those in which the selection and DISPLAY of operating parameters can be controlled automatically by PROGRAMMABLE ELECTRONIC SUBSYSTEMS (PESS),
- that, in NORMAL USE, deliver a RADIATION BEAM of LIGHT IONS having ENERGY PER NUCLEON in the range 10 MeV/n to 500 MeV/n,

and

- intended to be
  - for NORMAL USE, operated under the authority of appropriately licensed or QUALIFIED PERSONS by OPERATORS having the required skills for a particular medical application, for particular SPECIFIED clinical purposes maintained in accordance with the recommendations given in the INSTRUCTIONS FOR USE,
  - subject to regular quality assurance performance and calibration checks by a QUALIFIED PERSON.

NOTE 1 In this particular standard, all references to installation refer to installation in the RESPONSIBLE ORGANIZATION'S premises.

NOTE 2 In this particular standard, all references to ABSORBED DOSE refer to ABSORBED DOSE in water.

NOTE 3 Information regarding x-ray image guidance can be found in IEC 60601-2-68 (under development).

NOTE 4 IEC 61217 gives guidance on the designation of ME EQUIPMENT movements, the marking of scales, their zero positions and the direction of movement with increasing value (see 201.7.4.101).

##### **201.1.2 Object**

*Replacement:*

---

<sup>1</sup> The general standard is IEC 60601-1:2005 and IEC 60601-1:2005/AMD1:2012, *Medical electrical equipment – Part 1: General requirements for basic safety and essential performance*

The object of this particular standard is to establish particular BASIC SAFETY and ESSENTIAL PERFORMANCE requirements for LIGHT ION BEAM ME EQUIPMENT in the range 10 MeV/n to 500 MeV/n and to SPECIFY tests to check compliance to those requirements.

NOTE The adoption of this standard helps to ensure that the ME EQUIPMENT

- maintains PATIENT safety during ME EQUIPMENT movements and failure of the SUPPLY MAINS;
- delivers the pre-selected RADIATION TYPE, ENERGY PER NUCLEON, LIGHT ION species, and ABSORBED DOSE;
- delivers pre-selected LIGHT ION BEAMS to the PATIENT, by utilizing LIGHT ION BEAM modifying devices, etc., without causing unnecessary risk to the PATIENT, the OPERATOR, other persons or the environment.

### 201.1.3 Collateral standards

*Addition:*

Collateral standards published after the date of publication of this standard shall only apply subject to further amendment to this standard.

This particular standard refers to those applicable collateral standards that are listed in Clause 2 of the general standard and Clause 201.2 of this particular standard.

IEC 60601-1-6 applies as modified in Clause 206. IEC 60601-1-3, IEC 60601-1-8, IEC 60601-1-9<sup>2</sup> and IEC 60601-1-10<sup>3</sup> do not apply. All other published collateral standards in the IEC 60601-1 series apply as published.

NOTE Collateral standards published after the date of publication of this standard will only apply subject to further amendment to this standard.

### 201.1.4 Particular standards

*Replacement:*

In the IEC 60601 series, particular standards may modify, replace or delete requirements contained in the general standard or collateral standards as appropriate for the particular ME EQUIPMENT under consideration, and may add other BASIC SAFETY and ESSENTIAL PERFORMANCE requirements.

A requirement of a particular standard takes priority over the general standard.

For brevity, IEC 60601-1 is referred to in this particular standard as the general standard. Collateral standards are referred to by their document number.

The numbering of clauses and subclauses of this particular standard corresponds to that of the general standard with the prefix “201” (e.g. 201.1 in this standard addresses the content of Clause 1 of the general standard) or applicable collateral standard with the prefix “20x” where x is the final digit(s) of the collateral standard document number (e.g. 202.4 in this particular standard addresses the content of Clause 4 of the IEC 60601-1-2 collateral standard, 203.4 in this particular standard addresses the content of Clause 4 of the IEC 60601-1-3 collateral standard, etc.). The changes to the text of the general standard are specified by the use of the following words:

“Replacement” means that the clause or subclause of the general standard or applicable collateral standard is replaced completely by the text of this particular standard.

<sup>2</sup> IEC 60601-1-9, *Medical electrical equipment – Part 1-9: General requirements for basic safety and essential performance – Collateral Standard: Requirements for environmentally conscious design*

<sup>3</sup> IEC 60601-1-10, *Medical electrical equipment – Part 1-10: General requirements for basic safety and essential performance – Collateral Standard: Requirements for the development of physiologic closed-loop controllers*

“Addition” means that the text of this particular standard is additional to the requirements of the general standard or applicable collateral standard.

“Amendment” means that the clause or subclause of the general standard or applicable collateral standard is amended as indicated by the text of this particular standard.

Subclauses, figures or tables which are additional to those of the general standard are numbered starting from 201.101. However due to the fact that definitions in the general standard are numbered 3.1 through 3.139, additional definitions in this standard are numbered beginning from 201.3.201. Additional annexes are lettered AA, BB, etc., and additional items aa), bb), etc.

Subclauses, figures or tables which are additional to those of a collateral standard are numbered starting from 20x, where “x” is the number of the collateral standard, e.g. 202 for IEC 60601-1-2, 203 for IEC 60601-1-3, etc.

The term “this standard” is used to make reference to the general standard, any applicable collateral standards and this particular standard taken together.

Where there is no corresponding clause or subclause in this particular standard, the clause or subclause of the general standard or applicable collateral standard, although possibly not relevant, applies without modification; where it is intended that any part of the general standard or applicable collateral standard, although possibly relevant, is not to be applied, a statement to that effect is given in this particular standard.

## 201.2 Normative references

Clause 2 of the general standard applies, except as follows:

### *Replacement:*

IEC 60601-1-2:2014, *Medical electrical equipment – Part 1-2: General requirements for basic safety and essential performance – Collateral Standard: Electromagnetic compatibility – Requirements and tests*

### *Addition:*

IEC 60601-1:2005, *Medical electrical equipment – Part 1: General requirements for basic safety and essential performance*  
IEC 60601-1:2005/AMD1:2012

IEC 60601-2-1:2009, *Medical electrical equipment – Part 2-1: Particular requirements for the basic safety and essential performance of electron accelerators in the range 1 MeV to 50 MeV*

IEC 60601-2-11:2013, *Medical electrical equipment – Part 2-11: Particular requirements for the basic safety and essential performance of gamma beam therapy equipment*

IEC TR 60788:2004, *Medical electrical equipment – Glossary of defined terms*

IEC 61217:2011, *Radiotherapy equipment – Coordinates, movements and scales*

ISO/IEC 14165-321:2009, *Information technology – Fibre channel – Part 321: Audio video (FC-AV)*

NOTE Informative references are listed in the bibliography.

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**