

<b>STN</b>	<b>Plasty. Stanovenie tepelnej vodivosti a súčiniteľa tepelnej vodivosti. Časť 2: Metóda s prechodovým plochým zdrojom tepla (s horúcim diskom) (ISO 22007-2: 2015).</b>	<b>STN EN ISO 22007-2</b>  64 0526
------------	--	--

Plastics - Determination of thermal conductivity and thermal diffusivity - Part 2: Transient plane heat source (hot disc) method (ISO 22007-2:2015)

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/15

Obsahuje: EN ISO 22007-2:2015, ISO 22007-2:2015

Oznámením tejto normy sa ruší  
STN EN ISO 22007-2 (64 0526) z augusta 2012

**121941**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2015  
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy  
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

## English Version

Plastics - Determination of thermal conductivity and thermal diffusivity - Part 2: Transient plane heat source (hot disc) method  
(ISO 22007-2:2015)

Plastiques - Détermination de la conductivité thermique et de la diffusivité thermique - Partie 2: Méthode de la source plane transitoire (disque chaud) (ISO 22007-2:2015)

Kunststoffe - Bestimmung der Wärmeleitfähigkeit und der Temperaturleitfähigkeit - Teil 2: Transientes Flächenquellenverfahren (Hot-Disk-Verfahren) (ISO 22007-2:2015)

This European Standard was approved by CEN on 20 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword .....	3

## **European foreword**

This document (EN ISO 22007-2:2015) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2016, and conflicting national standards shall be withdrawn at the latest by February 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 22007-2:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **Endorsement notice**

The text of ISO 22007-2:2015 has been approved by CEN as EN ISO 22007-2:2015 without any modification.

---

---

**Plastics — Determination of thermal  
conductivity and thermal diffusivity —  
Part 2:  
Transient plane heat source (hot disc)  
method**

*Plastiques — Détermination de la conductivité thermique et de la  
diffusivité thermique —*

*Partie 2: Méthode de la source plane transitoire (disque chaud)*



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
[copyright@iso.org](mailto:copyright@iso.org)  
[www.iso.org](http://www.iso.org)

# Contents

Page

<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Principle</b>	<b>3</b>
<b>5 Apparatus</b>	<b>3</b>
<b>6 Test specimens</b>	<b>5</b>
6.1 Bulk specimens	5
6.2 Anisotropic bulk specimens	6
6.3 Slab specimens	6
6.4 Thin-film specimens	7
<b>7 Procedure</b>	<b>7</b>
<b>8 Calculation of thermal properties</b>	<b>9</b>
8.1 Bulk specimens	9
8.2 Anisotropic bulk specimens	12
8.3 Slab specimens	13
8.4 Thin-film specimens	14
8.5 Low thermally conducting specimens	15
8.5.1 Introductory remarks	15
8.5.2 Low thermally conducting bulk specimens	15
8.5.3 Low thermally conducting anisotropic bulk specimens	17
8.5.4 Low thermally conducting thin-film specimen	17
<b>9 Calibration and verification</b>	<b>17</b>
9.1 Calibration of apparatus	17
9.2 Verification of apparatus	18
<b>10 Precision and bias</b>	<b>18</b>
<b>11 Test report</b>	<b>19</b>
<b>Bibliography</b>	<b>20</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*.

This second edition cancels and replaces the first edition (ISO 22007-2:2008), which has been technically revised.

The main changes are the following:

- a) Values of thermal conductivity in scope revised;
- b) Sensitivity coefficient revised ([3.3](#));
- c) Thickness range for thin-film specimens changed ([6.4](#));
- d) Low thermally conducting specimens specified ([8.5](#));
- e) Precision and bias adapted; ([10.2](#));
- f) Bibliography extended;
- g) Normative references updated and standard editorial revised.

ISO 22007 consists of the following parts, under the general title *Plastics — Determination of thermal conductivity and thermal diffusivity*:

- *Part 1: General principles*
- *Part 2: Transient plane heat source (hot disc) method*
- *Part 3: Temperature wave analysis method*
- *Part 4: Laser flash method*
- *Part 5: Results of interlaboratory testing of poly(methyl methacrylate) samples* [Technical Report]



— *Part 6: Comparative method for low thermal conductivities using a temperature-modulation technique*

## Introduction

A significant increase in the development and application of new and improved materials for broad ranges of physical, chemical, biological, and medical applications has necessitated better performance data from methods of measurement of thermal-transport properties. The introduction of alternative methods that are relatively simple, fast, and of good precision would be of great benefit to the scientific and engineering communities. [1]

A number of measurement techniques described as transient methods have been developed and several have been commercialized. These are being widely used and are suitable for testing many types of material. In some cases, they can be used to measure several properties separately or simultaneously. [2],[3]

A further advantage of some of these methods is that it has become possible to measure the true bulk properties of a material. This feature stems from the possibility of eliminating the influence of the thermal contact resistance (see 8.1.1) that is present at the interface between the probe and the specimen surfaces. [1],[3],[4],[5],[6]

# Plastics — Determination of thermal conductivity and thermal diffusivity —

## Part 2: Transient plane heat source (hot disc) method

### 1 Scope

This part of ISO 22007 specifies a method for the determination of the thermal conductivity and thermal diffusivity, and hence the specific heat capacity per unit volume of plastics. The experimental arrangement can be designed to match different specimen sizes. Measurements can be made in gaseous and vacuum environments at a range of temperatures and pressures.

This method is suitable for testing homogeneous and isotropic materials, as well as anisotropic materials with a uniaxial structure. The homogeneity of the material extends throughout the specimen and no thermal barriers (except those next to the probe) are present within a range defined by the probing depth(s) (see [3.2](#) below).

The method is suitable for materials having values of thermal conductivity,  $\lambda$ , in the approximate range  $0,010 \text{ W}\cdot\text{m}^{-1}\cdot\text{K}^{-1} < \lambda < 500 \text{ W}\cdot\text{m}^{-1}\cdot\text{K}^{-1}$ , values of thermal diffusivity,  $\alpha$ , in the range  $5 \times 10^{-8} \text{ m}^2\cdot\text{s}^{-1} < \alpha < 10^{-4} \text{ m}^2\cdot\text{s}^{-1}$ , and for temperatures,  $T$ , in the approximate range  $50 \text{ K} < T < 1\,000 \text{ K}$ .

NOTE 1 The specific heat capacity per unit volume,  $C$ , can be obtained by dividing the thermal conductivity,  $\lambda$ , by the thermal diffusivity,  $\alpha$ , i.e.  $C = \lambda/\alpha$ , and is in the approximate range  $0,005 \text{ MJ}\cdot\text{m}^{-3}\cdot\text{K}^{-1} < C < 5 \text{ MJ}\cdot\text{m}^{-3}\cdot\text{K}^{-1}$ . It is also referred to as the volumetric heat capacity.

NOTE 2 If the intention is to determine the thermal resistance or the apparent thermal conductivity in the through-thickness direction of an inhomogeneous product (for instance a fabricated panel) or an inhomogeneous slab of a material, reference is made to ISO 8301, ISO 8302, and ISO 472.

The thermal-transport properties of liquids can also be determined, provided care is taken to minimize thermal convection.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the cited edition applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 22007-1, *Plastics — Determination of thermal conductivity and thermal diffusivity — Part 1: General principles*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**