

<b>STN</b>	<b>Bunkové siete IMT. Harmonizovaná EN vzťahujúca sa na základné požiadavky podľa článku 3.2 smernice R&amp;TTE. Časť 14: Základňové stanice (BS) zdokonaleného univerzálneho pozemského rádiového prístupu (E-UTRA).</b>	<b>STN EN 301 908-14 V7.1.1</b>  87 1908
------------	---	--

IMT cellular networks; Harmonised EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS)

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/15

Obsahuje: EN 301 908-14 V7.1.1:2015

**122025**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2016  
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

# ETSI EN 301 908-14 V7.1.1 (2015-07)



HARMONISED EUROPEAN STANDARD

**IMT cellular networks;  
Harmonised EN covering the essential requirements  
of article 3.2 of the R&TTE Directive;  
Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA)  
Base Stations (BS)**

---

**Reference**

REN/MSG-TFES-011-14

---

**Keywords**

3G, 3GPP, cellular, digital, E-UTRA, IMT, IMT-2000, LTE, mobile, radio, regulation, UMTS

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	6
Foreword.....	6
Modal verbs terminology.....	6
Introduction .....	6
1 Scope .....	7
2 References .....	8
2.1 Normative references .....	8
2.2 Informative references.....	8
3 Definitions, symbols and abbreviations .....	9
3.1 Definitions .....	9
3.2 Symbols.....	14
3.3 Abbreviations .....	15
4 Technical requirements specifications .....	16
4.1 Environmental profile.....	16
4.2 Conformance requirements .....	16
4.2.1 Introduction.....	16
4.2.2 Operating band unwanted emissions .....	20
4.2.2.1 Definition .....	20
4.2.2.2 Limits .....	20
4.2.2.2.1 Limits for Wide Area BS (Bands 1, 3, 8, 32, 33 and 34).....	21
4.2.2.2.2 Limits for Wide Area BS (Bands 7, 22, 38, 40, 42 and 43).....	23
4.2.2.2.3 Limits for Wide Area BS (Band 20 and 28).....	25
4.2.2.2.4 Limits for Local Area BS .....	26
4.2.2.2.5 Limits for Home BS .....	27
4.2.2.2.6 Limits for protection of DTT .....	29
4.2.2.2.7 Limits for protection of adjacent band services .....	30
4.2.2.2.8 Limits for medium range BS .....	30
4.2.2.3 Conformance.....	34
4.2.3 Adjacent Channel Leakage power Ratio (ACLR) .....	34
4.2.3.1 Definition .....	34
4.2.3.2 Void.....	34
4.2.3.3 Void.....	34
4.2.3.4 Limits .....	34
4.2.3.4.1 ACLR Limits .....	35
4.2.3.4.2 Cumulative ACLR test requirement in non-contiguous spectrum limits .....	36
4.2.3.5 Conformance .....	37
4.2.4 Transmitter spurious emissions.....	37
4.2.4.1 Definition .....	37
4.2.4.2 Limits .....	38
4.2.4.2.1 Spurious emissions .....	38
4.2.4.2.2 Co-existence with other systems .....	38
4.2.4.2.3 Protection of the BS receiver of own or different BS .....	40
4.2.4.2.4 Co-existence with Home BS operating in other bands .....	40
4.2.4.3 Conformance.....	41
4.2.5 Base Station maximum output power .....	41
4.2.5.1 Definition .....	41
4.2.5.2 Limit.....	41
4.2.5.3 Conformance.....	42
4.2.6 Transmitter intermodulation .....	42
4.2.6.1 Definition .....	42
4.2.6.2 Limit.....	42
4.2.6.3 Conformance.....	43
4.2.7 Receiver spurious emissions .....	43
4.2.7.1 Definition .....	43

4.2.7.2	Limit.....	43
4.2.7.3	Conformance.....	43
4.2.8	Blocking characteristics.....	44
4.2.8.1	Definition.....	44
4.2.8.2	Limit.....	44
4.2.8.3	Conformance.....	46
4.2.9	Receiver intermodulation characteristics.....	47
4.2.9.1	Definition.....	47
4.2.9.2	Limit.....	47
4.2.9.3	Conformance.....	50
4.2.10	Adjacent Channel Selectivity (ACS) and narrow-band blocking.....	50
4.2.10.1	Definition.....	50
4.2.10.2	Limit.....	50
4.2.10.3	Conformance.....	54
4.2.11	Home BS output power for adjacent UTRA channel protection.....	54
4.2.11.1	Definition.....	54
4.2.11.2	Limit.....	54
4.2.11.3	Conformance.....	55
4.2.12	Home BS output power for adjacent E-UTRA channel protection.....	55
4.2.12.1	Definition and applicability.....	55
4.2.12.2	Limit.....	55
4.2.12.3	Conformance.....	56
4.2.13	Home BS output power for co-channel E-UTRA protection.....	56
4.2.13.1	Definition and applicability.....	56
4.2.13.2	Limit.....	56
4.2.13.3	Conformance.....	57
5	Testing for compliance with technical requirements.....	57
5.1	Environmental conditions for testing.....	57
5.2	Interpretation of the measurement results.....	58
5.3	Essential radio test suites.....	59
5.3.1	Operating band unwanted emissions.....	59
5.3.1.1	Initial conditions.....	59
5.3.1.2	Procedure.....	60
5.3.2	Adjacent Channel Leakage power Ratio (ACLR).....	60
5.3.2.1	Initial conditions.....	60
5.3.2.2	Procedure.....	61
5.3.3	Transmitter spurious emissions.....	61
5.3.3.1	Initial conditions.....	61
5.3.3.2	Procedure.....	62
5.3.4	Base Station maximum output power.....	62
5.3.4.1	Initial conditions.....	62
5.3.4.2	Procedure.....	62
5.3.5	Transmitter intermodulation.....	63
5.3.5.1	Initial conditions.....	63
5.3.5.2	Procedures.....	63
5.3.6	Receiver spurious emissions.....	64
5.3.6.1	Initial conditions.....	64
5.3.6.2	Procedure.....	64
5.3.7	Blocking characteristics.....	65
5.3.7.1	Initial conditions.....	65
5.3.7.2	Procedure.....	65
5.3.8	Receiver intermodulation characteristics.....	66
5.3.8.1	Initial conditions.....	66
5.3.8.2	Procedures.....	66
5.3.9	Adjacent Channel Selectivity (ACS) and narrow-band blocking.....	67
5.3.9.1	Initial conditions.....	67
5.3.9.2	Procedure for Adjacent Channel Selectivity.....	67
5.3.9.3	Procedure for narrow-band blocking.....	67
5.3.10	Home BS output power for adjacent UTRA channel protection.....	68
5.3.10.1	Initial conditions.....	68
5.3.10.2	Procedure.....	68

5.3.11	Home BS output power for adjacent E-UTRA channel protection.....	69
5.3.11.1	Initial conditions .....	69
5.3.11.2	Procedure .....	69
5.3.12	Home BS output power for co-channel E-UTRA protection.....	70
5.3.12.1	Initial conditions .....	70
5.3.12.2	Procedure .....	70
<b>Annex A (normative):</b>	<b>HS Requirements and conformance Test specifications Table (HS-RTT).....</b>	<b>72</b>
<b>Annex B (normative):</b>	<b>Base Station configurations.....</b>	<b>74</b>
B.1	Reception with multiple receiver antenna connectors, receiver diversity .....	74
B.2	Duplexers .....	74
B.3	Power supply options .....	74
B.4	Ancillary RF amplifiers.....	75
B.5	BS using antenna arrays .....	75
B.5.1	Receiver tests.....	76
B.5.2	Transmitter tests .....	76
B.6	Transmission with multiple transmitter antenna connectors .....	77
B.7	BS with integrated Iuant BS modem.....	77
<b>Annex C (informative):</b>	<b>Environmental profile specification .....</b>	<b>78</b>
<b>Annex D:</b>	<b>Void .....</b>	<b>79</b>
<b>Annex E (informative):</b>	<b>Bibliography.....</b>	<b>80</b>
History .....		81

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG).

The present document has been produced by ETSI in response to mandate M/284 issued from the European Commission under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.6].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonised Standard under the Directive 1999/5/EC [i.2].

The requirements relevant to Directive 1999/5/EC [i.2] are summarized in annex A.

The present document is part 14 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.7].

National transposition dates	
Date of adoption of this EN:	13 July 2015
Date of latest announcement of this EN (doa):	31 October 2015
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2016
Date of withdrawal of any conflicting National Standard (dow):	30 April 2017

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

## Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in ETSI EG 201 399 [i.3].

# 1 Scope

The present document applies to the following radio equipment types:

- 1) Base Station for Evolved Universal Terrestrial Radio Access (E-UTRA).

This radio equipment type is capable of operating in all or any part of the operating bands given in table 1-1.

**Table 1-1: E-UTRA Base Station operating bands**

E-UTRA band	Direction of transmission	E-UTRA Base Station operating bands
1	Transmit	2 110 MHz to 2 170 MHz
	Receive	1 920 MHz to 1 980 MHz
3	Transmit	1 805 MHz to 1 880 MHz
	Receive	1 710 MHz to 1 785 MHz
7	Transmit	2 620 MHz to 2 690 MHz
	Receive	2 500 MHz to 2 570 MHz
8	Transmit	925 MHz to 960 MHz
	Receive	880 MHz to 915 MHz
20	Transmit	791 MHz to 821 MHz
	Receive	832 MHz to 862 MHz
22	Transmit	3 510 MHz to 3 590 MHz
	Receive	3 410 MHz to 3 490 MHz
28	Transmit	703 MHz to 748 MHz
	Receive	758 MHz to 803 MHz
32 (note)	Transmit	1 452 MHz to 1 496 MHz
	Receive	N/A
33	Transmit and Receive	1 900 MHz to 1 920 MHz
34	Transmit and Receive	2 010 MHz to 2 025 MHz
38	Transmit and Receive	2 570 MHz to 2 620 MHz
40	Transmit and Receive	2 300 MHz to 2 400 MHz
42	Transmit and Receive	3 400 MHz to 3 600 MHz
43	Transmit and Receive	3 600 MHz to 3 800 MHz
NOTE: Restricted to E-UTRA operation when carrier aggregation is configured. The downlink operating band is paired with the uplink operating band (external) of the carrier aggregation configuration that is supporting the configured Pcell.		

The present document covers requirements for E-UTRA Base Stations for 3GPP Release 8, 9, 10 and 11. This includes the requirements for E-UTRA Base Station operating bands and E-UTRA CA operating bands from 3GPP Release 12.

The present document is intended to cover the provisions of Directive 1999/5/EC [i.2] (R&TTE Directive), article 3.2, which states that "..... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] ETSI TS 136 141 (V11.11.0) (02-2015): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing (3GPP TS 36.141 version 11.11.0 Release 11)".
- [3] Void.
- [4] Recommendation ITU-R SM.329-12 (09-2012): "Unwanted emissions in the spurious domain".
- [5] ETSI TS 125 104 (V11.10.0) (01-2015): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) radio transmission and reception (FDD) (3GPP TS 25.104 version 11.10.0 Release 11)".
- [6] ETSI TS 125 105 (V11.8.0) (01-2015): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) radio transmission and reception (TDD) (3GPP TS 25.105 version 11.8.0 Release 11)".
- [7] ETSI TS 136 104 (V11.11.0) (01-2015): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception (3GPP TS 36.104 version 11.11.0 Release 11)".
- [8] ETSI TS 125 141 (V11.10.0) (01-2015): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) conformance testing (FDD) (3GPP TS 25.141 version 11.10.0 Release 11)".
- [9] Void.
- [10] ETSI TS 136 211 (V11.6.0) (10-2014): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Physical channels and modulation (3GPP TS 36.211 version 11.6.0 Release 11)".
- [11] Void.

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.

- [i.2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.3] ETSI EG 201 399 (V2.2.1)(08-2010): "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the R&TTE Directive".
- [i.4] Void.
- [i.5] ETSI TR 100 028 (all parts) (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.6] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.7] ETSI EN 301 908-1 (V7.1.1) (03-2015): "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements".
- [i.8] ETSI EN 301 908-18 (V7.1.2) (07-2014): "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 18: E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Station (BS)".
- [i.9] ETSI TS 136 214 (V11.1.0) (02-2013): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer; Measurements (3GPP TS 36.214 version 11.1.0 Release 11)".

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**