

| | | |
|--|---|---|
| | Statický výpočet potrubí uložených v zemi při různých zatřazovacích podmínkách. Část 4: Parametre spoľahlivosti výpočtu. | TNI CEN/TR 1295-4 75 0210 |
|--|---|---|

Structural design of buried pipelines under various conditions of loading - Part 4: Parameters for reliability of the design

Táto technická normalizačná informácia obsahuje anglickú verziu CEN/TR 1295-4:2015.
This Technical standard information includes the English version of CEN/TR 1295-4:2015.

Táto technická normalizačná informácia bola oznámená vo Vestníku ÚNMS SR č. 12/15

122136

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2016
Tento dokument a ani jeho časti sa nesmú rozmnožovať a rozširovať v akejkoľvek podobe
a akýmkoľvek prostriedkami bez písomného povolenia ÚNMS SR.

TECHNICAL REPORT

CEN/TR 1295-4

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

September 2015

ICS 23.040.01

English Version

**Structural design of buried pipelines under various
conditions of loading - Part 4: Parameters for reliability of
the design**

Calcul de résistance mécanique des canalisations
enterrées sous diverses conditions de charge - Partie 4
: Paramètres pour la fiabilité de la conception

Statische Berechnung von erdverlegten Rohrleitungen
unter verschiedenen Belastungsbedingungen - Teil 4:
Parameter für die Zuverlässigkeit der Auslegung

This Technical Report was approved by CEN on 13 April 2015. It has been drawn up by the Technical Committee CEN/TC 165.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| Contents | Page |
|--|-------------|
| European foreword..... | 3 |
| Introduction | 4 |
| 1 Scope..... | 5 |
| 2 Normative references..... | 5 |
| 3 Terms and definitions | 5 |
| 3.1 Installation terms..... | 5 |
| 3.2 Design terms | 7 |
| 4 General requirements | 8 |
| 5 Declaration of the parameters | 9 |
| 5.1 General..... | 9 |
| 5.2 Input data and characteristics..... | 10 |
| 5.2.1 Pipe parameters | 10 |
| 5.2.2 External loads parameters | 11 |
| 5.2.3 Internal pressure parameters..... | 14 |
| 5.2.4 Pipe own weight parameters | 15 |
| 5.2.5 Weight of fluid | 15 |
| 5.2.6 Subsidence (differential settlement) parameters..... | 15 |
| 5.2.7 Temperature parameters | 16 |
| 5.3 Parameters for limit states analysis..... | 16 |
| 5.4 Safety parameters | 19 |
| Annex A (informative) Checklist for parameters for reliability of the structural design of buried water and waste water pressure pipelines, drains and sewers | 20 |
| Bibliography..... | 23 |

European foreword

This document (CEN/TR 1295-4:2015) has been prepared by Technical Committee CEN/TC 165 “Wastewater engineering”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document, EN 1295: “*Structural design of buried pipelines under various conditions of loading*”, consists of the following parts:

- Part 1: General requirements (EN);
- Part 2: Summary of nationally established methods of design (CEN/TR);
- Part 3: Common method (CEN/TR);
- Part 4: Parameters for reliability of the design (CEN/TR).

Introduction

The structural design of buried pipelines constitutes a wide ranging and complex field of engineering, which has been the subject of extensive study and research, in many countries over a period of very many years.

While many common features exist between the design methods, which have been developed and established in the various member countries of CEN, there are also differences reflecting such matters as geological and climatic variations, as well as different installation and working practices.

In view of these differences, and of the time required to develop a common design method that would fully reflect the various considerations identified in particular national methods, a multiple stage approach has been adopted for the development of a European Standard.

In accordance with this approach, a Joint Working Group, at its initial meeting, resolved “first to produce an EN giving guidance on the application of nationally established methods of structural design of buried pipelines under various conditions of loading, whilst working towards a common method of structural design”.

EN 1295-1, “*Structural design of buried pipelines under various conditions of loading — Part 1: General requirements*” represents the implementation of the first part of that resolution, and CEN/TR 1295-2 “*Structural design of buried pipelines under various conditions of loading — Part 2: Summary of nationally established methods of design*” represents the full implementation of the first part of that resolution.

In 2003, CEN/TC 164 and CEN/TC 165 accepted a recommendation from JWG1 that the two structural design options should be published as CEN/TR 1295-3 “*Structural design of buried pipelines under various conditions of loading — Part 3: Common method*”, because there was no prospect of the group reaching agreement on a “Common Method”, and the human and financial resources needed to continue were, in any case, no longer available.

In 2011, CEN/TC 165 has decided to complete this approach to list the parameters for the reliability of the structural design of buried water and wastewater pressure pipelines, drains and sewers in relation with the installation conditions.

1 Scope

This Technical Report lists the parameters for the reliability of the structural design of buried water and wastewater pressure pipelines, drains and sewers.

The reliability of the design of buried pipelines is based on the selection of appropriate design parameters for a chosen design method. This document identifies the parameters appropriate to the chosen design method, which should all be clearly stated.

This Technical Report does not aim to specify the requirements for the structural design of water and wastewater pressure pipelines, drains and sewers. These requirements are defined in EN 1295-1.

This Technical Report does not apply for offshore laying, pipes supported on piles, no dig pipelines, or laid above ground. Supplementary considerations need to be taken into account for these specific installations.

Special situations (e.g. landslide, earthquake, fire) are outside the scope of this document.

Design parameters for calculation of longitudinal effects (including bending moments, shear forces and tensile forces resulting for example from non-uniform bedding and thermal movements and, in the case of pressure pipelines, from Poisson's contraction and thrust at change of direction or cross-section) are not covered in this document.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1295-1, *Structural design of buried pipelines under various conditions of loading - Part 1: General requirements*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN