

STN	Tepelnotechnické vlastnosti budov. Stanovenie vzduchovej priepustnosti budov. Metóda pretlaku pomocou ventilátora (ISO 9972: 2015).	STN EN ISO 9972 73 0576
------------	--	---

Thermal performance of buildings - Determination of air permeability of buildings - Fan pressurization method (ISO 9972:2015)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/16

Obsahuje: EN ISO 9972:2015, ISO 9972:2015

Oznámením tejto normy sa ruší
STN EN 13829 (73 0576) z októbra 2001

122316

EUROPEAN STANDARD

EN ISO 9972

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2015

ICS 91.120.10

Supersedes EN 13829:2000

English Version

Thermal performance of buildings - Determination of air permeability of buildings - Fan pressurization method (ISO 9972:2015)

Performance thermique des bâtiments - Détermination de la perméabilité à l'air des bâtiments - Méthode de pressurisation par ventilateur (ISO 9972:2015)

Wärmetechnisches Verhalten von Gebäuden - Bestimmung der Luftdurchlässigkeit von Gebäuden - Differenzdruckverfahren (ISO 9972:2015)

This European Standard was approved by CEN on 20 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 9972:2015) has been prepared by Technical Committee ISO/TC 163 "Thermal performance and energy use in the built environment" in collaboration with Technical Committee CEN/TC 89 "Thermal performance of buildings and building components" the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2016, and conflicting national standards shall be withdrawn at the latest by March 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13829:2000.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 9972:2015 has been approved by CEN as EN ISO 9972:2015 without any modification.

**Thermal performance of buildings —
Determination of air permeability
of buildings — Fan pressurization
method**

*Performance thermique des bâtiments — Détermination de la
perméabilité à l'air des bâtiments — Méthode de pressurisation par
ventilateur*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions, and symbols	1
3.1 Terms and definitions.....	1
3.2 Symbols.....	3
4 Apparatus	4
4.1 General.....	4
4.2 Equipment.....	4
4.2.1 Air-moving equipment.....	4
4.2.2 Pressure-measuring device.....	4
4.2.3 Air flow rate measuring system.....	4
4.2.4 Temperature-measuring device.....	4
5 Measurement procedure	4
5.1 Measurement conditions.....	4
5.1.1 General.....	4
5.1.2 Measured extent.....	5
5.1.3 Time of measurement.....	5
5.2 Preparation.....	5
5.2.1 Building preparation methods.....	5
5.2.2 Heating, ventilation and air conditioning systems and other building equipment.....	5
5.2.3 Intentional openings in the envelope.....	6
5.2.4 Openings inside the measured extent.....	7
5.2.5 Air-moving equipment.....	7
5.2.6 Pressure measuring devices.....	7
5.3 Steps of the procedure.....	8
5.3.1 Preliminary check.....	8
5.3.2 Temperature and wind conditions.....	8
5.3.3 Zero-flow pressure difference.....	8
5.3.4 Pressure difference sequence.....	8
6 Expression of results	9
6.1 Reference values.....	9
6.1.1 Internal volume.....	9
6.1.2 Envelope area.....	9
6.1.3 Net floor area.....	10
6.2 Calculation of the air leakage rate.....	10
6.3 Derived quantities.....	13
6.3.1 General.....	13
6.3.2 Air change rate at reference pressure difference.....	13
6.3.3 Specific leakage rate (envelope).....	13
6.3.4 Specific leakage rate (floor).....	14
6.3.5 Effective leakage area.....	14
6.3.6 Specific effective leakage area (envelope).....	14
6.3.7 Specific effective leakage area (floor).....	14
7 Test report	15
8 Uncertainty	15
8.1 General.....	15
8.2 Reference value.....	16
8.3 Overall uncertainty.....	16
Annex A (informative) Description of equipment used to pressurize buildings	17

Annex B (informative) Dependence of air density on temperature, dew point, and barometric pressure	19
Annex C (informative) Recommended procedure for estimating uncertainty in derived quantities	20
Annex D (informative) Beaufort scale of wind (extract)	23
Annex E (informative) Detection of the leakage location	26

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 163, *Thermal performance and energy use in the built environment*, Subcommittee SC 1, *Test and measurement methods*.

This third edition cancels and replaces the second edition (ISO 9972:2006), which has been technically revised.

Introduction

The fan-pressurization method is intended to characterize the air permeability of the building envelope or parts thereof. It can be used, for example,

- a) to measure the air permeability of a building or part thereof for compliance with a design air-tightness specification,
- b) to compare the relative air permeability of several similar buildings or parts of buildings, and
- c) to determine the air-leakage reduction resulting from individual retrofit measures applied incrementally to an existing building or part of building.

The fan pressurization method does not measure the air infiltration rate of a building. The results of this method can be used to estimate the air infiltration rate and resulted heat load by means of calculation.

Other methods, like tracer gas, are applicable when it is desired to obtain a direct measurement of the air infiltration rate. A single tracer gas measurement, however, gives limited information on the performance of ventilation and infiltration of buildings.

The fan-pressurization method applies to measurements of air flow through the construction from outside to inside or vice versa. It does not apply to air flow measurements from outside through the construction and back to outside.

The proper use of this International Standard requires knowledge of the principles of air flow and pressure measurements. Ideal conditions for the test described in this International Standard are small temperature differences and low wind speeds. For tests conducted in the field, it needs to be recognized that field conditions can be less than ideal. Nevertheless, strong winds and large indoor-outdoor temperature differences are to be avoided.

Thermal performance of buildings — Determination of air permeability of buildings — Fan pressurization method

1 Scope

This International Standard is intended for the measurement of the air permeability of buildings or parts of buildings in the field. It specifies the use of mechanical pressurization or depressurization of a building or part of a building. It describes the measurement of the resulting air flow rates over a range of indoor-outdoor static pressure differences.

This International Standard is intended for the measurement of the air leakage of building envelopes of single-zone buildings. For the purpose of this International Standard, many multi-zone buildings can be treated as single-zone buildings by opening interior doors or by inducing equal pressures in adjacent zones.

International Standard does not address evaluation of air permeability of individual components.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7345, *Thermal insulation — Physical quantities and definitions*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN