

STN	Regulačné armatúry pre priemyselné procesy. Časť 8-4: Hodnotenie hluku. Predbežný výpočet hluku generovaného hydrodynamickým prúdením.	STN EN 60534-8-4
		13 4509

Industrial-process control valves - Part 8-4: Noise considerations - Prediction of noise generated by hydrodynamic flow

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 04/16

Obsahuje: EN 60534-8-4:2015, IEC 60534-8-4:2015

Oznámením tejto normy sa od 20.10.2018 ruší
STN EN 60534-8-4 (13 4509) z júna 2006

122646

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2016
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60534-8-4

December 2015

ICS 17.140.20; 23.060.40; 25.040.40

Supersedes EN 60534-8-4:2005

English Version

**Industrial-process control valves - Part 8-4: Noise considerations -
Prediction of noise generated by hydrodynamic flow
(IEC 60534-8-4:2015)**

Vannes de régulation des processus industriels -
Partie 8-4: Considérations sur le bruit - Prévisions du bruit
généré par un écoulement hydrodynamique
(IEC 60534-8-4:2015)

Stellventile für die Prozessregelung -
Teil 8-4: Geräuschbetrachtungen - Vorausberechnung der
Geräuschemission für flüssigkeitsdurchströmte Stellventile
(IEC 60534-8-4:2015)

This European Standard was approved by CENELEC on 2015-10-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 65B/1005/FDIS, future edition 3 of IEC 60534-8-4, prepared by SC 65B "Measurement and control devices", of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60534-8-4:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at (dop) 2016-07-20 national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-10-20

This document supersedes EN 60534-8-4:2005.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60534-8-4:2015 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60534-1	-	Industrial-process control valves - Part 1: Control valve terminology and general considerations	EN 60534-1	-
IEC 60534-2-3	-	Industrial-process control valves - Part 2-3: Flow capacity - Test procedures	EN 60534-2-3	-
IEC 60534-8-2	-	Industrial-process control valves - Part 8-2: Noise considerations - Laboratory measurement of noise generated by hydrodynamic flow through control valves	EN 60534-8-2	-
IEC 60534-8-3	-	Industrial-process control valves - Part 8-3: Noise considerations - Control valve aerodynamic noise prediction method	EN 60534-8-3	-



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial-process control valves –
Part 8-4: Noise considerations – Prediction of noise generated by hydrodynamic
flow**

**Vannes de régulation des processus industriels –
Partie 8-4: Considérations sur le bruit – Prévisions du bruit généré par un
écoulement hydrodynamique**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial-process control valves –
Part 8-4: Noise considerations – Prediction of noise generated by hydrodynamic
flow**

**Vannes de régulation des processus industriels –
Partie 8-4: Considérations sur le bruit – Prévisions du bruit généré par un
écoulement hydrodynamique**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 17.140.20; 23.060.40; 25.040.40

ISBN 978-2-8322-2879-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Symbols	7
5 Preliminary calculations	9
5.1 Pressures and pressure ratios	9
5.2 Characteristic pressure ratio x_{FZ}	9
5.3 Valve style modifier F_d	10
5.4 Jet diameter D_j	10
5.5 Jet velocity	10
5.6 Mechanical power W_m	10
6 Noise predictions	10
6.1 Internal sound pressure calculation	10
6.2 Transmission loss	13
6.3 External sound pressure calculation	14
7 Multistage trim	14
7.1 General	14
7.2 Preliminary calculations	15
7.3 Prediction of noise level	15
7.3.1 General criteria	15
7.3.2 Multistage devices (see Figures 1 and 3)	15
7.3.3 Fixed multistage devices with increasing flow areas (see Figure 2)	16
Annex A (informative) Examples of given data	21
Bibliography	31
 Figure 1 – Examples of multistage trim in globe and rotary valves	16
Figure 2 – Example of fixed multistage device with increasing flow area	17
Figure 3 – Example of multistage trim in globe valve	17
Figure 4 – Globe valve (Cage trim, V-port plug)	18
Figure 5 – Globe valves (parabolic-plug)	18
Figure 6 – Multi-hole trims	19
Figure 7 – Eccentric rotary valves	19
Figure 8 – Butterfly valves	20
Figure 9 – Segmented ball valve – 90° travel	20
Figure A.1 – The influence of the x_{FZ} value on prediction accuracy	30
 Table 1 – Numerical constants N	9
Table 2 – Typical values of $A\eta$	11
Table 3 – Indexed third octave center frequencies and “A” weighting factors	13
Table A.1 – Calculation: Examples 1 to 3	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL-PROCESS CONTROL VALVES –**Part 8-4: Noise considerations –
Prediction of noise generated by hydrodynamic flow****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60534-8-4 has been prepared by subcommittee 65B: Measurement and control devices , of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published 2005. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Hydrodynamic noise is predicted as a function of frequency.
- b) Elimination of the acoustic power ratio

The text of this standard is based on the following documents:

FDIS	Report on voting
65B/1005/FDIS	65B/1017/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60534 series, published under the general title *Industrial-process control valves*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

It is valuable to predict the noise levels that will be generated by valves. Safety requirements, such as the occupational health standards require that human exposure to noise be limited. There is also data indicating that noise levels above certain levels could lead to pipe failure or affect associated equipment. See IEC 60534-8-3. Earlier hydrodynamic noise standards relied on manufacturer test data and were neither generic nor as complete as desired. The method can be used with all conventional control valve styles including globe, butterfly, cage type, eccentric rotary, and modified ball valves.

A valve restricts flow by converting pressure energy into turbulence, heat and mechanical pressure waves in the fluid contained within the valve body and piping. A small portion of this mechanical vibration is converted into acoustical energy. Most of the noise is retained within the piping system with only a small portion passing through the pipe wall downstream of the valve. Calculation of the mechanical energy involved is straightforward. The difficulties arise from determining first the acoustic efficiency of the mechanical energy to noise conversion and then the noise attenuation caused by the pipe wall.

This part of IEC 60534 considers only noise generated by normal turbulence and liquid cavitation. It does not consider any noise that might be generated by mechanical vibrations, flashing conditions, unstable flow patterns, or unpredictable behaviour. In the typical installation, very little noise travels through the wall of the control valve body. The noise predicted is that which would be measured at the standard measuring point of 1 m downstream of the valve and 1 m away from the outer surface of the pipe in an acoustic free field. Ideal straight piping is assumed. Since an acoustic free field is seldom encountered in industrial installations, this prediction cannot guarantee actual results in the field.

This prediction method has been validated with test results based on water covering a majority of control valve types, in the DN 15 to DN 300 size range, at inlet pressures up to 15 bar. However, some types of low noise valves may not be covered. This method is considered accurate within ± 5 dB(A), for most cases, if based on tested values of x_{FZ} using the method from IEC 60534-8-2. The applicability of this method for fluids other than water is not known at this time.

INDUSTRIAL-PROCESS CONTROL VALVES –**Part 8-4: Noise considerations –
Prediction of noise generated by hydrodynamic flow****1 Scope**

This part of IEC 60534 establishes a method to predict the noise generated in a control valve by liquid flow and the resulting noise level measured downstream of the valve and outside of the pipe. The noise may be generated both by normal turbulence and by liquid cavitation in the valve. Parts of the method are based on fundamental principles of acoustics, fluid mechanics, and mechanics. The method is validated by test data.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60534-1, *Industrial-process control valves – Part 1: Control valve terminology and general considerations*

IEC 60534-2-3, *Industrial-process control valves – Part 2-3: Flow capacity – Test procedures*

IEC 60534-8-2, *Industrial-process control valves – Part 8-2: Noise considerations – Laboratory measurement of noise generated by hydrodynamic flow through control valves*

IEC 60534-8-3, *Industrial-process control valves – Part 8-3: Noise considerations – Control valve aerodynamic noise prediction method*

koniec náhľadu – text d'alej pokračuje v platenej verzii STN