ICS 33.200 SLOVENSKÁ TECHNICKÁ NORMA Máj 2016

STN	**Integrácia aplikácií v energetických spoločnostiach. Systémové rozhrania na riadenie dodávky elektrickej energie. Časť 6: Rozhrania na údržbu a výstavbu.**	**STN EN 61968-6** 33 4620

Application integration at electric utilities - System interfaces for distribution management - Part 6: Interfaces for maintenance and construction

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/16

Obsahuje: EN 61968-6:2016, IEC 61968-6:2015

122679

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 61968-6

January 2016

ICS 33.200

English Version

Application integration at electric utilities - System interfaces for distribution management - Part 6: Interfaces for maintenance and construction (IEC 61968-6:2015)

Intégration d'applications pour les services électriques - Interfaces système pour la gestion de distribution - Partie 6 : Interfaces de maintenance et de construction (IEC 61968-6:2015)

Integration von Anwendungen in Anlagen der Elektrizitätsversorgung - Systemschnittstellen für Netzführung - Teil 6: Schnittstellen für Wartung und Konstruktion (IEC 61968-6:2015)

This European Standard was approved by CENELEC on 2015-08-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Ref. No. EN 61968-6:2015 E

European foreword

The text of document 57/1566/FDIS, future edition 1 of IEC 61968-6, prepared by IEC/TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61968-6:2016.

The following dates are fixed:

• latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2016-07-15
• latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2018-08-11

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61968-6:2015 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

Publication	Year	Title	EN/HD	Year
IEC 60050	series	International electrotechnical vocabulary	-	-
IEC 61968-1	-	Application integration at electric utilities - System interfaces for distribution management -- Part 1: Interface architecture and general requirements	EN 61968-1	-
IEC/TS 61968-2	-	Application integration at electric utilities - System interfaces for distribution management -- Part 2: Glossary	-	-
IEC 61968-4	-	Application integration at electric utilities - System interfaces for distribution management -- Part 4: Interfaces for records and asset management	EN 61968-4	-
IEC 61968-9	2013	Application integration at electric utilities - System interfaces for distribution management -- Part 9: Interfaces for meter reading and control	EN 61968-9	2014
IEC 61968-11	-	Application integration at electric utilities - System interfaces for distribution management -- Part 11: Common information model (CIM) extensions for distribution	EN 61968-11	-
IEC 61970-301	-	Energy management system application program interface (EMS-API) - Part 301: Common information model (CIM) base	EN 61970-301	-
IEC/TR 62051	-	Electricity metering - Glossary of terms	-	-
IEC 62055-31	-	Electricity metering - Payment systems -- Part 31: Particular requirements - Static payment meters for active energy (classes 1 and 2)	EN 62055-31	-

IEC 61968-6

Edition 1.0 2015-07

INTERNATIONAL STANDARD

colour inside

Application integration at electric utilities – System interfaces for distribution management –
Part 6: Interfaces for maintenance and construction

IEC 61968-6:2015-07(en)

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

IEC 61968-6

Edition 1.0 2015-07

INTERNATIONAL STANDARD

colour inside

Application integration at electric utilities – System interfaces for distribution management –
Part 6: Interfaces for maintenance and construction

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-2751-0

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 8
2 Normative references 8
3 Terms, definitions and abbreviations 9
3.1 Terms and definitions 9
3.2 Abbreviations 9
4 Reference and information models 9
4.1 General 9
4.2 Reference model 10
4.2.1 General 10
4.2.2 Geographical Inventory (GINV) 12
4.2.3 Maintenance and Inspection (MAI) 12
4.2.4 Construction 12
4.2.5 Design 12
4.2.6 Work Scheduling and Dispatching (SCHD) 12
4.2.7 Field Recording (FRD) 12
4.2.8 Network Operation Simulation (SIM) 12
4.2.9 Customer Service (CS) 12
4.2.10 Trouble call management (TCM) 12
4.2.11 Financial (FIN) 13
4.2.12 Human resources 13
4.2.13 Asset Management (AM) System 13
4.2.14 Network Operations (NO) 13
4.3 Interface reference model 13
4.4 Maintenance and construction functions and components 14
4.5 Static information model 14
4.5.1 Information model classes 14
4.5.2 Classes for maintenance and construction 14
4.6 Maintenance and construction use cases 15
5 Maintenance and construction message types 16
5.1 General 16
5.2 Work 17
5.3 Work request message 17
5.3.1 General 17
5.3.2 Applications – Carry out planned maintenance with temporary equipment 17
5.3.3 Message format 19
5.4 Service order message 20
5.4.1 General 20
5.4.2 Applications – Meter installation and removal 20
5.4.3 Message format 21
5.5 Maintenance order message 23
5.5.1 General 23
5.5.2 Applications 23
5.5.3 Message format 24

6 Document conventions 26
6.1 UML diagrams 26
6.2 Message definitions 26
6.2.1 General 26
6.2.2 Mandatory versus optional 26
Annex A (normative) Description of message type verbs 27
Annex B (normative) XML Schemas for Message Payloads 29
B.1 General 29
B.2 WorkRequest 29
B.3 ServiceOrder 50
B.4 MaintenanceOrder 91
Bibliography 143

Figure 1 – Asset life cycle 10
Figure 2 – IEC 61968-6 reference model for maintenance 11
Figure 3 – End-to-end business cases and related messages 16
Figure 4 – Carry out planned maintenance with temporary equipment 18
Figure 5 – Work request message format 19
Figure 6 – Meter installation and removal 20
Figure 7 – Service order message format 22
Figure 8 – Maintenance of high voltage device (transformer etc) requested by FRD 24
Figure 9 – MaintenanceOrder message format 25

Table 1 – Document overview for IEC 61968-6 7
Table 2 – Business functions and abstract components 14
Table 3 – Maintenance and construction classes 15
Table A.1 – Commonly used verbs 27

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

Part 6: Interfaces for maintenance and construction

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 61968 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/1566/FDIS	57/1586/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61968 series, published under the general title *Application integration at electric utilities – System interfaces for distribution management*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 61968 standard, taken as a whole, defines interfaces for the major elements of an interface architecture for Distribution Management Systems (DMS). IEC 61968-1, *Interface architecture and general recommendations*, identifies and establishes requirements for standard interfaces based on an Interface Reference Model (IRM). IEC 61968-3 to 9 of this standard define interfaces relevant to each of the major business functions described by the Interface Reference Model.

As used in IEC 61968, a DMS consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management.

This set of standards is limited to the definition of interfaces and is implementation independent. They provide for interoperability among different computer systems, platforms, and languages. Methods and technologies used to implement functionality conforming to these interfaces are considered outside of the scope of these standards; only the interface itself is specified in these standards.

The purpose of this part of IEC 61968 is to define a standard for the integration of Maintenance and Construction Systems (MC), which would include Work Management Systems, with other systems and business functions within the scope of IEC 61968. The scope of this standard is the exchange of information between Maintenance and Construction Systems and other systems within the utility enterprise. The specific details of communication protocols those systems employ are outside the scope of this standard. Instead, this standard will recognize and model the general capabilities that can be potentially provided by maintenance and construction systems including planned, unplanned and conditional maintenance. In this way, this standard will not be impacted by the specification, development and/or deployment of next generation maintenance systems, either through the use of standards or proprietary means.

The IEC 61968 series of standards is intended to facilitate *inter-application integration* as opposed to *intra-application integration*. Intra-application integration is aimed at programs in the same application system, usually communicating with each other using middleware that is embedded in their underlying runtime environment, and tends to be optimised for close, real-time, synchronous connections and interactive request/reply or conversation communication models. IEC 61968, by contrast, is intended to support the inter-application integration of a utility enterprise that needs to connect disparate applications that are already built or new (legacy or purchased applications), each supported by dissimilar runtime environments. Therefore, these interface standards are relevant to loosely coupled applications with more heterogeneity in languages, operating systems, protocols and management tools. This series of standards is intended to support applications that need to exchange data every few seconds, minutes, or hours rather than waiting for a nightly batch run. This series of standards, which are intended to be implemented with middleware services that exchange messages among applications, will complement, not replace, utility data warehouses, database gateways, and operational stores.

As used in IEC 61968, a Distribution Management System (DMS) consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management. Standard interfaces are defined for each class of applications identified in the Interface Reference Model (IRM), which is described in IEC 61968-1, *Interface architecture and general recommendations*.

This part of IEC 61968 contains the clauses listed in Table 1.

Table 1 – Document overview for IEC 61968-6

Clause	Title	Purpose
1	Scope	The scope and purpose of the document are described.
2	Normative references	Documents that contain provisions which, through reference in this text, constitute provisions of this International Standard.
3	Reference and information models	Description of general approach to work management system, reference model, use cases, interface reference model, maintenance and construction functions and components, message type terms and static information model.
4	Maintenance and construction message types	Message types related to the exchange of information for documents related to maintenance and construction.
Annex A	Message type verbs	Description of the verbs that are used for the message types.
Annex B	XML schemas for message payloads	To provide xsd information for use by developers to create IEC 61968-9 messages.

APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

Part 6: Interfaces for maintenance and construction

1 Scope

This part of IEC 61968 specifies the information content of a set of message types that can be used to support business functions related to Maintenance and Construction. Typical uses of the message types defined in this part of IEC 61968 include planned maintenance, unplanned maintenance, conditional maintenance, work management, new service requests, etc. Message types defined in other parts of IEC 61968 may also be relevant to these use cases.

The mapping of these messages to specific technologies such as XML will be described at a later date.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050, *International Electrotechnical Vocabulary*

IEC 61968-1, *Application integration at electric utilities – System interfaces for distribution management – Part 1: Interface architecture and general recommendations*

IEC TS 61968-2, *Application integration at electric utilities – System interfaces for distribution management – Part 2: Glossary*

IEC 61968-4, *Application integration at electric utilities – System interfaces for distribution management – Part 4: Interfaces for records and asset management*

IEC 61968-9:2013, *Application integration at electric utilities – System interfaces for distribution management – Part 9: Interfaces for meter reading and control*

IEC 61968-11, *Application integration at electric utilities – System interfaces for distribution management – Part 11: Common information model (CIM) extensions for distribution*

IEC 61970-301, *Energy management system application program interface (EMS-API) – Part 301: Common information model (CIM)* base

IEC TR 62051, *Electricity metering – Glossary of terms*

IEC 62055-31, *Electricity metering – Payment systems – Part 31: Particular requirements – Static payment meters for active energy (classes 1 and 2)*