

<b>STN</b>	<b>Päťice a objímky pre zdroje svetla vrátane kalibrov na kontrolu zameniteľnosti a bezpečnosti. Časť 2: Objímky. Zmena A49</b>	<b>STN EN 60061-2/A49</b>
		36 0340

Lamp caps and holders together with gauges for the control of interchangeability and safety. Part 2: Lampholders

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 04/16

STN EN 60061–2 z júna 2001 sa bez zmeny A49 môže používať do 28. 08. 2018.

Obsahuje: EN 60061-2:1993/A49:2015, IEC 60061-2:1969/AMD49:2015

**122694**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2016

Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

**EUROPEAN STANDARD**  
**NORME EUROPÉENNE**  
**EUROPÄISCHE NORM**

**EN 60061-2:1993/A49**

October 2015

ICS 29.140.10

English Version

**Lamp caps and holders together with gauges for the control of  
interchangeability and safety - Part 2: Lampholders  
(IEC 60061-2:1969/A49:2015)**

Culots de lampes et douilles ainsi que calibres pour le  
contrôle de l'interchangeabilité et de la sécurité - Partie 2:  
Douilles  
(IEC 60061-2:1969/A49:2015)

Lampensockel und -fassungen sowie Lehren zur Kontrolle  
der Austauschbarkeit und Sicherheit - Teil 2:  
Lampenfassungen  
(IEC 60061-2:1969/A49:2015)

This amendment A49 modifies the European Standard EN 60061-2:1993; it was approved by CENELEC on 2015-08-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
 Comité Européen de Normalisation Electrotechnique  
 Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**European foreword**

The text of document 34B/1784/FDIS, future IEC 60061-2:1969/A49, prepared by SC 34B "Lamp caps and holders" of IEC/TC 34 "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60061-2:1993/A49:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at (dop) 2016-05-28 national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2018-08-28 the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 60061-2:1969/A49:2015 was approved by CENELEC as a European Standard without any modification.

NORME  
INTERNATIONALE  
INTERNATIONAL  
STANDARD

CEI  
IEC

60061-2

AMENDEMENT 49  
AMENDMENT 49

2015-07

---

---

---

Amendment 49

**Culots de lampes et douilles ainsi que calibres  
pour le contrôle de l'interchangeabilité  
et de la sécurité –**

**Partie 2:  
Douilles**

Amendment 49

**Lamp caps and holders together with  
gauges for the control of interchangeability  
and safety –**

**Part 2:  
Lampholders**

*Les feuilles de cet amendement sont à insérer dans la  
CEI 60061-2 (1969)*

*The sheets contained in this amendment are to be inserted  
in IEC 60061-2 (1969)*

© IEC 2014 Droits de reproduction réservés — Copyright - all rights reserved

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

**NORME  
INTERNATIONALE  
INTERNATIONAL  
STANDARD**

**CEI  
IEC**

**60061-2**

Edition 3.49

2015-07

Modifiée selon les compléments/amended in accordance with supplements:

A(1970), B(1971), C(1972), D(1975), E(1977),  
F(1980), G(1983), H(1987), J(1989), K(1992), L(1994),  
M(1994), N(1995), P(1996), Q(1996), R(1996), S(1997)

et les amendements/and amendments 18(1998), 19(1999), 20(1999), 21(2000),  
22(2001), 23(2001), 24(2001), 25(2002), 26(2002), 27(2002), 28(2003), 29(2003),  
30(2003), 31(2004), 32(2004), 33(2005), 34(2006) 35(2007), 36(2007), 37(2008),  
38(2009), 39(2009), 40(2010), 41(2010), 42(2010), 43(2011), 44(2011), 45(2012),  
46(2013), 47(2013), 48(2014) et/and 49(2015)

---

---

---

**Culots de lampes et douilles ainsi que calibres  
pour le contrôle de l'interchangeabilité  
et de la sécurité –**

**Partie 2:  
Douilles**

**Lamp caps and holders together with  
gauges for the control of interchangeability  
and safety –**

**Part 2:  
Lampholders**

© IEC 2014 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

## SOMMAIRE

## DOUILLES - SOMMAIRE PAR DÉSIGNATION

	Feuilles	
Douilles PX26 .....	7005-5-3	
Douille E11 .....	7005-6-1	
Douille EY10.....	7005-7-1	
Douilles pour culots à baïonnette BAX9s.....	7005-8-1	
Douilles pour culots à baïonnette BAY9s.....	7005-9-1	
Douilles à baïonnette B22d.....	7005-10-8	
Douilles à baïonnette B22d-3(90°/135°).....	7005-10A-4	
Douilles pour culots à baïonnette pour automobiles BA7.....	7005-11-3	
Douilles pour culots à baïonnette pour automobiles BA9.....	7005-12-2	
Douilles BA15, BAU15, BAW15, BAY15 & BAZ15.....	7005-13-5	
Douilles pour culots à baïonnette pour automobiles BA20.....	7005-14-2	
Douilles pour culots à baïonnette BA21-3 .....	7005-15-2	
Douilles à baïonnette B15d.....	7005-16-4	
Douilles à baïonnette BY22d.....	7005-17-5	
Douille pour culots à baïonnette BAU15s .....	7005-19-1	
Position de la chemise filetée de la douille Edison par rapport au contact central.....	7005-20-6	
Douilles E26.....	7005-21A-1	
Douilles E39 .....	7005-24A-3	
Douille E12 .....	7005-28-1	
Position de la chemise filetée par rapport aux contacts central et intermédiaire de la douille E26d.	7005-29-2	
Douille préfocus EP10.....	7005-30-1	
Douilles P20, PX20, PY20 & PZ20.....	7005-31-2	
Douilles P22 & PX22 .....	7005-32-2	
Douilles 2G13 .....	7005-33-1	
Douille PX43t.....	7005-34-1	
Douille PX13.5s .....	7005-35-1	
Douille P26s .....	7005-36-1	
Douille PKX22s .....	7005-37-1	
Douille préfocus P18s.....	7005-38-3	
Douilles P43t.....	7005-39-4	
Douilles préfocus P28s .....	7005-42-6	
Douille préfocus P40 .....	7005-43-3	
Douille de précision P30s pour culot préfocus P30s-10.3 .....	7005-44-2	
Douilles G17q, GX17q & GY17q .....	7005-45-2	
Douille pour automobiles P14.5s.....	7005-46-3	
Douille PK22s .....	7005-47-2	
Distance de montage pour ensemble de deux douilles non flexibles G13 .....	7005-50-4	
Distance de montage pour ensemble de deux douilles non flexibles G5 .....	7005-51-4	
Distance de montage pour ensemble de deux douilles GX5 .....	7005-51A-1	
Combinaisons de deux douilles R7s & RX7s .....	7005-53-4	
Douilles R7s & RX7s .....	7005-53A-5	
Douille Fa6.....	7005-55-3	
Douille G10q .....	7005-56-2	
Douille pour culot à deux contacts en retrait R17d .....	7005-57-1	
Douilles et connecteurs Fa8.....	7005-58-1	
Douilles G6.35, GX6.35 & GY6.35 .....	7005-59-2	

## CONTENTS

## LAMPHOLDERS - CONTENTS BY DESIGNATION

	Sheet	
Lampholders PX26.....	7005-5-3	
Lampholder E11 .....	7005-6-1	
Lampholder EY10 .....	7005-7-1	
Lampholders for bayonet caps BAX9s .....	7005-8-1	
Lampholders for bayonet caps BAY9s .....	7005-9-1	
Bayonet lampholders B22d .....	7005-10-8	
Bayonet lampholders B22d-3(90°/135°).....	7005-10A-4	
Lampholders for bayonet automobile caps BA7 .....	7005-11-3	
Lampholders for bayonet automobile caps BA9 .....	7005-12-2	
Lampholders BA15, BAU15, BAW15, BAY15 & BAZ15.....	7005-13-5	
Lampholders for bayonet automobile caps BA20 .....	7005-14-2	
Lampholders for bayonet caps BA21-3 .....	7005-15-2	
Bayonet lampholders B15d .....	7005-16-4	
Bayonet lampholders BY22d.....	7005-17-5	
Lampholder for bayonet caps BAU15s .....	7005-19-1	
Position of holder thread in relation to central contact of the Edison lampholder .....	7005-20-6	
Lampholders E26 .....	7005-21A-1	
Lampholders E39 .....	7005-24A-3	
Lampholder E12 .....	7005-28-1	
Position of holder thread in relation to the central and intermediate contacts of the lampholder E26d ..	7005-29-2	
Prefocus lampholder EP10 .....	7005-30-1	
Lampholders P20, PX20, PY20 & PZ20 .....	7005-31-2	
Lampholders P22 & PX22 .....	7005-32-2	
Lampholders 2G13 .....	7005-33-1	
Lampholder PX43t .....	7005-34-1	
Lampholder PX13.5s .....	7005-35-1	
Lampholder P26s .....	7005-36-1	
Lampholder PKX22s .....	7005-37-1	
Prefocus lampholder P18s .....	7005-38-3	
Lampholders P43t .....	7005-39-4	
Prefocus lampholders P28s .....	7005-42-6	
Prefocus lampholder P40 .....	7005-43-3	
Precision holder P30s for prefocus cap P30s-10.3 .....	7005-44-2	
Lampholders G17q, GX17q & GY17q .....	7005-45-2	
Lampholder for automobile lamps P14.5s .....	7005-46-3	
Lampholder PK22s .....	7005-47-2	
Mounting of combined pair of inflexible lampholders G13 .....	7005-50-4	
Mounting distance of a combined pair of inflexible lampholders G5 .....	7005-51-4	
Mounting distance of a combined pair of lampholders GX5 .....	7005-51A-1	
Combined pairs of lampholders R7s & RX7s .....	7005-53-4	
Lampholders R7s & RX7s .....	7005-53A-5	
Lampholder Fa6 .....	7005-55-3	
Lampholder G10q .....	7005-56-2	
Lampholder for recessed double-contact cap R17d .....	7005-57-1	
Lampholders and connectors Fa8 .....	7005-58-1	
Lampholders G6.35, GX6.35 & GY6.35 .....	7005-59-2	

	Feuilles		Sheet
Connecteur GZ6.35 .....	7005-59A-3	Connector GZ6.35 .....	7005-59A-3
Douille G12 .....	7005-63-3	Lampholder G12 .....	7005-63-3
Douilles PG12 & PGX12 .....	7005-64-4	Lampholders PG12 & PGX12 .....	7005-64-4
Douille GX38q .....	7005-65-1	Lampholder GX38q .....	7005-65-1
Douille P29 .....	7005-66-1	Lampholder P29 .....	7005-66-1
Connecteur pour socle de lampe à deux broches GZ4	7005-67-1	Connector for bi-pin lamp base GZ4 .....	7005-67-1
Douille GR8 .....	7005-68-4	Lampholder GR8 .....	7005-68-4
Douille G23 .....	7005-69-1	Lampholder G23 .....	7005-69-1
Douille G9.5 .....	7005-70-2	Lampholder G9.5 .....	7005-70-2
Douille GX9.5 .....	7005-70A-3	Lampholder GX9.5 .....	7005-70A-3
Douilles GY9.5, GZ9.5, GZX9.5, GZY9.5 & GZZ9.5 .....	7005-70B-2	Lampholders GY9.5, GZ9.5, GZX9.5, GZY9.5 & GZZ9.5 .....	7005-70B-2
Douille G4 .....	7005-72-2	Lampholder G4 .....	7005-72-2
Douilles G5.3 .....	7005-73-1	Lampholders G5.3 .....	7005-73-1
Douilles GX5.3 .....	7005-73A-5	Lampholders GX5.3 .....	7005-73A-5
Douilles GY5.3 .....	7005-73B-5	Lampholders GY5.3 .....	7005-73B-5
Douille G22 .....	7005-75-3	Lampholder G22 .....	7005-75-3
Douilles G38 .....	7005-76-2	Lampholders G38 .....	7005-76-2
Douille GR10q .....	7005-77-3	Lampholder GR10q .....	7005-77-3
Douilles G24, GX24 & GY24 .....	7005-78-7	Lampholders G24, GX24 & GY24 .....	7005-78-7
Douille P11.5d .....	7005-79-1	Lampholder P11.5d .....	7005-79-1
Principes pour la construction des douilles SV7 & SV8.5 .....	7005-80-3	Principles for design of lampholders SV7 & SV8.5 .....	7005-80-3
Douilles 2G11 .....	7005-82-3	Lampholders 2G11 .....	7005-82-3
Douilles 2GX11 .....	7005-82A-1	Lampholders 2GX11 .....	7005-82A-1
Distance de montage pour ensemble de deux douilles pour lampes tubulaires à radiation infrarouge munies des culots SK15s .....	7005-83-1	Mounting of a combined pair of lampholders for tubular infra-red lamps with caps SK15s .....	7005-83-1
Douilles GX10q .....	7005-84-2	Lampholders GX10q .....	7005-84-2
Douilles GY10q .....	7005-85-2	Lampholders GY10q .....	7005-85-2
Douille GX23 .....	7005-86-1	Lampholder GX23 .....	7005-86-1
Douilles G32, GX32 & GY32 .....	7005-87-3	Lampholders G32, GX32 & GY32 .....	7005-87-3
Douille PY43d .....	7005-88-1	Lampholder PY43d .....	7005-88-1
Douille PZ43t .....	7005-89-1	Lampholder PZ43t .....	7005-89-1
Douille pour lampes flash W10.6x8.5d .....	7005-90-2	Lampholder for photo-flash lamps W10.6x8.5d .....	7005-90-2
Douille (rigide) W2.1x9.5d .....	7005-91-1	Lampholder (rigid) W2.1x9.5d .....	7005-91-1
Douille pour socle préfocus WP4x9d .....	7005-93-1	Lampholder for prefocus base WP4x9d .....	7005-93-1
Douille (rigide) W2x4.6d .....	7005-94-2	Lampholder (rigid) W2x4.6d .....	7005-94-2
Douille P45t .....	7005-95-2	Lampholder P45t .....	7005-95-2
Douilles SX4s .....	7005-97-1	Holders SX4s .....	7005-97-1
Douille pour lampes pour automobiles X511 .....	7005-99-2	Lampholder for automobile lamps X511 .....	7005-99-2
Douilles GRX10q .....	7005-101-1	Lampholders GRX10q .....	7005-101-1
Douille 2G7 .....	7005-102-1	Lampholder 2G7 .....	7005-102-1
Douille 2GX7 .....	7005-103-1	Lampholder 2GX7 .....	7005-103-1
Douilles W2.5x16 .....	7005-104-1	Lampholders W2.5x16 .....	7005-104-1
Douilles WX2.5x16 .....	7005-104A-1	Lampholders WX2.5x16 .....	7005-104A-1
Douilles WY2.5x16 .....	7005-104B-1	Lampholders WY2.5x16 .....	7005-104B-1
Douilles WZ2.5x16 .....	7005-104C-1	Lampholders WZ2.5x16 .....	7005-104C-1
Douilles WU2.5x16 .....	7005-104D-1	Lampholders WU2.5x16 .....	7005-104D-1
Douilles W3x16d & WX3x16d .....	7005-105-2	Lampholders W3x16d & WX3x16d .....	7005-105-2
Douilles W3x16q, WX3x16q & WY3x16q .....	7005-106-3	Lampholders W3x16q, WX3x16q & WY3x16q .....	7005-106-3
Connecteurs et orifices de montage PG13 & PGJ13 .....	7005-107-2	Connectors and mounting holes PG13 & PGJ13 .....	7005-107-2
Douille GU4 .....	7005-108-2	Lampholder GU4 .....	7005-108-2
Douille GU5.3 .....	7005-109-2	Lampholder GU5.3 .....	7005-109-2
Douilles et connecteurs PGJ19 .....	7005-110-3	Holders and connectors PGJ19 .....	7005-110-3
Douilles P32 & PK32 .....	7005-111-4	Lampholders P32 & PK32 .....	7005-111-4
Douilles S14 .....	7005-112-1	Lampholders S14 .....	7005-112-1
Douille GU7 .....	7005-113-2	Lampholder GU7 .....	7005-113-2

	Feuilles		Sheet
Douille Fc 2.....	7005-114-1	Lampholder Fc 2 .....	7005-114-1
Douille W4.3x8.5d .....	7005-115-1	Lampholder W4.3x8.5d.....	7005-115-1
Douille EZ10 .....	7005-116-1	Lampholder EZ10.....	7005-116-1
Douille G17.5t-1.....	7005-117-1	Lampholder G17.5t-1 .....	7005-117-1
Douilles 2G10 .....	7005-118-1	Lampholders 2G10 .....	7005-118-1
Douille GY22 .....	7005-119-1	Lampholder GY22.....	7005-119-1
Douille GZ10.....	7005-120-2	Lampholder GZ10.....	7005-120-2
Douille GU10 .....	7005-121-2	Lampholder GU10.....	7005-121-2
Douille G8.5.....	7005-122-2	Lampholder G8.5.....	7005-122-2
Douille GU10q .....	7005-123-1	Lampholder GU10q.....	7005-123-1
Douille GZ10q.....	7005-124-1	Lampholder GZ10q .....	7005-124-1
Douille 2GX13 .....	7005-125-2	Lampholder 2GX13.....	7005-125-2
Connecteur G5.3-4.8 .....	7005-126-1	Connector G5.3-4.8 .....	7005-126-1
Douilles et connecteurs PG20 & PGU20.....	7005-127-2	Lampholders and connectors PG20 & PGU20 .....	7005-127-2
Douilles P(X)(Y)26.4t & PJ26.4t.....	7005-128-3	Lampholders P(X)(Y)26.4t & PJ26.4t .....	7005-128-3
Douille G9 .....	7005-129-2	Lampholder G9 .....	7005-129-2
Douille GRZ10d .....	7005-131-1	Lampholder GRZ10d.....	7005-131-1
Douille GRZ10t .....	7005-132-1	Lampholder GRZ10t .....	7005-132-1
Douilles P38t .....	7005-133-1	Lampholders P38t.....	7005-133-1
Douille GX12 .....	7005-135-1	Lampholder GX12.....	7005-135-1
Connecteurs pour circuit imprimé GZX7d, GZY7d & GZZ7d .....	7005-136-1	Printed circuit connectors GZX7d, GZY7d & GZZ7d .....	7005-136-1
Connecteurs pour circuit imprimé GUX2.5d, GUY2.5d & GGUZ2.5d .....	7005-137-1	Printed circuit connectors GUX2.5d, GUY2.5d & GGUZ2.5d .....	7005-137-1
Douille P23t .....	7005-138-1	Hoder P23t .....	7005-138-1
Douille PX23t .....	7005-138A-1	Hoder PX23t.....	7005-138A-1
Douilles G7.9 & GX7.9 .....	7005-139-1	Lampholders G7.9 & GX7.9 .....	7005-139-1
Douilles B8.4d & BX8.4d .....	7005-140-1	Holders B8.4d & BX8.4d .....	7005-140-1
Douilles 2G8 .....	7005-141-2	Lampholders 2G8 .....	7005-141-2
Douilles GX53 .....	7005-142-2	Holders GX53 .....	7005-142-2
Connecteur/Douille GX8.5 .....	7005-143-1	Connector/Hoder GX8.5.....	7005-143-1
Douille GX10 .....	7005-144-3	Lampholder GX10.....	7005-144-3
Douilles PGJY19 .....	7005-146-2	Holders PGJY19.....	7005-146-2
Douilles et connecteurs PG18.5d .....	7005-147-1	Lampholders and connectors PG18.5d .....	7005-147-1
Douilles PGZ12 .....	7005-148-2	Lampholders PGZ12 .....	7005-148-2
Douilles BAW9s .....	7005-149-1	Holders BAW9s .....	7005-149-1
Douilles BAZ9s .....	7005-150-1	Holders BAZ9s .....	7005-150-1
Douilles BAU9s .....	7005-150A-1	Holders BAU9s .....	7005-150A-1
Douilles BAUZ9s .....	7005-150B-1	Holders BAUZ9s .....	7005-150B-1
Douille WZ3x16q .....	7005-151-1	Lampholder WZ3x16q .....	7005-151-1
Douille GU6.5 .....	7005-152-1	Lampholder GU6.5.....	7005-152-1
Douille PGJ5 .....	7005-153-1	Lampholder PGJ5.....	7005-153-1
Connecteur GU16d/GX16d .....	7005-154-2	Connector GU16d/GX16d.....	7005-154-2
Douilles PGJ23t .....	7005-155-1	Holders PGJ23t .....	7005-155-1
Douilles PGJ(X)50 .....	7005-156-1	Holders PGJ(X)50 .....	7005-156-1
Douilles GR14q .....	7005-157-1	Holders GR14q .....	7005-157-1
Douilles et connecteurs PU20 .....	7005-158-1	Holders and connectors PU20d .....	7005-158-1
Douilles G28d .....	7005-161-1	Holders G28d .....	7005-161-1
Douilles CH14.65d .....	7005-162-1	Printed circuit connectors CH14.65d.....	7005-162-1
Douilles PGZ(X)18 .....	7005-163-2	Lampholders PGZ(X)18 .....	7005-163-2
Douilles WP3.3x14.5 .....	7005-164-3	Holders WP3.3x14.5 .....	7005-164-3
Douilles PGJ21t .....	7005-165-1	Holders PGJ21t .....	7005-165-1
Douilles GU8.5 .....	7005-166-1	Holders GU8.5 .....	7005-166-1
Douilles PGJX28 .....	7005-169-1	Lampholders PGJX28 .....	7005-169-1
Douilles GUZ10 .....	7005-170-1	Holders GUZ10 .....	7005-170-1
Douilles PU43t .....	7005-171-2	Lampholders PU43t .....	7005-171-2
Douilles BA15d-3 (100°/130 °) .....	7005-173-1	Lampholders BA15d-3 (100°/130 °) .....	7005-173-1
Douilles G14.5 & GX14.5 .....	7005-174-1	Lampholders G14.5 & GX14.5 .....	7005-174-1

	Feuilles		Sheet
Douilles GUZ5.3	7005-175-1	Lampholders GUZ5.3	7005-175-1
Douilles WUX2.5x16d.....	7005-176-1	Lampholders WUX2.5x16d.....	7005-176-1
Douilles WUY2.5x16d.....	7005-177-1	Lampholders WUY2.5x16d.....	7005-177-1
Douilles WUZ2.5x16d.....	7005-178-1	Lampholders WUZ2.5x16d.....	7005-178-1
Douilles WUU2.5x16d.....	7005-179-1	Lampholders WUU2.5x16d.....	7005-179-1
Douilles WZX2.5x16q.....	7005-180-1	Lampholders WZX2.5x16q.....	7005-180-1
Douilles WZY2.5x16q.....	7005-181-1	Lampholders WZY2.5x16q.....	7005-181-1
Douilles PGJY50.....	7005-182-1	Lampholdesrs PGJY50.....	7005-182-1
Pair des douilles combinées GX16t-5.....	7005-183-1	Pair of combined lampholders GX16t-5	7005-183-1

**LAMPHOLDERS****DOUILLES**

Page 1/3

BA7	7005-11-3
B8.4d & BX8.4d	7005-140-1
BA9	7005-12-2
BAX9s	7005-8-1
BAY9s	7005-9-1
BAU9s	7005-150A-1
BAUZ9s	7005-150B-1
BAW9s	7005-149-1
BAZ9s	7005-150-1
B15d	7005-16-4
BA15, BAU15, BAW15, BAY15 & BAZ15	7005-13-5
BA15d-3 (100°/130°)	7005-173-1
BAU15s	7005-19-1
BA20	7005-14-2
BA21-3	7005-15-2
B22d	7005-10-8
B22d-3(90°/135°)	7005-10A-4
BY22d	7005-17-5
CH14.65d	7005-162-1
EP10	7005-30-1
EY10	7005-7-1
EZ10	7005-116-1
E11	7005-6-1
E12	7005-28-1
Edison thread/filetée	7005-20-6
E26	7005-21A-1
E26d	7005-29-2
E39	7005-24A-3
Fc2	7005-114-1
Fa6	7005-55-3
Fa8	7005-58-1
GUX2.5d, GUY2.5d & GUZ2.5d	7005-137-1
G4	7005-72-2
GU4	7005-108-2
GZ4	7005-67-1
G5	7005-51-4
GX5	7005-51A-1
G5.3	7005-73-1
G5.3-4.8	7005-126-1
GU5.3	7005-109-2
GUZ5.3	7005-175-1
GX5.3	7005-73A-5
GY5.3	7005-73B-5

**LAMPHOLDERS****DOUILLES**

Page 2/3

G6.35, GX6.35 & GY6.35	7005-59-2
GZ6.35	7005-59A-3
GU6.5	7005-152-1
2G7	7005-102-1
GU7	7005-113-2
2GX7	7005-103-1
GZX7d, GZY7d & GZZ7d	7005-136-1
G7.9 & GX7.9	7005-139-1
2G8	7005-141-2
GR8	7005-68-4
G8.5	7005-122-2
GU8.5	7005-166-1
GX8.5	7005-143-1
G9	7005-129-2
G9.5	7005-70-2
GX9.5	7005-70A-3
GY9.5, GZ9.5, GZX9.5, GZY9.5 & GZZ9.5	7005-70B-2
G10q	7005-56-2
GR10q	7005-77-3
GRX10q	7005-101-1
GRZ10d	7005-131-1
GRZ10t	7005-132-1
GU10	7005-121-2
GU10q	7005-123-1
GUZ10	7005-170-1
GX10	7005-144-3
GX10q	7005-84-2
GY10q	7005-85-2
GZ10	7005-120-2
GZ10q	7005-124-1
2G10	7005-118-1
2G11	7005-82-3
2GX11	7005-82A-1
G12	7005-63-3
GX12	7005-135-1
G13	7005-50-4
2G13	7005-33-1
2GX13	7005-125-2
G14.5 & GX14.5	7005-174-1
GR14q	7005-157-1
GX16t-5	7005-183-1
GU16d/GX16d	7005-154-2
G17q, GX17q & GY17q	7005-45-2
G17.5t-1	7005-117-1
G22	7005-75-3
GY22	7005-119-1
G23	7005-69-1
GX23	7005-86-1
G24, GX24 & GY24	7005-78-7
G28d	7005-161-1
G32, GX32 & GY32	7005-87-3
G38	7005-76-2
GX38q	7005-65-1
GX53	7005-142-2
PGJ5	7005-153-1
P11.5d	7005-79-1
PG12 & PGX12	7005-64-4
PGZ12	7005-148-2
PG13 & PGJ13	7005-107-2
PX13.5s	7005-35-1
P14.5s	7005-46-3
P18s	7005-38-3
PGZ18 and PGZX18	7005-163-2
PG18.5d	7005-147-1
PGJ19	7005-110-3
PGJY19	7005-146-2
P20, PX20, PY20 & PZ20	7005-31-2
PG20 & PGU20	7005-127-2
PU20d	7005-158-1

**LAMPHOLDERS****DOUILLES**

Page 3/3

PGJ21t	7005-165-1
P22 & PX22	7005-32-2
PK22s	7005-47-2
PKX22s	7005-37-1
P23t	7005-138-1
PGJ23t	7005-155-1
PX23t	7005-138A-1
P26s	7005-36-1
PX26	7005-5-3
P(X)(Y)26.4t & PJ26.4t	7005-128-3
P28s	7005-42-6
PGJX28	7005-169-1
P29	7005-66-1
P30s-10.3	7005-44-2
P32 & PK32	7005-111-4
P38t	7005-133-1
P40	7005-43-3
P43t	7005-39-4
PU43t	7005-171-2
PX43t	7005-34-1
PY43d	7005-88-1
PZ43t	7005-89-1
P45t	7005-95-2
PGJ(X)50	7005-156-1
R7s & RX7s	7005-53-4
R7s & RX7s	7005-53A-5
R17d	7005-57-1
SX4s	7005-97-1
SV7 & SV8.5	7005-80-3
S14	7005-112-1
SK15s	7005-83-1
W2.5x16	7005-104-1
WU2.5x16	7005-104D-1
WUU2.5x16d	7005-179-1
WUX2.5x16d	7005-176-1
WUY2.5x16d	7005-177-1
WUZ2.5x16d	7005-178-1
WX2.5x16	7005-104A-1
WY2.5x16	7005-104B-1
WZ2.5x16	7005-104C-1
WZX2.5x16q	7005-180-1
WZY2.5x16q	7005-181-1
W3x16d & WX3x16d	7005-105-2
W3x16q, WX3x16q & WY3x16q	7005-106-3
WZ3x16q	7005-151-1
WP3.3x14.5	7005-164-3
WP4x9d	7005-93-1
W4.3x8.5d	7005-115-1
W10.6x8.5d	7005-90-2
X511	7005-99-2

**INSTRUCTIONS POUR L'INSERTION DES  
NOUVELLES PAGES ET FEUILLES DE NORMES  
DANS LA CEI 60061-2**

1. Retirer  
les pages de titre existantes (2 pages),  
le sommaire existant (3 pages),  
le sommaire par désignation existant (3 pages) et  
l'avant-propos existant (1 page)  
  
et insérer  
les nouvelles pages de titre (2 pages),  
le nouveau sommaire (4 pages),  
le nouveau sommaire par désignation (3 pages)  
ainsi que  
le nouveau avant-propos (1 page).
2. Retirer les feuilles existantes  
—
3. Retirer les feuilles existantes  
7005-164-2 (3 pages)  
  
et les remplacer par les feuilles  
7005-164-3 (3 pages)
4. Insérer les nouvelles feuilles  
7005-176-1 (2 pages)  
7005-177-1 (2 pages)  
7005-178-1 (2 pages)  
7005-179-1 (2 pages)  
7005-180-1 (2 pages)  
7005-181-1 (2 pages)  
7005-182-1 (1 page)  
7005-183-1 (2 pages)

**INSTRUCTIONS FOR THE INSERTION OF NEW  
PAGES AND STANDARD SHEETS IN IEC 60061-2**

1. Remove  
existing title pages (2 pages),  
existing contents (3 pages),  
existing contents by designation (3 pages) and  
existing forward (1 page)  
  
and insert in their place  
new title pages (2 pages),  
new contents (4 pages),  
new contents by designation (3 pages) and  
new forward (1 page).
2. Remove existing page  
—
3. Remove existing pages  
7005-164-2 (3 pages)  
  
and replace them with sheets  
7005-164-3 (3 pages)
4. Insert new sheets  
7005-176-1 (2 pages)  
7005-177-1 (2 pages)  
7005-178-1 (2 pages)  
7005-179-1 (2 pages)  
7005-180-1 (2 pages)  
7005-181-1 (2 pages)  
7005-182-1 (1 page)  
7005-183-1 (2 pages)

## AVANT-PROPOS

Le présent amendement a été établi par le sous-comité 34B: Culots et douilles, du comité d'études 34 de la CEI: Lampes et équipements associés.

Le texte de cet amendement est issu des documents suivants

FDIS	Rapport de vote
34B/1784/FDIS	34B/1795/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à l'approbation de cet amendement.

Le comité a décidé que le contenu de cette publication ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous "<http://webstore.iec.ch>" dans les données relatives à la publication recherchée. A cette date, la publication sera

- reconduite,
  - supprimée,
  - remplacée par une édition révisée, ou
  - amendée.
-

## FOREWORD

This amendment has been prepared by subcommittee 34B: Lamp caps and holders, of IEC technical committee 34: Lamps and related equipment.

The text of this amendment is based on the following documents:

FDIS	Report on voting
34B/1784/FDIS	34B/1795/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

koniec náhľadu – text d'alej pokračuje v platenej verzii STN