STN	Reaktívne zmesi na báze živíc na elektrické izolácie. Časť 2: Skúšobné metódy.	STN EN 60455-2
		34 6509

Resin based reactive compounds used for electrical insulation - Part 2: Methods of test

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/16

Obsahuje: EN 60455-2:2015, IEC 60455-2:2015

Oznámením tejto normy sa od 30.07.2018 ruší STN EN 60455-2 (34 6509) z januára 2001

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 60455-2

November 2015

ICS 29.035.01; 17.200.99

Supersedes EN 60455-2:1999

#### **English Version**

# Resin based reactive compounds used for electrical insulation Part 2: Methods of test (IEC 60455-2:2015)

Composés réactifs à base de résines utilisés comme isolants électriques - Partie 2: Méthodes d'essai (IEC 60455-2:2015)

Reaktionsharzmassen für die Elektroisolierung - Teil 2: Prüfverfahren (IEC 60455-2:2015)

This European Standard was approved by CENELEC on 2015-07-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

#### **European foreword**

The text of document 15/751/FDIS, future edition 3 of IEC 60455-2, prepared by IEC/TC 15 "Solid electrical insulating materials" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60455-2:2015.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2016-05-20
•	latest date by which the national standards conflicting with the	(dow)	2018-07-30

This document supersedes EN 60455-2:1999.

document have to be withdrawn

This edition includes the following significant technical changes with respect to the previous edition:

- a) Introduction of test methods related to IEC 60455-3-8;
- b) Additional and updated test methods for resins.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

#### **Endorsement notice**

The text of the International Standard IEC 60455-2:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

ISO 2578:1993 NOTE Harmonized as EN ISO 2578:1998.

#### Annex ZA

(normative)

# Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:

www.cenelec.eu.				
<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050	series	International Electrotechnical Vocabulary	-	series
IEC 60068-2-10	2005	Environmental testing Part 2-10: Tests -	EN 60068-2-10	2005
		Test J and guidance: Mould growth		
IEC 60093	1980	Methods of test for volume resistivity and	HD 429 S1	1983
		surface resistivity of solid electrical		
		insulating materials		
IEC 60112	2003	Method for the determination of the proof	EN 60112	2003
120 00112	2000	and the comparative tracking indices of	211 00 1 12	2000
		solid insulating materials		
IEC 60216	series	Electrical insulating materials - Thermal	EN 60216	series
ILC 00210	361163	endurance properties	LN 00210	361163
IEC 60243-1	1998		EN 60243-1	1998
IEC 00243-1	1990	Electrical strength of insulating materials -	EN 00243-1	1990
		Test methods Part 1: Tests at power		
IEO 000E0	4000	frequencies		
IEC 60250	1969	Recommended methods for the	-	-
		determination of the permittivity and		
		dielectric dissipation factor of electrical		
		insulating materials at power, audio and		
		radio frequencies including metre		
		wavelengths		
IEC 60296	2012	Fluids for electrotechnical applications -	EN 60296	2012
		Unused mineral insulating oils for		
		transformers and switchgear		
IEC 60426	2007	Electrical insulating materials -	EN 60426	2007
		Determination of electrolytic corrosion		
		caused by insulating materials - Test		
		methods		
IEC 60455-1	1998	Resin based reactive compounds used for	EN 60455-1	1998
		electrical insulation Part 1: Definitions		
		and general requirements		
IEC 60455-3	series	Resin based reactive compounds used for	EN 60455-3	series
		electrical insulation		
IEC 60455-3-8	2013	Resin based reactive compounds used for	EN 60455-3-8	2013
		electrical insulation Part 3: Specifications		
		for individual materials Sheet 8:		
		Resinous compounds for cable		
		accessories		
IEC 60695-11-10	1999	Fire hazard testing – Part 11-10: Test	EN 60695-11-10	1999
120 00000 11 10	1000	flames – 50 W horizontal and vertical flame		1000
		test methods	5	
IEC 60814	1997	Insulating liquids - Oil-impregnated paper	EN 60814	1997
IEC 00014	1991		EN 00014	1991
		and pressboard - Determination of water		
		by automatic coulometric Karl Fischer		
IEC 61022	1001	titration	4EN 61022	2006
IEC 61033	1991	Test methods for the determination of bone	u⊏IN 0 1033	2006
		strength of impregnating agents to an		
		enamelled wire substrate		

ISO 75					
SO 37	IEC 61099	2010	unused synthetic organic esters for	EN 61099	2010
SO 62   2008   Plastics - Determination of water absorption EN ISO 62   2008   SO 75   Series   Plastics and ebonite; Determination of EN ISO 75   Series   Plastics - Methods of test for the temperature of deflection under load   EN ISO 175   2010   Plastics - Methods of test for the determination of the effects of immersion in liquid chemicals   ISO 178   2010   Plastics - Determination of flexural   EN ISO 178   2010   Plastics - Determination of flexural   EN ISO 179-1   2010   Plastics - Determination of Charpy impact   EN ISO 179-1   2010   Plastics - Determination of Charpy impact   EN ISO 179-1   2010   Plastics - Determination of Charpy impact   EN ISO 179-2   1999   Plastics - Determination of Charpy impact   EN ISO 179-2   1999   Plastics - Determination of Charpy impact   EN ISO 179-2   1999   Plastics - Themoplastic materials   EN ISO 291   - Conditioning and testing   EN ISO 306   2004   Plastics - Themoplastic materials   EN ISO 306   2004   Plastics - Themoplastic materials   EN ISO 306   2004   Plastics - Themoplastic materials   EN ISO 527   Series   Plastics - Determination of tensile   EN ISO 527   Series   Plastics - Determination of tensile   EN ISO 527   Series   Plastics - Determination of tensile   EN ISO 527   Series   Plastics - Determination of compressive   EN ISO 604   2003   Plastics - Determination of compressive   EN ISO 604   2003   Plastics and ebonite - Determination of   EN ISO 604   2003   Plastics and ebonite - Determination of   EN ISO 183   2010   Plastics - Methods for determining the   density of non-cellular plastics - Part1:   Immersion method   Itipation method   Itipation method   Plastics - Liquid resins - Determination of   EN ISO 1523   2002   Determination of flast point - Closed cup   EN ISO 1523   2002   Determination of Plastics - Liquid resins - Determination of   EN ISO 2039-1   1996   Plastics - Liquid resins - Determination of   EN ISO 2039-1   1996   Plastics - Liquid resins - Determination of   EN ISO 2555   1998   Plastics - Unsaturated polyester res	ISO 37	2011	Rubber, vulcanized or thermoplastic- Determination of tensile stress-strain	-	-
ISO 175			Plastics- Determination of water absorption Plastics and ebonite; Determination of		2008 series
ISO 178	ISO 175	2010	Plastics- Methods of test for the determination of the effects of immersion in		2010
ISO 179-1   2010   Plastics - Determination of Charpy impact EN ISO 179-1   2010   properties - Part 1: Non-instrumented impact test	ISO 178	2010	Plastics- Determination of flexural	EN ISO 178	2010
ISO 179-2   1997   Plastics - Determination of Charpy impact test   Plastics - Standard atmospheres for conditioning and testing   Plastics - Standard atmospheres for conditioning and testing   Plastics - Standard atmospheres for conditioning and testing   Plastics - Thermoplastic materials - Determination of Vicat softening temperature (VST)   Plastics - Determination of tensile temperature (VST)   Plastics - Determination of tensile properties   Plastics - Unsaturated polyester resins - Determination of reactivity at 80 degrees C (conventional method)   Plastics - Determination of compressive properties   EN ISO 584   1997   Plastics - Determination of compressive properties   EN ISO 604   2003   Plastics - Determination of compressive properties   EN ISO 604   2003   Plastics - Determination of compressive properties   EN ISO 604   2003   Plastics - Determination of compressive properties   EN ISO 604   2003   Plastics - Determination of advanced to the density of non-cellular plastics - Part : Immersion method, liquid pyknometer method and titration method   EN ISO 1183-1   2012   Plastics - Methods for determining the density of non-cellular plastics - Part : Immersion method and titration method   EN ISO 1513   2010   Plastics - Unsaturated polyester properties   EN ISO 1513   2010   Plastics - Unsaturated polyester resins - Determination of density by the pyknometer method   EN ISO 1675   1998   Plastics - Unsaturated polyester resins - Determination of flow time by use of flow cups   Plastics - Unsaturated polyester resins - Determination of paparied viscosity by the Brookfield test   EN ISO 2555   1998   Plastics - Unsaturated polyester resins - Determination of paparent viscosity by the Brookfield test   EN ISO 2555   1998   Plastics - Unsaturated polyester resins - Determination of apparent viscosity by the Brookfield test	ISO 179-1	2010	Plastics - Determination of Charpy impact properties - Part 1: Non-instrumented	EN ISO 179-1	2010
ISO 291	ISO 179-2	1997	Plastics - Determination of Charpy impact properties Part 2: Instrumented impact	EN ISO 179-2	1999
ISO 306	ISO 291	-	Plastics - Standard atmospheres for	EN ISO 291	-
ISO 527 series Plastics- Determination of tensile properties ISO 584 1982 Plastics - Unsaturated polyester resins - Determination of reactivity at 80 degrees C (conventional method) ISO 604 2002 Plastics - Determination of compressive properties ISO 868 2003 Plastics and ebonite - Determination of indentation hardness by means of a durometer (Shore hardness) ISO 1183-1 2012 Plastics- Methods for determining the density of non-cellular plastics- Part1: Immersion method, liquid pyknometer method and titration method ISO 1513 2010 Paints and varnishes- Examination and preparation of test samples ISO 1523 2002 Determination of flash point- Closed cup equilibrium method ISO 1675 1985 Plastics - Liquid resins - Determination of density by the pyknometer method ISO 2039-1 1993 Plastics - Determination of hardness Part EN ISO 2039-1 1: Ball indentation method ISO 2431 1993 Plastics - Unsaturated polyester resins - Determination of flow time by use of flow cups ISO 2554 1997 Plastics - Unsaturated polyester resins - Determination of hydroxyl value ISO 2555 1989 Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 306	2004	Plastics- Thermoplastic materials- Determination of Vicat softening	EN ISO 306	2004
ISO 584	ISO 527	series	Plastics- Determination of tensile	EN ISO 527	series
ISO 868 2002 Plastics - Determination of compressive properties ISO 868 2003 Plastics and ebonite - Determination of a durometer (Shore hardness) ISO 1183-1 2012 Plastics- Methods for determining the density of non-cellular plastics- Part1: Immersion method, liquid pyknometer method and titration method ISO 1513 2010 Paints and varnishes- Examination and preparation of test samples ISO 1523 2002 Determination of flash point- Closed cup equilibrium method ISO 1675 1985 Plastics - Liquid resins - Determination of EN ISO 1675 1998 Plastics - Liquid resins - Determination of hardness Part EN ISO 2039-1 1: Ball indentation method ISO 2014 1996 Plastics- Unsaturated polyester resins - Determination of partial acid value and total acid value ISO 2431 1993 Plastics - Unsaturated polyester resins - Measurement of gel time at 25 degrees C ISO 2554 1997 Plastics - Unsaturated polyester resins - Determination of hydroxyl value ISO 2555 1989 Plastics - Unsaturated polyester resins - Determination of partial acid value ISO 2555 1989 Plastics - Unsaturated polyester resins - Determination of hydroxyl value ISO 2555 1989 Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 584	1982	Plastics - Unsaturated polyester resins - Determination of reactivity at 80 degrees C		1997
ISO 868  2003 Plastics and ebonite - Determination of indentation hardness by means of a durometer (Shore hardness)  ISO 1183-1  2012 Plastics- Methods for determining the density of non-cellular plastics- Part1: Immersion method, liquid pyknometer method and titration method  ISO 1513  2010 Paints and varnishes- Examination and EN ISO 1513  2010 Preparation of test samples  ISO 1523  2002 Determination of flash point- Closed cup equilibrium method  ISO 1675  1985 Plastics - Liquid resins - Determination of EN ISO 1675  1993 Plastics - Determination of hardness Part EN ISO 2039-1  1994 Plastics- Unsaturated polyester resins - Determination of partial acid value and total acid value  ISO 2431  1993 Paints and varnishes - Determination of EN ISO 2431  1994 Plastics - Unsaturated polyester resins - Measurement of gel time at 25 degrees C  ISO 2554  1997 Plastics - Unsaturated polyester resins - Determination of hydroxyl value  ISO 2555  1989 Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 604	2002	Plastics - Determination of compressive	EN ISO 604	2003
ISO 1183-1  2012 Plastics- Methods for determining the density of non-cellular plastics- Part1: Immersion method, liquid pyknometer method and titration method  ISO 1513 2010 Paints and varnishes- Examination and EN ISO 1513 2010 preparation of test samples  ISO 1523 2002 Determination of flash point- Closed cup equilibrium method  ISO 1675 1985 Plastics - Liquid resins - Determination of density by the pyknometer method  ISO 2039-1 1993 Plastics - Determination of hardness PartEN ISO 2039-1 1996 1: Ball indentation method  ISO 2114 1996 Plastics- Unsaturated polyester resins - Determination of partial acid value and total acid value  ISO 2431 1993 Paints and varnishes - Determination of EN ISO 2431 1996 Ilow time by use of flow cups  ISO 2535 1997 Plastics - Unsaturated polyester resins - EN ISO 2535 1997 Measurement of gel time at 25 degrees C  ISO 2554 1997 Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 868	2003	Plastics and ebonite - Determination of indentation hardness by means of a	EN ISO 868	2003
ISO 1513  2010 Paints and varnishes- Examination and preparation of test samples  ISO 1523  2002 Determination of flash point- Closed cup equilibrium method  ISO 1675  1985 Plastics - Liquid resins - Determination of EN ISO 1675 Bell indentation of hardness Part EN ISO 2039-1  ISO 2039-1  1993 Plastics - Determination of hardness Part EN ISO 2039-1  ISO 2114  1996 Plastics- Unsaturated polyester resins - Determination of partial acid value and total acid value  ISO 2431  1993 Paints and varnishes - Determination of EN ISO 2431  1996 Flow time by use of flow cups  ISO 2535  1997 Plastics - Unsaturated polyester resins - Measurement of gel time at 25 degrees C  ISO 2554  1997 Plastics - Unsaturated polyester resins - Determination of hydroxyl value  ISO 2555  1989 Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 1183-1	2012	Plastics- Methods for determining the density of non-cellular plastics- Part1: Immersion method, liquid pyknometer	EN ISO 1183-1	2012
ISO 1523  2002 Determination of flash point- Closed cup equilibrium method ISO 1675  1985 Plastics - Liquid resins - Determination of EN ISO 1675 1998 density by the pyknometer method ISO 2039-1  1993 Plastics - Determination of hardness Part EN ISO 2039-1 1996 1: Ball indentation method ISO 2114  1996 Plastics- Unsaturated polyester resins - EN ISO 2114 1996 Determination of partial acid value and total acid value ISO 2431  1993 Paints and varnishes - Determination of EN ISO 2431 1996 flow time by use of flow cups ISO 2535  1997 Plastics - Unsaturated polyester resins - EN ISO 2535 1997 Measurement of gel time at 25 degrees C ISO 2554 1997 Plastics - Unsaturated polyester resins - EN ISO 2554 1998 Determination of hydroxyl value ISO 2555 1989 Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 1513	2010	Paints and varnishes- Examination and	EN ISO 1513	2010
ISO 1675  1985  Plastics - Liquid resins - Determination of EN ISO 1675  1998 density by the pyknometer method  ISO 2039-1  1993  Plastics - Determination of hardness PartEN ISO 2039-1  1996 1: Ball indentation method  ISO 2114  1996  Plastics- Unsaturated polyester resins - EN ISO 2114  1996 Determination of partial acid value and total acid value  ISO 2431  1993  Paints and varnishes - Determination of EN ISO 2431  1996 flow time by use of flow cups  ISO 2535  1997  Plastics - Unsaturated polyester resins - EN ISO 2535  1997  Measurement of gel time at 25 degrees C  ISO 2554  1997  Plastics - Unsaturated polyester resins - EN ISO 2554  1998  Determination of hydroxyl value  ISO 2555  1989  Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 1523	2002	Determination of flash point- Closed cup	EN ISO 1523	2002
ISO 2039-1  1993 Plastics - Determination of hardness PartEN ISO 2039-1  1: Ball indentation method  ISO 2114  1996 Plastics- Unsaturated polyester resins - EN ISO 2114  1996 Determination of partial acid value and total acid value  ISO 2431  1993 Paints and varnishes - Determination of EN ISO 2431  1996 flow time by use of flow cups  ISO 2535  1997 Plastics - Unsaturated polyester resins - EN ISO 2535  1997 Measurement of gel time at 25 degrees C  ISO 2554  1997 Plastics - Unsaturated polyester resins - EN ISO 2554  1998 Determination of hydroxyl value  ISO 2555  1989 Plastics - Resins in the liquid state or as EN ISO 2555  1999 emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 1675	1985	Plastics - Liquid resins - Determination of	EN ISO 1675	1998
Determination of partial acid value and total acid value  ISO 2431  1993  Paints and varnishes - Determination of EN ISO 2431  1996  flow time by use of flow cups  ISO 2535  1997  Plastics - Unsaturated polyester resins - EN ISO 2535  Measurement of gel time at 25 degrees C  ISO 2554  1997  Plastics - Unsaturated polyester resins - EN ISO 2554  Determination of hydroxyl value  ISO 2555  1989  Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 2039-1	1993	Plastics - Determination of hardness Part	tEN ISO 2039-1	1996
ISO 2431  1993 Paints and varnishes - Determination of EN ISO 2431 1996 flow time by use of flow cups ISO 2535 1997 Plastics - Unsaturated polyester resins - EN ISO 2535 1997 Measurement of gel time at 25 degrees C ISO 2554 1997 Plastics - Unsaturated polyester resins - EN ISO 2554 Determination of hydroxyl value ISO 2555 1989 Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 2114	1996	Plastics- Unsaturated polyester resins - Determination of partial acid value and	EN ISO 2114	1996
ISO 2535  1997 Plastics - Unsaturated polyester resins - EN ISO 2535 1997 Measurement of gel time at 25 degrees C ISO 2554 1997 Plastics - Unsaturated polyester resins - EN ISO 2554 Determination of hydroxyl value ISO 2555 1989 Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 2431	1993	Paints and varnishes - Determination of	EN ISO 2431	1996
ISO 2554  1997  Plastics - Unsaturated polyester resins - EN ISO 2554  Determination of hydroxyl value  ISO 2555  1989  Plastics - Resins in the liquid state or as EN ISO 2555  emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 2535	1997	Plastics - Unsaturated polyester resins -	EN ISO 2535	1997
ISO 2555  1989  Plastics - Resins in the liquid state or as EN ISO 2555  emulsions or dispersions - Determination of apparent viscosity by the Brookfield test	ISO 2554	1997	Plastics - Unsaturated polyester resins -	EN ISO 2554	1998
	ISO 2555	1989	Plastics - Resins in the liquid state or as emulsions or dispersions - Determination of apparent viscosity by the Brookfield test		1999

ISO 2592	1973	Petroleum products - Determination of flash and fire points - Cleveland open cup method	EN 22592	1993
ISO 3001	1997	Plastics - Epoxide compounds - Determination of epoxide equivalent	-	-
ISO 3219	1993	Plastics - Polymers/resins in the liquid state or as emulsions or dispersions - Determination of viscosity using a rotational viscometer with defined shear rate	EN ISO 3219	1994
ISO 3451-1	1997	Plastics- Determination of ash- Part1: General methods	-	-
ISO 3521	1997	Plastics - Unsaturated polyester and epoxy resins - Determination of overall volume shrinkage	/EN ISO 3521	1999
ISO 3679	1983	Paints, varnishes, petroleum and related products; Determination of flashpoint; Rapid equilibrium method	-	-
ISO 4573	1978	Plastics - Epoxide resins and glycidyl esters - Determination of inorganic chlorine	-	-
ISO 4583	1998	Plastics - Epoxide resins and related materials - Determination of easily saponifiable chlorine	, -	-
ISO 4615	1979	Plastics - Unsaturated polyesters and epoxide resins - Determination of total chlorine content	EN ISO 4615	1999
ISO 4625	1980	Binders for paints and varnishes - Determination of softening point - Ring- and-ball method	-	-
ISO 4895	-	Plastics Liquid epoxy resins Determination of tendency to crystallize	-	-
ISO 7056	-	Plastics laboratory ware - Beakers	-	-
ISO 9396	1997	Plastics - Phenolic resins - Determination of the gel time at a given temperature using automatic apparatus	EN ISO 9396	2000
ISO 11357-2	1999	Plastics - Differential scanning calorimetry (DSC) - Part 2: Determination of glass transition temperature	-	-
ISO 11359-2	1999	Plastics - Thermomechanical analysis (TMA) - Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature	- t	-
ISO 11359-3	2002	Plastics - Thermomechanical analysis (TMA) - Part 3: Determination of penetration temperature	-	-
ISO 14896 ISO 15528	2009 2000	Paints, varnishes and raw materials for paints and varnishes - Sampling	EN ISO 14896 -	2009



IEC 60455-2

Edition 3.0 2015-06

# INTERNATIONAL STANDARD

Resin based reactive compounds used for electrical insulation – Part 2: Methods of test





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 60455-2

Edition 3.0 2015-06

# INTERNATIONAL STANDARD

Resin based reactive compounds used for electrical insulation – Part 2: Methods of test

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 17.220.99; 29.035.01

ISBN 978-2-8322-2748-0

Warning! Make sure that you obtained this publication from an authorized distributor.

#### CONTENTS

		DRD	
IN		JCTION	
1	Scop	De	8
2	Norm	native references	8
3	Term	ns and definitions	.11
4	Gene	eral notes on methods of test	.11
	4.1	Preparation and conditioning	.11
	4.2	Sequence of tests	
	4.3	Test report	
5	Meth	nods of test for reactive compounds and their components	.12
	5.1	Flash point	.12
	5.2	Density	.12
	5.3	Viscosity	.12
	5.4	Viscosity after storing at elevated temperature	.12
	5.5	Content of volatile organic components	.13
	5.6	Isothermal increase of viscosity (processing time)	.13
	5.7	Shelf life	
	5.8	Colour	
	5.9	Softening temperature	
	5.10	Ash content	
	5.11	Filler content	
	5.12	Chlorine content	
	5.12.		
	5.12.	5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.14
	5.12.	.3 Easily saponifiable chlorine content of epoxide resins and related materials	.14
	5.13	Tendency of cristallisation	.14
	5.14	Epoxide equivalent of epoxide resins	
	5.15	Content of isocyanate	.14
	5.16	Water content (Karl Fischer method)	.14
	5.17	Hydroxyl value	.15
	5.17.	.1 Polyester resins	.15
	5.17.	.2 Resins other than polyester	.15
	5.18	Acid value of polyester resins	
	5.19	Amount of double bonds of unsaturated polyester and acrylate resins	
	5.20	Acid and acid-anhydride content of acid-anhydride hardeners	
	5.21	Amine value	
	5.22	Pot life	
	5.22.		
	5.22.	F	
	5.23	Gel time	
	5.23.	1 7	
	5.23.	•	
	5.23.	·	
	5.24	Exothermic temperature rise	
	5.24.		
	5.24.	.2 Resinous compounds for cable accessories	. 16

	5.24.	3	Other compounds	17
	5.25		al volume shrinkage of epoxide and unsaturated polyester based	17
	5.26	Curi	ng in presence of water	17
	5.26.	1	General	17
	5.26.	2	Apparatus and materials	17
	5.26.	3	Pouring device	18
	5.26.	4	Procedure	18
	5.26.	5	Test report	18
	5.27	Dete	ermination of the degree of curing	18
	5.28	Curi	ng in thick layer and emissions during curing	18
	5.28.	1	General	18
	5.28.	2	Equipment	
	5.28.	3	Test specimen	19
	5.28.	4	Procedure	19
6	Meth	ods	of test for cured reactive compounds	20
	6.1	Gen	eral	20
	6.2	Test	t specimens	20
	6.2.1		General	20
	6.2.2		Preparation of the reactive compound	20
	6.2.3		Preparation of test specimens	21
	6.2.4		Type and number of test specimens	21
	6.3		sity	
	6.4	Med	hanical properties	
	6.4.1		Tensile properties	
	6.4.2		Compressive properties	
	6.4.3		Flexural properties	
	6.4.4		Impact strength	
	6.4.5		Hardness	
	6.5	The	rmal properties	
	6.5.1		Bond strength at elevated temperature	
	6.5.2		Linear thermal expansion	
	6.5.3		Thermal conductivity	
	6.5.4		Glass transition	
	6.5.5		Flammability	
	6.5.6		Thermal shock	
	6.5.7		Dry heat resistance of resins for cable accessories – Method of test	
	6.5.8		Wet heat resistance of resins for cable accessories	
	6.5.9		Loss of mass	
	6.5.1		Temperature index	
	6.6	Cne	mical properties	
	6.6.1 6.6.2		Water absorption	
			Effect of liquid chemicals	
	6.6.3 6.6.4		Resistance to mould growth	
	6.7		Water vapour permeabilitytrical properties	
	6.7.1	LIEC	Effect of water immersion on volume resistivity	
	6.7.1		Dielectric dissipation factor (tan $\delta$ ) and relative permittivity ( $\varepsilon_{\Gamma}$ )	
	6.7.2		Breakdown voltage and electric strength	
	U.1.0		DICANACMII VOITAUE AIIA EIECTIIC STETIATII	

#### - 4 - IEC 60455-2:2015 © IEC 2015

6.7.4	Proof tracking index (PTI)	31
6.7.5	Electrolytic corrosion	31
	formative) Health and safety	
Bibliography	/	37
Figure 1 – T	est apparatus for curing in presence of water test	32
Figure 2 – T	est set-up for volume resistivity	33
Figure 3 – E	example of electrode arrangement for flexible cured compound	34
Figure 4 – E	example of electrode arrangement for rigid cured compound	35
Table 1 – Co	ondition of the top side	19
Table 2 – Co	ondition of the bottom side	19
Table 3 – Co	ondition of the interior	20

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### RESIN BASED REACTIVE COMPOUNDS USED FOR ELECTRICAL INSULATION –

#### Part 2: Methods of test

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60455-2 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

This third edition cancels and replaces the second edition published in 1998. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Introduction of test methods related to IEC 60455-3-8;
- b) Additional and updated test methods for resins.

**-6-**

The text of this standard is based on the following documents:

FDIS	Report on voting
15/751/FDIS	15/757/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60455 series, published under the general title *Resin based reactive compounds used for electrical insulation*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**-7-**

#### INTRODUCTION

This part of IEC 60455 is one of a series which deals with solvent-free resin based reactive compounds and their components used for electrical insulation.

The series consists of three parts:

- Part 1: Definitions and general requirements (IEC 60455-1);
- Part 2: Methods of test (IEC 60455-2);
- Part 3: Specifications for individual materials (IEC 60455-3).

### RESIN BASED REACTIVE COMPOUNDS USED FOR ELECTRICAL INSULATION –

#### Part 2: Methods of test

#### 1 Scope

This part of IEC 60455 specifies methods of test to be used for testing resin based reactive compounds, their components and cured compounds used for electrical insulation.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), International Electrotechnical Vocabulary (available at <a href="http://www.electropedia.org">http://www.electropedia.org</a>)

IEC 60068-2-10:2005, Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth

IEC 60093:1980, Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials

IEC 60112:2003, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60216 (all parts), Electrical insulating materials – Thermal endurance properties

IEC 60243-1:1998, Electrical strength of insulating materials – Test methods – Part 1: Tests at power frequencies

IEC 60250:1969, Recommended methods for the determination of the permittivity and dielectric dissipation factor of electrical insulating materials at power, audio and radio frequencies including metre wavelengths

IEC 60296:2012, Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear

IEC 60426:2007, Electrical insulating materials – Determination of electrolytic corrosion caused by insulating materials – Test methods

IEC 60455-1:1998, Resin based reactive compounds used for electrical insulation – Part 1: Definitions and general requirements

IEC 60455-3 (all parts), Resin based reactive compounds used for electrical insulation – Part 3: Specifications for individual materials

IEC 60455-3-8:2013, Resin based reactive compounds used for electrical insulation – Part 3: Specifications for individual materials – Sheet 8: Resins for cable accessories

IEC 60455-2:2015 © IEC 2015

\_ 9 \_

IEC 60695-11-10:1999, Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods

IEC 60814:1997, Insulating liquids – Oil-impregnated paper and pressboard – Determination of water by automatic coulometric Karl Fischer titration

IEC 61033:1991, Test methods for the determination of bond strength of impregnating agents to an enamelled wire substrate

IEC 61099:2010, Insulating liquids – Specifications for unused synthetic organic esters for electrical purposes

ISO 37:2011, Rubber, vulcanized or thermoplastic – Determination of tensile stress-strain properties

ISO 62:2008, Plastics - Determination of water absorption

ISO 75 (all parts), Plastics and ebonite – Determination of temperature of deflection under load

ISO 175:2010, Plastics - Determination of the effects of liquid chemicals, including water

ISO 178:2010, Plastics – Determination of flexural properties

ISO 179-1:2010, Plastics – Determination of Charpy impact properties – Part 1: Non-instrumented impact test

ISO 179-2:1997, Plastics – Determination of Charpy impact properties – Part 2: Instrumented impact test

ISO 291, Plastics – Standard atmospheres for conditioning and testing

ISO 306:2004, Plastics – Thermoplastic materials – Determination of Vicat softening temperature (VST)

ISO 527 (all parts), Plastics – Determination of tensile properties

ISO 584:1982, Plastics – Unsaturated polyester resins – Determination of reactivity at 80 degrees C (conventional method)

ISO 604:2002, Plastics – Determination of compressive properties

ISO 868:2003, Plastics and ebonite – Determination of indentation hardness by means of a durometer (Shore hardness)

ISO 1183-1:2012, Plastics – Methods for determining the density of non-cellular plastics – Part 1: Immersion method, liquid pyknometer method and titration method

ISO 1513:2010, Paints and varnishes – Examination and preparation of samples for testing

ISO 1523:2002, Paints, varnishes, petroleum and related products – Determination of flashpoint – Closed cup equilibrium method

ISO 1675:1985, Plastics – Liquid resins – Determination of density by the pyknometer method

- ISO 2039-1:1993, Plastics Determination of hardness Part 1: Ball indentation method
- ISO 2114:1996, Plastics Unsaturated polyester resins Determination of partial acid value and total acid value
- ISO 2431:1993, Paints and varnishes Determination of flow time by use of flow cups
- ISO 2535:1997, Plastics Unsaturated polyester resins Measurement of gel time at 25 degrees C
- ISO 2554:1997, Plastics Unsaturated polyester resins Determination of hydroxyl value
- ISO 2555:1989, Plastics Resins in the liquid state or as emulsions or dispersions Determination of apparent viscosity by the Brookfield test method
- ISO 2592:1973, Petroleum products Determination of flash and fire points Cleveland open cup method
- ISO 3001:1997, Plastics Epoxide compounds Determination of epoxide equivalent
- ISO 3219:1993, Plastics Polymers/resins in the liquid state or as emulsions or dispersions Determination of viscosity using a rotational viscometer with defined shear rate
- ISO 3451-1:1997, Plastics Determination of ash Part 1: General methods
- ISO 3521:1997, Plastics Unsaturated polyester and epoxy resins Determination of overall volume shrinkage
- ISO 3679:1983, Paints, varnishes, petroleum and related products Determination of flashpoint Rapid equilibrium method
- ISO 4573:1978, Plastics Epoxide resins and glycidyl esters Determination of inorganic chlorine
- ISO 4583:1998, Plastics Epoxide resins and related materials Determination of easily saponifiable chlorine
- ISO 4615:1979, Plastics Unsaturated polyesters and epoxide resins Determination of total chlorine content
- ISO 4625:1980, Binders for paints and varnishes Determination of softening point Ringand-ball method
- ISO 4895, Plastics Liquid epoxy resins Determination of tendency to crystallize
- ISO 7056, Plastics laboratory ware Beakers
- ISO 9396:1997, Plastics Phenolic resins Determination of the gel time at a given temperature using automatic apparatus
- ISO 11357-2:1999; Plastics Differential scanning calorimetry (DSC) Part 2: Determination of glass transition temperature
- ISO 11359-2:1999, Plastics Thermomechanical analysis (TMA) Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature

IEC 60455-2:2015 © IEC 2015

**– 11 –** 

ISO 11359-3:2002, Plastics – Thermomechanical analysis (TMA) – Part 3: Determination of penetration temperature

ISO 14896:2009, Plastics – Polyurethane raw materials – Determination of isocyanate content

ISO 15528:2000, Paints, varnishes and raw materials for paints and varnishes - Sampling

koniec náhľadu – text ďalej pokračuje v platenej verzii STN