

Gas meters - Conversion devices - Part 3: Flow computer

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/16

Obsahuje: EN 12405-3:2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 12405-3

December 2015

ICS 91.140.40

English Version

Gas meters - Conversion devices - Part 3: Flow computer

Compteurs de gaz - Dispositifs de conversion - Partie 3: Calculateurs de débit Gaszähler - Umwerter - Teil 3: Flowcomputer

This European Standard was approved by CEN on 19 September 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Page

Contents

		_
European foreword Introduction		5
		6
1	Scope	8
2	Normative references	8
3	Terms, definitions and symbols	10
3.1	Terms and definitions	10
3.2	Symbols and subscripts	16
3.3	Abbreviations	
3.4	Environmental classification for flow computers	
3.4.1	Climatic conditions	
3.4.2	Mechanical conditions	
3.4.3	Electrical and Electromagnetic conditions	18
4	Principle of measurement	18
4.1	General	
4.2	Correction functions	_
4.2.1	General	
4.2.2	Correction of the volume at measurement conditions	
4.2.3	Temperature and pressure correction of USM body dimension	23
4.2.4	Temperature and pressure measurement correction for conversion	23
5	Rated operating conditions	23
5.1	Specified field of measurement	
5.1.1	General	
5.1.2	Specified measurement range for gas pressure	
5.1.3	Specified measurement range for gas temperature	
5.1.4	Gas characteristics	
5.1.5	Base conditions	
5.2	Environmental conditions	24
5.2.1	Ambient temperature range	24
5.2.2	Humidity range	24
5.3	Power supply	24
6	Construction requirements	
6.1	General	
6.2	Sealing	
6.3	Time measuring functions	
6.3.1	Clock	
6.3.2	Time interval	
6.4	Casings	
6.5	Indications	
6.5.1	General	
6.5.2	Electronic indicating device	
6.6 6.7	Inputs for volume conversionAlarms in flow computer	
6.7.1	Detection of defective operation situations	
U./.I	Detection of affective operation strations	31

6.7.2	Handling of volumes during maintenance	
6.7.3	Memorization of metrological data	31
6.7.4	Handling of alarms	31
6.8	Specific monitoring functions performed by flow computer	31
6.8.1	General	31
6.8.2	Turbine Meter health check (Mechanical meter)	
6.8.3	USM health check (meter integrity check)	
6.8.4	Gas analysis devices health check	
6.8.5	p-T transducer health check	
6.8.6	Self check of the Z algorithm	
6.8.7	Volume comparison	
6.8.8	Gas quality comparison	
6.9	Cut-off function	
6.10	Long-term data storage	
	General	
	Categories of data to be stored	
	Triggers and methods for storage	
	Clock-time stamps	
	Security (physical, electronic and software)	
	Error handling	
	Long term data storage – Security audit	
0.10.7		
7	Installation requirements	42
7.1	General	42
7.2	Calculator	43
7.3	Temperature transducer	43
7.4	Pressure transducer	43
8	Performance	4.4
8.1	Reference conditions	
8.2	Rated operating conditions	
8.3	Maximum permissible errors	
8.3.1	General	
8.3.2	Global approach: error of main indication	
8.3.3	Modular approach: specific errors for a FC	
8.4	Conditions of matching the constituent elements of a FC	
8.5	Influence factors	
8.6	Disturbances	
8.7	Durability	
8.8	Repeatability	
8.9	Reliability	
8.10	Adjustment and calibration of the transducers	47
9	Tests of conformity	47
9.1	Verification of the construction requirements	47
9.2	Verification of the performance requirements	48
9.2.1	Test conditions	
9.2.2	Samples of FC required for testing	49
10	Marking	50
11	Installation and operating instructions	
Δηηον	A (normative) Type test	ĘO
Aimex A.1	General conditions	
A.1 A.2	Accuracy tests under reference conditions	
11.4	ACCULACY (CSG ANACT TOTAL CHECK CONTAINED IN STREET	

A.3	Effect of ambient temperature	
A.4	Effect of damp heat, steady-state test	55
A.5	Effect of damp heat, cyclic test	56
A.6	Electrical power variation	56
A.7	Short time power reductions	57
A.8	Electrical bursts	
A.9	Electromagnetic susceptibility	58
A.10	Electrostatic discharges	
A.11	Overload of pressure (only for pressure transducers)	
A.12	Effect of vibrations	
A.13	Effect of shocks	
A.14	Overload of pressure (mechanical) (only for pressure transducer)	
A.15	Durability	
A.16	Alarms operation	
A.17	Repeatability	
A.18	Short time DC power variations	
A.19	Surges on supply lines and/or signal lines	
A.20	Power frequency magnetic field	
	. , ,	
Annex	B (normative) Pressure transducers	
B.1	Scope	65
B.2	Rated operating conditions	65
B.3	Construction requirements	65
B.4	Performances	66
B.5	Tests of conformity	67
B.6	Marking	67
Annos	C (normative) Temperature transducers	60
Annes C.1	ScopeScope	
	Rated operating conditions	
C.2	Construction requirements	
C.3	4	
C.4	Performances	
C.5	Tests of conformity	
C.6	Marking	70
Annex	x D (normative) Requirements and testing of meter error correction	71
D.1	General	71
D.2	Verification of the volumetric flow rate determination	71
D.3	Verification of the gas density calculation procedure	71
D.4	Verification of the gas viscosity calculation procedures	
D.5	Verification of the error transposition from $e(Q_i)$ to $e(Re_i)$	
D.6	Verification of the error function $\delta(Q)$ or $\delta(Re)$ interpolation or approximation	
D.7	Verification of correction factor $F(Q)$ or $F(Re)$, corrected flow rate and corrected	
	volume determination	73
D.8	Verification of the activation and deactivation of error correction calculations on	
	limits of its application	73
	• •	70
Annex	E (informative) Range of application of meter error correction with functions: $e(Q)$	
	or <i>e (Re)</i>	
E.1	General	
E.2	Range of application	
E.3	Example for turbine meters working at p_{op} nearly constant	75
Biblio	graphy	77
	O F J	

European foreword

This document (EN 12405-3:2015) has been prepared by Technical Committee CEN/TC 237 "Gas meters", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016, and conflicting national standards shall be withdrawn at the latest by June 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

EN 12405 consists of the following parts:

- Part 1: Volume conversion (and its amendments EN 12405-1:2005/A1:2006 and EN 12405-1:2005+A2:2010 to allow the harmonization of the standard with the Measuring Instruments Directive 2004/22/EC);
- Part 2: Energy conversion;
- Part 3: flow computer (this European Standard).

In the preparation of this European Standard, the content of OIML Publication, "Recommendation 140 – measuring systems for gaseous fuel", has been taken into account.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

A high accuracy volume conversion device can be needed depending of the intended use. EN 12405-3 is established in order to meet severe requirements concerning accuracy and related functions.

For the purpose of this European Standard, functions are described, although these functions can be physically located in different components (e.g. calibration curve programmed in the measuring equipment itself or in the calculator).

Four main categories of functions are described to achieve data processing:

- Sensor signal Acquisition functions: to process signals from physical quantity provided by sensors and transducers to measurands:
- Sensor functions: to convert measurands to correct measurements, mostly based upon calibration results and filtering procedures;
- Metering functions: to calculate derived values such as volume, calorific value, compression factor
 etc. based upon international standards and formulas and to take care of the supervision and
 monitoring for the purpose of high accuracy and substitution values;
- <u>Long Term Data Storage functions</u>: to keep all relevant information necessary to construct or reconstruct calculated values:
 - for later legally relevant purposes (e.g. the conclusion of a commercial transaction);
 - for back up of the relevant data.




Figure 1 — Description of the functionalities of the flow computer calculator

Modular and global approaches

In the modular approach, the flow computer is an assembly of separate associated measuring instruments and a calculator, which are verified separately. Each instrument is verified according to its testing procedure, using the indication available on the calculator or on the associated measuring instrument itself. In this case, the indication shall correspond to the indication of that measuring instrument, which is directly performing volume conversion. The verification of the functions consists in verifying the calculation concerning each characteristic quantity of the gas and/or the calculation for the volume conversion.

In case of external communication, sufficient resolution of required data is ensured during data transmission.

The associated measuring instruments are validated for or with a type calculator in order to ensure the interoperability of the association.

CVDD is covered in EN 12405-2.

In the global approach, the flow computer is tested as a package including the calculator and its associated measuring instruments and functions.

The testing procedures are given in Annex A.

1 Scope

Part 3 of this European Standard specifies the requirements and tests for the construction, performance, safety and conformity of flow computers (FCs) used to meet the metrological and technical requirements of a high accuracy volume conversion device.

They are used to determine volume of fuel gases, including those of the first and second families according to EN 437.

For the purpose of this European Standard, only flow computers that are intended to operate with ultrasonic meters according to ISO 17089-1 or gas turbine meters conforming to EN 12261 are considered.

For the purpose of this European Standard only classification classes E2 and M1 are considered for the flow computer calculator.

FCs are equipped with external separate transducers for pressure and temperature which may be approved separately.

The provisions concerning pressure and temperature transducers are given in Annex B and C.

Requirements and tests are given for energy calculator in EN 12405-2.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 437, Test gases — Test pressures — Appliance categories

EN 1776, Gas supply systems — Natural gas measuring stations — Functional requirements

EN 12261, *Gas meters* — *Turbine gas meters*

EN 12405-1:2005+A2:2010, Gas meters — Conversion devices — Part 1: Volume conversion

EN 12405-2, Gas meters — Conversion devices — Part 2: Energy conversion

EN 55011, Industrial, scientific and medical equipment — Radio-frequency disturbance characteristics — Limits and methods of measurement (CISPR 11, modified)

EN 60068-2-1, Environmental testing — Part 2-1: Tests — Test A: Cold (IEC 60068-2-1)

EN 60068-2-2, Environmental testing — Part 2-2: Tests — Test B: Dry heat (IEC 60068-2-2)

EN 60068-2-30, Environmental testing — Part 2-30: Tests — Test Db: Damp heat, cyclic (12 h + 12 h cycle) (IEC 60068-2-30)

EN 60068-2-31, Environmental testing — Part 2-31: Tests — Test Ec: Rough handling shocks, primarily for equipment-type specimens (IEC 60068-2-31)

EN 60068-2-64, Environmental testing — Part 2-64: Tests — Test Fh: Vibration, broadband random and guidance (IEC 60068-2-64)

EN 60068-2-78, Environmental testing — Part 2-78: Tests — Test Cab: Damp heat, steady state (IEC 60068-2-78)

EN 60068-3-1, Environmental testing — Part 3-1: Supporting documentation and guidance — Cold and dry heat tests (IEC 60068-3-1)

EN 60079-0, Explosive atmospheres — Part 0: Equipment — General requirements (IEC 60079-0)

EN 60079-7, Explosive atmospheres — Part 7: Equipment protection by increased safety "e" (IEC 60079-7)

EN 60079-11, Explosive atmospheres — Part 11: Equipment protection by intrinsic safety "i" (IEC 60079-11)

EN 60079-25, Explosive atmospheres — Part 25: Intrinsically safe electrical systems (IEC 60079-25)

EN 60529, Degrees of protection provided by enclosures (IP Code) (IEC 60529)

EN 60751, Industrial platinum resistance thermometers and platinum temperature sensors (IEC 60751)

EN 60947-5-6, Low-voltage switchgear and controlgear — Part 5-6: Control circuit devices and switching elements — DC interface for proximity sensors and switching amplifiers (NAMUR) (IEC 60947-5-6)

EN 60950-1, Information technology equipment — Safety — Part 1: General requirements (IEC 60950-1)

EN 61000-4-1, Electromagnetic compatibility (EMC) — Part 4-1: Testing and measurement techniques — Overview of IEC 61000-4 series (IEC 61000-4-1)

EN 61000-4-2, Electromagnetic compatibility (EMC) — Part 4-2: Testing and measurement techniques — Electrostatic discharge immunity test (IEC 61000-4-2)

EN 61000-4-3, Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test (IEC 61000-4-3)

EN 61000-4-4, Electromagnetic compatibility (EMC) — Part 4-4: Testing and measurement techniques — Electrical fast transient/burst immunity test (IEC 61000-4-4)

EN 61000-4-5, Electromagnetic compatibility (EMC) — Part 4-5: Testing and measurement techniques — Surge immunity test (IEC 61000-4-5)

EN 61000-4-6, Electromagnetic compatibility (EMC) — Part 4-6: Testing and measurement techniques — Section 6: Immunity to conducted disturbances, induced by radio-frequency fields (IEC 61000-4-6)

EN 61000-4-8, Electromagnetic compatibility (EMC) — Part 4-8: Testing and measurement techniques — Power frequency magnetic field immunity test (IEC 61000-4-8)

EN 61000-4-11, Electromagnetic compatibility (EMC) — Part 4-11: Testing and measurement techniques — Voltage dips, short interruptions and voltage variations immunity tests (IEC 61000-4-11)

EN 61000-4-29, Electromagnetic compatibility (EMC) — Part 4-29: Testing and measurement techniques — Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests (IEC 61000-4-29)

EN 62054-21, Electricity metering (a.c.) — Tariff and load control — Part 21: Particular requirements for time switches (IEC 62054-21)

EN 62262, Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code) (IEC 62262)

EN 12405-3:2015 (E)

EN ISO 6976, Natural gas — Calculation of calorific values, density, relative density and Wobbe index from composition (ISO 6976)

EN ISO 12213-2:2009, Natural gas — Calculation of compression factor — Part 2: Calculation using molar-composition analysis (ISO 12213-2:2006)

EN ISO 12213-3:2009, Natural gas — Calculation of compression factor — Part 3: Calculation using physical properties (ISO 12213-3:2006)

EN ISO 15970, Natural gas — Measurement of properties — Volumetric properties: density, pressure, temperature and compression factor (ISO 15970)

IEC 61520, Metal thermowells for thermometer sensors — Functional dimensions

ISO 17089-1, Measurement of fluid flow in closed conduits — Ultrasonic meters for gas — Part 1: Meters for custody transfer and allocation measurement

ISO/IEC/IEEE 60559, Information technology — Microprocessor Systems — Floating-Point arithmetic

koniec náhľadu – text ďalej pokračuje v platenej verzii STN