

STN	Tuhé biopalivá. Stanovenie sypnej hmotnosti (ISO 17828: 2015).	STN EN ISO 17828 65 7409
------------	---	--

Solid biofuels - Determination of bulk density (ISO 17828:2015)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/16

Obsahuje: EN ISO 17828:2015, ISO 17828:2015

Oznámením tejto normy sa ruší
STN EN 15103 (65 7409) z júla 2010

123011

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2016
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

EN ISO 17828

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2015

ICS 75.160.10; 27.190

Supersedes EN 15103:2009

English Version

**Solid biofuels - Determination of bulk density (ISO
17828:2015)**Biocombustibles solides - Détermination de la masse
volumique apparente (ISO 17828:2015)Biogene Festbrennstoffe - Bestimmung der
Schüttdichte (ISO 17828:2015)

This European Standard was approved by CEN on 17 October 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

Contents

Page

European foreword.....	3
------------------------	---

European foreword

This document (EN ISO 17828:2015) has been prepared by Technical Committee ISO/TC 238 "Solid biofuels" in collaboration with Technical Committee CEN/TC 335 "Solid biofuels" the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016, and conflicting national standards shall be withdrawn at the latest by June 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15103:2009.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17828:2015 has been approved by CEN as EN ISO 17828:2015 without any modification.

Solid biofuels — Determination of bulk density

*Biocombustibles solides — Détermination de la masse volumique
apparente*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Apparatus	1
5.1 Measuring containers.....	1
5.1.1 General.....	1
5.1.2 Large container.....	2
5.1.3 Small container.....	2
5.2 Balances.....	3
5.2.1 Balance 1.....	3
5.2.2 Balance 2.....	3
5.3 Scantlings.....	3
5.4 Wooden board.....	3
6 Sample preparation	3
7 Procedure	3
7.1 Determination of the container volume.....	3
7.2 Container selection.....	3
7.3 Measurement procedure.....	3
8 Calculation	4
8.1 Calculation of bulk density as received.....	4
8.2 Calculation of bulk density on dry basis.....	5
9 Performance characteristics	5
9.1 General.....	5
9.2 Repeatability.....	5
9.3 Reproducibility.....	5
10 Test report	5
Annex A (informative) Measuring differences of sample treatment with and without shock impact	7
Bibliography	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 238, *Solid biofuels*.

Introduction

Bulk density is an important parameter for fuel deliveries on volume basis, and together with the net calorific value, it determines the energy density. It also facilitates the estimation of space requirements for transport and storage. This International Standard describes the determination of the bulk density of pourable solid biofuels, which can be conveyed in a continuous material flow.

For practical reasons, two standard measuring containers with a volume of 5 l or 50 l were chosen for the determination. Due to the limited volume of these containers, some fuels are therefore excluded from the scope of this International Standard. This, for example, applies for chunk wood, non-comminuted bark, baled material and larger briquettes. The bulk density of such fuels can be calculated from their mass and the volume of the container or lorry used for transportation.

To decide on the actual storage volume requirement of a solid biofuel the different storage conditions, which usually differ largely from the conditions of sample analysis (e.g. height of heap versus volume of the standard measuring container, moisture content) also have to be taken into account.

The described method herein includes a defined shock exposure of the bulk material for several reasons. A shock leads to a certain volume reduction, which accounts for compaction effects occurring during the production chain. These compaction effects are mainly due the fact, that the fuel is usually transported and/or stored in containers or silos that are much larger than the measuring container as chosen for the described method. Thus, in practice, the higher mass load leads to an increased load pressure and to settling of the material, which can also be additionally enhanced by the vibrations during transportation. Furthermore, filling or unloading operations in practice usually apply a higher falling depth than the one chosen for the performed test. This will also result in a respectively higher compaction due to the increased kinetic energy of the particles falling. A procedure which applies a controlled shock to the sample was thus believed to reflect the practically prevailing bulk density in a better way than a method without shock. This is particularly true when the mass of a delivered fuel has to be estimated from the volume load of a transporting vehicle, which is a common procedure in many countries. For a rough estimation on how susceptible the different solid biofuels are towards the shock exposure, some research data are given in Annex A. The data show a compaction effect between 6 % and 18 % for biomass fuels.

Solid biofuels — Determination of bulk density

1 Scope

This International Standard defines a method of determining bulk density of solid biofuels by the use of a standard measuring container. This method is applicable to all pourable solid biofuels with a nominal top size of maximum 100 mm.

Bulk density is not an absolute value; therefore, conditions for its determination have to be standardized in order to gain comparative measuring results.

NOTE Bulk density of solid biofuels is subject to variation due to several factors such as vibration, shock, pressure, biodegradation, drying, and wetting. Measured bulk density can therefore deviate from actual conditions during transportation, storage, or transshipment.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14780, *Solid biofuels — Sample preparation*¹⁾

ISO 16559, *Solid biofuels — Terminology, definitions and descriptions*

ISO 18134-1, *Solid biofuels — Determination of moisture content — Oven dry method, Part 1: Total moisture — Reference method*

ISO 18134-2, *Solid biofuels — Determination of moisture content — Oven dry method, Part 2: Total moisture — Simplified procedure*

ISO 18135, *Solid biofuels — Sampling*¹⁾

koniec náhľadu – text ďalej pokračuje v platenej verzii STN

1) In preparation.