

STN	Systémy elektrických výkonových pohonov s nastaviteľnou rýchlosťou. Časť 7-1: Generické rozhranie a použitie profilov pre systémy výkonových pohonov. Definícia rozhrania.	STN EN 61800-7-1 35 1720
------------	---	--

Adjustable speed electrical power drive systems - Part 7-1: Generic interface and use of profiles for power drive systems - Interface definition

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/16

Obsahuje: EN 61800-7-1:2016, IEC 61800-7-1:2015

Oznámením tejto normy sa od 25.12.2018 ruší
STN EN 61800-7-1 (35 1720) z novembra 2008

123100

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2016
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

English Version

**Adjustable speed electrical power drive systems -
Part 7-1: Generic interface and use of profiles for power drive
systems - Interface definition
(IEC 61800-7-1:2015)**

Entraînements électriques de puissance à vitesse variable -
Partie 7-1: Interface générique et utilisation de profils pour
les entraînements électriques de puissance - Définition de
l'interface
(IEC 61800-7-1:2015)

Elektrische Leistungsantriebssysteme mit einstellbarer
Drehzahl - Teil 7-1: Generisches Interface und Nutzung von
Profilen für Leistungsantriebssysteme (PDS) -
Schnittstellendefinition
(IEC 61800-7-1:2015)

This European Standard was approved by CENELEC on 2015-12-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 22G/306/FDIS, future edition 2 of IEC 61800-7-1, prepared by SC 22G "Adjustable speed electric drive systems incorporating semiconductor power converters" of IEC/TC 22 "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61800-7-1:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-09-25
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-12-25

This document supersedes EN 61800-7-1:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61800-7-1:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61131-3	NOTE	Harmonized as EN 61131-3.
IEC 61158 Series	NOTE	Harmonized as EN 61158 Series.
IEC 61158-5-12	NOTE	Harmonized as EN 61158-5-12.
IEC 61158-5-13	NOTE	Harmonized as EN 61158-5-13.
IEC 61158-5-14	NOTE	Harmonized as EN 61158-5-14.
IEC 61158-5-16	NOTE	Harmonized as EN 61158-5-16.
IEC 61158-5-19	NOTE	Harmonized as EN 61158-5-19.
IEC 61158-5-23	NOTE	Harmonized as EN 61158-5-23.
IEC 61158-6-12	NOTE	Harmonized as EN 61158-6-12.
IEC 61158-6-13	NOTE	Harmonized as EN 61158-6-13.
IEC 61158-6-14	NOTE	Harmonized as EN 61158-6-14.
IEC 61158-6-16	NOTE	Harmonized as EN 61158-6-16.
IEC 61158-6-19	NOTE	Harmonized as EN 61158-6-19.
IEC 61158-6-23	NOTE	Harmonized as EN 61158-6-23.
IEC 61499-1:2012	NOTE	Harmonized as EN 61499-1:2013 (not modified).
IEC 61784-1	NOTE	Harmonized as EN 61784-1.
IEC 61784-2	NOTE	Harmonized as EN 61784-2.
IEC 61800 Series	NOTE	Harmonized as EN 61800 Series.
IEC 61800-4:2002	NOTE	Harmonized as EN 61800-4:2003 (not modified).
IEC 61800-7-301	NOTE	Harmonized as EN 61800-7-301.
IEC 61800-7-302	NOTE	Harmonized as EN 61800-7-302.
IEC 61800-7-303	NOTE	Harmonized as EN 61800-7-303.
IEC 62026-3	NOTE	Harmonized as EN 62026-3.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
-	-	Industrial communications subsystem based on ISO 11898 (CAN) for controller-device interfaces - Part 4: CANopen	EN 50325-4	-
IEC 61158-5-2	-	Industrial communication networks - Fieldbus specifications - Part 5-2: Application layer service definition - Type 2 elements	EN 61158-5-2	-
IEC 61158-5-3	-	Industrial communication networks - Fieldbus specifications - Part 5-3: Application layer service definition - Type 3 elements	EN 61158-5-3	-
IEC 61158-5-10	-	Industrial communication networks - Fieldbus specifications - Part 5-10: Application layer service definition - Type 10 elements	EN 61158-5-10	-
IEC 61158-6-2	-	Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements	EN 61158-6-2	-
IEC 61158-6-3	-	Industrial communication networks - Fieldbus specifications - Part 6-3: Application layer protocol specification - Type 3 elements	EN 61158-6-3	-
IEC 61158-6-10	-	Industrial communication networks - Fieldbus specifications - Part 6-10: Application layer protocol specification - Type 10 elements	EN 61158-6-10	-
IEC 61800-7	Series	Adjustable speed electrical power drive systems - Part 7: Generic interface and use of profiles for power drive systems	EN 61800-7	Series

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61800-7-201	-	Adjustable speed electrical power drive systems - Part 7-201: Generic interface and use of profiles for power drive systems - Profile type 1 specification	EN 61800-7-201	-
IEC 61800-7-202	2015	Adjustable speed electrical power drive systems - Part 7-202: Generic interface and use of profiles for power drive systems - Profile type 2 specification	EN 61800-7-202	2016
IEC 61800-7-203	-	Adjustable speed electrical power drive systems - Part 7-203: Generic interface and use of profiles for power drive systems - Profile type 3 specification	EN 61800-7-203	-
IEC 61800-7-204	2015	Adjustable speed electrical power drive systems - Part 7-204: Generic interface and use of profiles for power drive systems - Profile type 4 specification	EN 61800-7-204	2016
IEC 61800-7-304	-	Adjustable speed electrical power drive systems - Part 7-304: Generic interface and use of profiles for power drive systems - Mapping of profile type 4 to network technologies	EN 61800-7-304	-
IEC/TR 62390	2005	Common automation device - Profile guideline	-	-



INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Adjustable speed electrical power drive systems –
Part 7-1: Generic interface and use of profiles for power drive systems –
Interface definition**

**Entraînements électriques de puissance à vitesse variable –
Partie 7-1: Interface générique et utilisation de profils pour les entraînements
électriques de puissance – Définition de l'interface**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
 3, rue de Varembe
 CH-1211 Geneva 20
 Switzerland

Tel.: +41 22 919 02 11
 Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Adjustable speed electrical power drive systems –
Part 7-1: Generic interface and use of profiles for power drive systems –
Interface definition**

**Entraînements électriques de puissance à vitesse variable –
Partie 7-1: Interface générique et utilisation de profils pour les entraînements
électriques de puissance – Définition de l'interface**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.200; 35.100.05

ISBN 978-2-8322-2932-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	14
2 Normative references	14
3 Terms, definitions and abbreviated terms	15
3.1 System definitions.....	15
3.2 General definitions.....	15
3.3 Specific definitions.....	18
3.3.1 Common definitions	18
3.3.2 Definitions for Annex A	19
3.3.3 Definitions for Annex B	19
3.3.4 Definitions for Annex C	21
3.3.5 Definitions for Annex D	22
3.4 Abbreviated terms.....	23
3.4.1 Common abbreviations	23
3.4.2 Abbreviations for Annex A	24
3.4.3 Abbreviations for Annex B	24
3.4.4 Abbreviations for Annex C	24
3.4.5 Abbreviations for Annex D	24
3.5 Conventions.....	24
4 General architecture	24
4.1 Generic PDS interface	24
4.2 Typical structure of automation systems	29
4.3 Structure of the logical PDS	30
4.4 Use cases of the PDS.....	33
4.4.1 General	33
4.4.2 Use case Engineering.....	33
4.4.3 Use case Operation-control	34
5 Functional elements	35
5.1 Device identification FE	35
5.1.1 General	35
5.1.2 Parameters.....	35
5.2 Device control FE	35
5.2.1 General	35
5.2.2 I/O data	36
5.2.3 States.....	36
5.2.4 Parameters.....	38
5.3 Communication FE.....	38
5.3.1 General	38
5.3.2 I/O data	38
5.3.3 States.....	39
5.3.4 Parameters.....	41
5.4 Basic drive FE	41
5.4.1 General	41
5.4.2 I/O data	42
5.4.3 States.....	43

5.4.4	Parameters	44
5.5	Optional application FE	45
6	Application modes	45
6.1	General.....	45
6.2	Torque control	46
6.3	Velocity control	47
6.4	Position control	48
7	Profile specific extensions	49
8	Structure for annexes	50
8.1	General.....	50
8.2	Structure of the annexes	50
Annex A (normative)	Mapping to profile CiA 402 drive and motion control.....	54
A.1	Overview.....	54
A.2	Mapping of general architecture	54
A.2.1	Typical structure of automation system	54
A.2.2	Structure of the logical PDS.....	54
A.2.3	Use cases of the PDS.....	55
A.3	Functional elements.....	55
A.3.1	Device identification FE	55
A.3.2	Device control FE	56
A.3.3	Communication FE	57
A.3.4	Basic drive FE	58
A.3.5	Optional application functions FE.....	59
A.4	Application modes.....	60
A.4.1	General	60
A.4.2	Torque control	60
A.4.3	Velocity control.....	61
A.4.4	Position control.....	64
Annex B (normative)	Mapping to profile CIP Motion™	67
B.1	Overview.....	67
B.2	Mapping of general architecture	67
B.2.1	Typical structure of automation systems	67
B.2.2	Structure of the logical PDS.....	68
B.2.3	Use cases of the PDS.....	69
B.3	Functional elements.....	70
B.3.1	Device identification FE	70
B.3.2	Device control FE	70
B.3.3	Communication FE	72
B.3.4	Basic drive FE	74
B.4	Application modes.....	77
B.4.1	General	77
B.4.2	Torque control	78
B.4.3	Velocity control.....	79
B.4.4	Position control.....	79
B.5	Profile specific extensions.....	79
Annex C (normative)	Mapping to profile PROFIdrive	80
C.1	Overview.....	80
C.2	Mapping of general architecture	80

C.2.1	Typical structure of automation systems	80
C.2.2	Structure of the logical PDS.....	82
C.2.3	Use cases of the PDS.....	83
C.3	Functional elements.....	85
C.3.1	Device identification FE	85
C.3.2	Device control FE	85
C.3.3	Communication FE	87
C.3.4	Basic drive FE	88
C.3.5	Optional application functions FE.....	89
C.4	Application modes.....	90
C.4.1	General	90
C.4.2	Torque control	90
C.4.3	Velocity control.....	90
C.4.4	Position control.....	92
C.5	Profile specific extensions.....	92
Annex D (normative)	Mapping to profile SERCOS	93
D.1	Overview.....	93
D.2	Mapping of general architecture	93
D.2.1	Typical structure of automation systems	93
D.2.2	Structure of the logical PDS.....	95
D.2.3	Use cases of the PDS.....	95
D.3	Functional elements.....	95
D.3.1	Device identification FE	95
D.3.2	Device control FE	96
D.3.3	Communication FE	97
D.3.4	Basic drive FE	98
D.3.5	Optional application functions FE.....	100
D.4	Application modes.....	100
D.4.1	General	100
D.4.2	Torque control	102
D.4.3	Velocity control.....	103
D.4.4	Position control.....	104
D.5	Profile specific extensions.....	105
Bibliography	107
Figure 1	– Structure of IEC 61800-7.....	13
Figure 2	– Definition of power drive system.....	25
Figure 3	– Example of system structures for position-control applications	26
Figure 4	– Examples of system structures for velocity-control applications.....	27
Figure 5	– Examples of system structures for torque-control applications	28
Figure 6	– Typical structure of automation systems (adapted from IEC TR 62390).....	29
Figure 7	– Structure of the PDS with functional elements	31
Figure 8	– Functional elements (FE) in the logical PDS.....	32
Figure 9	– Use case for the generic PDS interface	33
Figure 10	– The generic interface in the use case Operation.....	34
Figure 11	– Device control FE state-chart diagram.....	37
Figure 12	– Device control FE state transition table	37

Figure 13 – Communication FE state-chart diagram	40
Figure 14 – Communication FE state transition table	40
Figure 15 – Optional Communication FE state-chart diagram	41
Figure 16 – Optional Communication FE state transition table	41
Figure 17 – Basic drive FE state-chart diagram	43
Figure 18 – Basic drive FE state transition table	43
Figure 19 – Optional Basic drive FE state-chart diagram	44
Figure 20 – Optional Basic drive FE state transition table	44
Figure 21 – Torque control application mode	46
Figure 22 – Torque control with velocity feedback application mode	47
Figure 23 – Velocity preset application mode	47
Figure 24 – Velocity control application mode	48
Figure 25 – Velocity control with position feedback application mode	48
Figure 26 – Position preset application mode	49
Figure 27 – Position control application mode	49
Figure A.1 – CiA 402 logical power drive system model	55
Figure B.1 – CIP Motion I/O Connection data structure	68
Figure B.2 – Object structure of the logical PDS	68
Figure B.3 – Motion Device Axis Object state machine	71
Figure C.1 – Overview of communication devices and services in PROFIdrive	81
Figure C.2 – Structure of the PROFIdrive device	82
Figure C.3 – PROFIdrive Axis type Drive Object	83
Figure C.4 – Functional block diagram of the PROFIdrive Axis type DO	84
Figure C.5 – Mapping of Communication FE states	87
Figure D.1 – Topology example	94
Figure D.2 – State machine of Basic drive FE	99
Table 1 – Structures within the scope of this part of IEC 61800-7	29
Table 2 – Parameters in the Device identification FE	35
Table 3 – Status values for the Device control FE	36
Table 4 – Command values for the Device control FE	36
Table 5 – Parameters in the Device control FE	38
Table 6 – Status values for the Communication FE (see Figure 13)	39
Table 7 – Command values for the Communication FE (see Figure 13)	39
Table 8 – Status values for the optional Communication FE (see Figure 15)	39
Table 9 – Command values for the optional Communication FE (see Figure 15)	39
Table 10 – Status values of the Basic drive FE	42
Table 11 – Optional status values for the Basic drive FE	42
Table 12 – Command values for Basic drive FE	42
Table 13 – Optional command values for the Basic drive FE	43
Table 14 – Possible generic application modes	45
Table 15 – Set-point values for generic application modes	46
Table 16 – Mapping of names to profiles	50

Table 17 – Structure of annexes	51
Table 18 – Profile specific terms	52
Table 19 – Supported application modes	52
Table 20 – I/O data for profile torque mode.....	52
Table 21 – I/O data for profile velocity mode.....	53
Table 22 – I/O data for profile position mode.....	53
Table A.1 – Profile specific terms.....	54
Table A.2 – Drive device identification parameters.....	56
Table A.3 – Status values for the Device control FE.....	56
Table A.4 – Command values for the Device control FE.....	57
Table A.5 – Parameters in the Device control FE	57
Table A.6 – Status values for the Communication FE.....	57
Table A.7 – Command values for the Communication FE	58
Table A.8 – Status values for the Basic drive FE.....	58
Table A.9 – Command values for the Basic drive FE.....	58
Table A.10 – Basic drive FE parameters	59
Table A.11 – Optional application functions FE parameters.....	60
Table A.12 – Supported application modes	60
Table A.13 – I/O data for profile torque mode	60
Table A.14 – Parameter for profile torque mode.....	61
Table A.15 – I/O data for cyclic sync torque mode	61
Table A.16 – Parameter for cyclic sync torque mode.....	61
Table A.17 – I/O data for velocity mode	62
Table A.18 – Parameter for velocity mode.....	62
Table A.19 – I/O data for profile velocity mode.....	62
Table A.20 – Parameter for profile velocity mode	63
Table A.21 – I/O data for cyclic sync velocity mode.....	63
Table A.22 – Parameter for cyclic sync velocity mode.....	64
Table A.23 – I/O data for profile position mode	64
Table A.24 – Parameter for profile position mode.....	65
Table A.25 – I/O data for interpolated position mode.....	65
Table A.26 – Parameter for interpolated position mode.....	65
Table A.27 – I/O data for cyclic sync position mode	66
Table A.28 – Parameter for cyclic sync position mode	66
Table B.1 – Profile specific terms.....	67
Table B.2 – Mapping of parameters for the Device identification FE.....	70
Table B.3 – Mapping of status values for the Device control FE	71
Table B.4 – Mapping of command values for the Device control FE	71
Table B.5 – Mapping of parameters for the Device control FE	72
Table B.6 – Mapping of status values for the Communication FE	73
Table B.7 – Mapping of command values for the Communication FE	73
Table B.8 – Mapping of status values for the optional Communication FE.....	73
Table B.9 – Mapping of command values for the optional Communication FE	73

Table B.10 – Status values for the Basic drive FE	74
Table B.11 – Command values for the Basic drive FE	74
Table B.12 – Drive Control Mode values for the Basic drive FE	75
Table B.13 – Command Data Set values for the Basic drive FE	76
Table B.14 – Actual Data Set values for the Basic drive FE	76
Table B.15 – Status Data Set values for the Basic drive FE	77
Table B.16 – Supported application modes	78
Table B.17 – Set-point values for the generic application modes.....	78
Table B.18 – I/O data for profile torque mode	79
Table B.19 – I/O data for profile velocity mode.....	79
Table B.20 – I/O data for profile position mode	79
Table C.1 – Profile specific terms	80
Table C.2 – Parameters for device identification	85
Table C.3 – Status values for the Device control FE	86
Table C.4 – Command values for the Device control FE.....	86
Table C.5 – Device control parameters	86
Table C.6 – Status values of the Basic drive FE.....	88
Table C.7 – Command values of the Basic drive FE.....	88
Table C.8 – Status values for the optional Basic drive FE	89
Table C.9 – Command values for the optional Basic drive FE	89
Table C.10 – Device control parameters	89
Table C.11 – Supported application modes	90
Table C.12 – I/O data for profile velocity mode	91
Table C.13 – I/O data for profile velocity control mode with position feedback	91
Table C.14 – I/O data for profile velocity control mode (process technology).....	92
Table C.15 – I/O data for profile position preset.....	92
Table C.16 – I/O data for profile position mode	92
Table D.1 – Profile specific terms	93
Table D.2 – Device identification parameters	96
Table D.3 – Status values for the Device control FE	96
Table D.4 – Command values for the Device control FE.....	97
Table D.5 – Parameters for the Device control FE	97
Table D.6 – Status values for the Basic drive and Communication FEs	99
Table D.7 – Command values for the Basic drive and Communication FEs	100
Table D.8 – IDN for operation modes	101
Table D.9 – Supported application modes	102
Table D.10 – Additional application modes.....	102
Table D.11 – I/O data for profile torque mode	102
Table D.12 – Configuration data for torque control.....	103
Table D.13 – I/O data for profile velocity mode	103
Table D.14 – Configuration data for velocity control	104
Table D.15 – I/O data for profile position mode	105
Table D.16 – Configuration data for position control.....	105

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –**Part 7-1: Generic interface and use of profiles for
power drive systems – Interface definition**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61800-7-1 has been prepared by subcommittee SC 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee TC 22: Power electronic systems and equipment.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) mapping of drive profile type 1 onto additional network technologies;
- b) minor updates in the subclauses for profile types 1, 2 and 4, in relation with corresponding changes in the dedicated IEC 61800-7-20x parts.

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/306/FDIS	22G/321/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61800 series, under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 61800 series is intended to provide a common set of specifications for adjustable speed electrical power drive systems.

IEC 61800-7 specifies profiles for power drive systems (PDS) and their mapping to existing communication systems by use of a generic interface model.

IEC 61800-7 describes a generic interface between control systems and power drive systems. This interface can be embedded in the control system. The control system itself can also be located in the drive (sometimes known as "smart drive" or "intelligent drive").

A variety of physical interfaces is available (analogue and digital inputs and outputs, serial and parallel interfaces, fieldbuses and networks). Profiles based on specific physical interfaces are already defined for some application areas (e.g. motion control) and some device classes (e.g. standard drives, positioner). The implementations of the associated drivers and application programmers interfaces are proprietary and vary widely.

IEC 61800-7 defines a set of common drive control functions, parameters, and state machines or description of sequences of operation to be mapped to the drive profiles.

IEC 61800-7 provides a way to access functions and data of a drive that is independent of the used drive profile and communication interface. The objective is a common drive model with generic functions and objects suitable to be mapped on different communication interfaces. This makes it possible to provide common implementations of motion control (or velocity control or drive control applications) in controllers without any specific knowledge of the drive implementation.

There are several reasons to define a generic interface:

For a drive device manufacturer

- less effort to support system integrators;
- less effort to describe drive functions because of common terminology;
- the selection of drives does not depend on availability of specific support.

For a control device manufacturer

- no influence of bus technology;
- easy device integration;
- independent of a drive supplier.

For a system integrator

- less integration effort for devices;
- only one understandable way of modeling;
- independent of bus technology.

Much effort is needed to design a motion control application with several different drives and a specific control system. The tasks to implement the system software and to understand the functional description of the individual components may exhaust the project resources. In some cases, the drives do not share the same physical interface. Some control devices just support a single interface which will not be supported by a specific drive. On the other hand, the functions and data structures are often specified with incompatibilities. This requires the system integrator to write special interfaces for the application software and this should not be his responsibility.

Some applications need device exchangeability or integration of new devices in an existing configuration. They are faced with different incompatible solutions. The efforts to adapt a solution to a drive profile and to manufacturer specific extensions may be unacceptable. This will reduce the degree of freedom to select a device best suited for this application to the selection of the unit which will be available for a specific physical interface and supported by the controller.

This part of IEC 61800-7 is divided into a generic part and several annexes as shown in Figure 1. The drive profiles types for CiA® 402¹, CIP Motion™², PROFIdrive³ and SERCOS®⁴ are mapped to the generic interface in the corresponding annex. The annexes have been submitted by open international network or fieldbus organizations which are responsible for the content of the related annex and use of the related trademarks.

The different profile types 1, 2, 3 and 4 are specified in IEC 61800-7-201, IEC 61800-7-202, IEC 61800-7-203 and IEC 61800-7-204.

¹ CiA® 402 is a registered trade mark of CAN in Automation e.V. (CiA). This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark CiA® 402. Use of the registered trade mark CiA® 402 requires permission of CAN in Automation e.V. (CiA).


² CIP Motion™ is a trade mark of ODVA, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark CIP Motion™. Use of the trade mark CIP Motion™ requires permission of ODVA, Inc.

³ PROFIdrive is a trade name of PROFIBUS & PROFINET International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFIdrive. Use of the trade name PROFIdrive requires permission of PROFIBUS & PROFINET International.

⁴ SERCOS® is a registered trade mark of SERCOS International e.V. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark SERCOS®. Use of the registered trade mark SERCOS® requires permission of the trade mark holder.

IEC 61800-7-301, IEC 61800-7-302, IEC 61800-7-303 and IEC 61800-7-304 specify how the profile types 1, 2, 3 and 4 are mapped to different network technologies (such as CANopen®⁵, CC-Link IE® Field Network⁶, EPA™⁷, EtherCAT®⁸, Ethernet Powerlink™⁹, DeviceNet™¹⁰, ControlNet™¹¹, EtherNet/IP™¹², PROFIBUS¹³, PROFINET¹⁴ and SERCOS®).

-
- ⁵ CANopen® is a registered trade mark of CAN in Automation e.V. (CiA). This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark CANopen®. Use of the registered trade mark CANopen® requires permission of CAN in Automation e.V. (CiA). CANopen® is an acronym for Controller Area Network *open* and is used to refer to EN 50325-4.
- ⁶ CC-Link IE® Field Network is a registered trade mark of Mitsubishi Electric Corporation. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark CC-Link IE® Field Network. Use of the registered trade mark CC-Link IE® Field Network requires permission of Mitsubishi Electric Corporation.
- ⁷ EPA™ is a trade mark of SUPCON Group Co. Ltd. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark EPA™. Use of the trade mark EPA™ requires permission of the trade mark holder.
- ⁸ EtherCAT® is a registered trade mark of Beckhoff, Verl. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark EtherCAT®. Use of the registered trade mark EtherCAT® requires permission of the trade mark holder.
- ⁹ Ethernet Powerlink™ is a trade mark of Bernecker & Rainer Industrieelektronik Ges.m.b.H., control of trade mark use is given to the non-profit organization EPSG. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark Ethernet Powerlink™. Use of the trade mark Ethernet Powerlink™ requires permission of the trade mark holder.
- ¹⁰ DeviceNet™ is a trade mark of ODVA, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark DeviceNet™. Use of the trade mark DeviceNet™ requires permission of ODVA, Inc.
- ¹¹ ControlNet™ is a trade mark of ODVA, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark ControlNet™. Use of the trade mark ControlNet™ requires permission of ODVA, Inc.
- ¹² EtherNet/IP™ is a trade mark of ODVA, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark EtherNet/IP™. Use of the trade mark EtherNet/IP™ requires permission of ODVA, Inc.
- ¹³ PROFIBUS is a trade name of PROFIBUS & PROFINET International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFIBUS. Use of the trade name PROFIBUS requires permission of PROFIBUS & PROFINET International.
- ¹⁴ PROFINET is a trade name of PROFIBUS & PROFINET International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFINET. Use of the trade name PROFINET requires permission of PROFIBUS & PROFINET International.



IEC

Figure 1 – Structure of IEC 61800-7

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

Part 7-1: Generic interface and use of profiles for power drive systems – Interface definition

1 Scope

This part of IEC 61800 specifies a generic interface between power drive system(s) (PDS) and the application control program in a controller. The generic PDS interface is not specific to any particular communication network technology. Annexes of this part of IEC 61800 specify the mapping of the different drive profiles types onto the generic PDS interface.

The functions specified in this part of IEC 61800 are not intended to ensure functional safety. This requires additional measures according to the relevant standards, agreements and laws.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-5-2, *Industrial communication networks – Fieldbus specifications – Part 5-2: Application layer service definition – Type 2 elements*

IEC 61158-5-3, *Industrial communication networks – Fieldbus specifications – Part 5-3: Application layer service definition – Type 3 elements*

IEC 61158-5-10, *Industrial communication networks – Fieldbus specifications – Part 5-10: Application layer service definition – Type 10 elements*

IEC 61158-6-2, *Industrial communication networks – Fieldbus specifications – Part 6-2: Application layer protocol specification – Type 2 elements*

IEC 61158-6-3, *Industrial communication networks – Fieldbus specifications – Part 6-3: Application layer protocol specification – Type 3 elements*

IEC 61158-6-10, *Industrial communication networks – Fieldbus specifications – Part 6-10: Application layer protocol specification – Type 10 elements*

IEC 61800-7 (all parts), *Adjustable speed electrical power drive systems – Generic interface and use of profiles for power drive systems*

IEC 61800-7-201, *Adjustable speed electrical power drive systems – Part 7-201: Generic interface and use of profiles for power drive systems – Profile type 1 specification*

IEC 61800-7-202:2015, *Adjustable speed electrical power drive systems – Part 7-202: Generic interface and use of profiles for power drive systems – Profile type 2 specification*

IEC 61800-7-203, *Adjustable speed electrical power drive systems – Part 7-203: Generic interface and use of profiles for power drive systems – Profile type 3 specification*

IEC 61800-7-204:2015, *Adjustable speed electrical power drive systems – Part 7-204: Generic interface and use of profiles for power drive systems – Profile type 4 specification*

IEC 61800-7-304, *Adjustable speed electrical power drive systems – Part 7-304: Generic interface and use of profiles for power drive systems – Mapping of profile type 4 to network technologies*

IEC TR 62390:2005, *Common automation device – Profile guideline*

EN 50325-4, *Industrial communications subsystem based on ISO 11898 (CAN) for controller-device interfaces – Part 4: CANopen*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN